

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



FORTY FIRST REGISTRATION REPORT RHODE ISLAND

1893.



16 p

The Society of the New York Hospital, March, 1898.

LANE



63

LIBRARY

LEVI COOPER LANE FUND





JBE

The Society of the New York Hospital, March, 1898.


LANE

MEDICAL,



LIBRARY

LEVI COOPER LANE FUND









FORTY-FIRST REPORT

RELATING TO THE

REGISTRY AND RETURN

o**f**

Births, Marriages and Deaths,

AND OF DIVORCE.

STATE OF RHODE ISLAND,

FOR THE

YEAR ENDING DECEMBER 31, 1893.

PREPARED BY

GARDNER T. SWARTS, M. D.,

STATE REGISTRAR OF VITAL STATISTICS; SECRETARY OF THE STATE BOARD OF HEALTH;
COMMISSIONER OF PUBLIC HEALTH.



PROVIDENCE:

E. L. FREEMAN & SON, STATE PRINTERS,

1894,

MEMBERS

OF THE

RHODE ISLAND STATE BOARD OF HEALTH.

	Post Office Ac	ldress.
ALBERT G. SPRAGUE, M. D , President	River Point	Kent County.
SAMUEL M. GRAY, C. E	Providence	Providence Co.
PAUL S. REDFIELD, M. D	Providence	Providence Co.
REV. GEORGE L. LOCKE	Bristol	Bristol County.
ALEXANDER B. BRIGGS, M. D	Аѕнаwач	Washington Co.
PETER F. CURLEY, M. D	NewPort	NEWPORT COUNTY
GARDNER T. SWARTS, M. D	Providence	Providence Co.
CADDNED TO SWADTH	S Compton.	

State of Bhode Island and Providence Blantations.

OFFICE OF THE STATE REGISTRAR OF VITAL STATISTICS.

PROVIDENCE, January 15, 1895.

To the Honoruble General Assembly:

The Forty-First Annual Report upon the Registration of Births, Marriages and Deaths in Rhode Island, and including judicial procedures in relation to divorce, during the year 1893, with compendiary Tables of the results of registration in previous years, is herewith respectfully submitted.


The plan of preceding years, in regard to the general arrangement of the Tables, summaries and comments, has been followed in this report, with some additional Tables, and a few special changes made to meet certain requirements.

In the special Tables the object has been to present the important facts of many years of registration, as well as of single years, in such manner as to make them readily apparent, and relieve the reader of the statistics of much of the labor of personal examination of each of the general Tables of the preceding reports, for the purpose of ascertaining the relation the various facts bear to each other.

With great respect,

GARDNER T. SWARTS,

State Registrar.



CONTENTS.


See Index, page 273.

GENERAL TABLES.

TABLE I. General summary of the births, marriages and deaths, in 1893, in each town and each county in the State, showing the number of births, the sex and parentage of those born; the number of marriages, with the nativity of those married; the number of deaths, with the sex and parentage of those who died; the aggregate and average age of the dece-	
dents of each sex, and of the whole number of decedents whose age was given	2-5
TABLE II. Births; showing the number of each sex born in each month of the year, in the several divisions of the State	6-7
Table III. Plurality births; arranged by months, sexes and divisions of the State, and showing the nativity of the parents	8
TABLE IV. Marriages; the number in each month, and in each quarter of the year, in the several divisions of the State	9
TABLE V. Deaths; showing the number of decedents of each sex in each month, in the several divisions of the State	10–11
TABLE VI. Deaths; showing the number of each sex that died at certain stated periods of life, in each town and division of the State; also the population of every town and division, with the percentage of deaths	
to population	12-17 18-31
TABLE VIII. Causes of death and age; arranged alphabetically, and showing the number of decedents of each sex from each cause, in each period of life	32-45
TABLE IX. Classification and percentage; showing the number and percentage of deaths from each cause and in each class of causes, in the	46-53
whole State, and in each division of the State	
TABLE XI. Occupations and ages at death; showing the number and the aggregate and average age at death of the decedents, in each occupation and class of occupations, in the whole State, for 1893, and for 41 years and 7 months, ages under 20 omitted	54-69 70-80
TABLE XII. Occupations and causes of death; showing the number in each occupation and class of occupations, who died by each specified cause, during 1893, omitting ages under 20	01 04
TABLE XII. Supplementary	81-94 95-96

SPECIAL TABLES, RESULTS AND COMMENTS.

Births, Marriages and Deaths. Tables XIII-XVI 97-108
Diagram I. Birth Rates
BIRTHS. Special Results. Tables XVII-XXX
MARRIAGES. Special Results. Tables XXXI-XLIII
DIVORCES. Tables XLIV-XLV
" Ratio of to Marriage, different States. Table XLVI 150
DEATHS. Special Results. Tables XLVII-XCV
Diagram II. Death Rates
Diagram III. " " 241
Nomenclature of Diseases. Appendix
Suggestions Concerning Physicians' Certificates of Death
Laws in Relation to Vital Statistics
Synopsis of the Law of Marriage 268
Laws in Relation to Divorce
Index



. .

REPORT UPON THE REGISTRATION

0F

Births, Marriages and Deaths

IN

RHODE ISLAND,

FOR THE

YEAR ENDING DEC. 31, 1893,

AND

FOR VARIOUS PERIODS FROM 1858 TO 1893, INCLUSIVE.

Table I.

General Summary of Births and Marriages in the State of Rhode

Island during the year 1893.

			BIF	THS.					MARE	RIAGE	s.	
TOWNS		SE	x.	P	RENT	AGE.			NATIVITY.			
AND DIVISIONS OF	Whole Number.	Males,	Females.	Native.	Foreign.	Native Father. Foreign Mother.	Foreign Father. Native Mother.	Whole Number.	Native.	Foreign.	Native Groom. Foreign Bride.	Foreign Groom.
Barrington	26 111 88	15 54 38	11 57 50	11 54 28	7 35 47		14	13 48 53	11 33 18	1 5 28	6 4	1 4 3
BRISTOL COUNTY	225	107	118	93	89	17	26	114	62	34	10	8
Coventry East Greenwich	128 77	62 41	66 36	51 41 12	54 22		11 7	26 41	26 23	10	5	
West Greenwich Warwick	14 465	233	232	107	268	52	38	171	49	76	26	20
KENT COUNTY	684	345	339	211	344	72	57	238	98	. 86	31	23
Jamestown	8 5 35 585 28 13 81	4 5 21 283 10 9 40	14 302 18 4	6 3 19 216 28 8 31	15 247 3 38	1 1 75	1 47 2 3	4 9 2 151 9 14 19	3 7 1 80 9 13	1 48	1 1 1 6 	
NEWPORT COUNTY	755	372	383	311	305	86	53	208	130	50	10	18
Burrillville. Cranston. Cranston. East Providence. Foster. Glocester. Johnston. Lincoln. North Providence. North Smithfield. Pawtucket. PROVIDENCE CITY. Scituate Smithfield. Woonsocket.	127 179 246 199 27 38 270 761 74 64 824 4,194 68 42 805	54 87 181 93 16 21 143 370 37 4 433 2,139 33 25 412	73 92 115 106 11 17 127 391 37 20 391 2,055 35 17 393	44 86 53 110 25 24 78 116 22 10 257 1,354 52 20 138	555 677 1322 633 1199 1488 493 340 342 2,130 7 111 507	20 29 13 4 21 76 6 3 117 358	23 76 10 11	45 50 85 95 15 12 59 181 6 22 346 1,608 30 16	25 38 16 71 13 11 26 29 2 6 124 687 27	8 5 44 8 1 1 106 1 8 143 582	11 8 1 7 15 2 2 41	1 14 8 1 8 31 1 6 38 182 2
PROVIDENCE COUNTY	7,918	4,038	3,880	2,389	4,041	745	748	2,809	1,152	1,034	290	333
Charlestown	14 6 59 18 90 103 24 152	10 2 28 10 44 53 14 82	4 4 31 8 46 50 10	10 6 49 12 59 88 20 55	3 1 3 7 6 2 72	2 3 16 6	 8 3	7 11 28 9 22 32 7 59	6 11 26 8 20 23 7	1 1 1 1 3	1 3	3
						_						<u> </u>
WASHINGTON COUNTY	466	243	223	299	94	. 36	37	175	135	20	10	10

TABLE I.—Continued.

General Summary of Deaths in the State of Rhode Island, during the year 1893.

Number.	88	x	PAREN									
Number.				TAGE.	Aş Giv	ges en.	Aggrega in Y	ate Age	Averagin Y			
222 108 228	Males.	Females.	Native.	Foreign.	Males.	Females.	Males.	Females.	Males.	Females.	Aggregate Ages.	Average Age.
108	9 68 41	13 40 57	14 70 51	8 38 47	9 68 41	13 40 57	591 3,127 1,422	551 2,253 2,441	65.66 45.98 34.68	42.38 56.32 42.82	1,142 5,380 3,863	51.91 49.81 89.42
228	118	110	135	98	118	110	5,140	5,245	43.56	47.68	10,885	45.55
107 67 13 391	48 31 9 216	59 36 4 175	79 42 12 120	28 25 1 271	48 31 9 215	59 36 4 174	1,780 1,291 665 4,512	2,527 1,337 248 4,366	86.04 41.65 73.88 20.99	42.83 37.14 62.00 25.09	4,257 2,628 913 8,878	39.79 39.22 70.23 22.82
578	304	274	253	325	308	273	8,198	8,478	27.06	31.05	16,676	28.98
17 14 14 370 34 19	8 6 196 17 12 19	9 6 8 174 17 7 27	16 14 7 184 80 15 26	7 186 4 4 20	8 8 6 196 17 11 19	9 6 8 174 17 7 27	282 553' 114' 6,755 817 521 755	344 484 310 7,441 670 388 631	35.25 69.12 19.00 34.46 48.06 47.36 39.74	38.22 80.67 38.75 42.76 39.41 55.43 23.37	626 1,037 424 14,196 1,487 909 1,386	36.82 74.07 30.29 38.37 43.74 50.50
514	266	248	292	222	265	248	9,797	10,268	36.97	41.40	20,065	39.11
112 130 185 150 24 28 200 451 38 44 599 3,141 64 44 438	60 60 85 81 11 18 101 231 17 27 301 1,582 38 21 215	52 70 100 69 13 10 99 220 21 17 298 1,559 26 28 223	49 65 49 94 24 19 78 83 14 24 220 1,242 27 86	63 65 136 56 9 121 368 24 20 379 1,899 9 17 349	60 60 85 80 11 18 101 230 17 26 300 1,582 88 21 213	52 70 100 69 13 100 98 219 21 177 298 1,559 26 23 223	2,239 1,651 2,242 2,712 469 815 2,785 4,373 277 999 9,408 46,253 1,847 746 4,637	1,670 2,073 2,469 2,870 896 493 3,140 4,907 530 678 9,824 51,630 1,223 1,187 5,916	37.32 27.52 26.38 33.90 42.63 45.28 27.57 19.01 16.29 38.42 31.36 45.24 48.61 35.62 21.77	32.12 29.61 24.69 41.59 68.92 49.30 32.04 22.41 25.24 39.88 32.96 33.12 47.04 51.61 26.53	3,909 8,724 4,711 5,582 1,365 1,308 5,925 9,280 807 1,677 19,232 97,883 3,070 1,933 10,558	34.90 28.65 25.46 37.46 56.87 46.71 29.77 21.24 39.06 32.16 47.97 43.98 24.20
5,648	2,848	2,800	2,183	3,515	2,842	2,798	81,453	89,506	28.66	31.99	170,959	30.31
5 17 42 12 51 66 20 94	2 9, 18, 8 17 37 13	3 8; 24. 4. 34. 29 7	4 17 37 10 41 49 14 59	5 2 10 17 6 35	2 9 18 8 17 37 13	3 8 24 4 84 29 7 43	80 610 1,019 223 934 1,807 604 2,371	73 438 1,156 144; 1,627; 1,388 481 1,873	40.00 67.78 56 61 27.87 54.94 48.84 46.46 46.49	24.83 54.75 48.17 36.00 47.85 47.86 68.71 43.56	153 1,048 2,175 367 2,561 3,195 1,085 4,244	80.60 61.65 51.79 30.58 50.22 48.41 54.25

Table I.—Continued.—(Recapitulation.)

General Summary of Births and Marriages in the State of Rhode

Island during the year 1893.

			BIE	THS.					MARE	RIAGI	ES.	
		8 R	x.	P.	ARENT	AGE.			NATIVITY.			
COUNTIES.	Whole Number.	Males.	Females.	Native.	Foreign.	Native Father. Foreign Mother.	Foreign Father. Native Mother.	Whole Number.	Native.	Foreign.	Native Groom. Foreign Bride.	Foreign Groom.
BRISTOL	225	107	118	93	89	17	26	114	62	34	10	8
KENT	684	345	339	211	344	72	57	238	98	86	31	23
NEWPORT	755	372	383	311	305	86	53	208	130	50	10	18
PROVIDENCE	7,918	4,038	3,880	2,389	4,041	745	743	2,809	1,152	1,034	290	333
WASHINGTON	466	243	223	299	94	36	37	175	135	20	10	10
STATE INSTITUT'NS.	•••••	•••••		••••	•••••				•••••	••••	ļ 	ļ
WHOLE STATE	10,048	5,105	4,943	3,303	4,873	956	916	3,544	1,577	1,224	351	392

TABLE I.—Continued.—(RECAPITULATION.)

General Summary of Deaths, in the State of Rhode Island, by Counties, during the year 1893.

						DEA	TII8.					
	SE	x.	PAREN	FAGE.	A g Giv	es en,	Aggrega in Y	ate Age	Averag	e Age ears.		
Whole Number.	Males.	Females.	Native.	Foreign.	Males.	Females.	Males.	Females.	Males.	Females.	Aggregate Ages.	Avernge Age.
228	118	110	135	93	118	110	5,140	5,245	43.56	47.68	10,385	45.55
578	304	274	253	325	303	273	8,198	8,478	27.06	31.05	16,676	28.95
514	266	248	292	222	265	248	9,797	10,268	36.97	41.40	20,065	39.11
5,648	2,848	2,800	2,133	3,515	2,842	2,798	81,453	89,506	28.66	31.99	170,959	30.31
307	155	152	231	76	155	152	7,648	7,180	49.34	47.24	14,828	48.30
165	98	67	5 7	108	98	65	4,879	3,258	49.79	50.12	8,137	49.92
7,440	3,789	3,651	3,101	4,339	3,781	3,646	117,115	123,935	30.97	33.99	241,050	32.46

Table II.—BIRTHS, 1893.

Arranged by Months, Sexes, and Divisions of the State.

	į į		1	- 1	DIVIS	IONS	OF TH	E STA	TE.		
MONTHS.	SEX.	Whole State.	Bristol County.	Kent County.	Newport County Towns.	Newport City	Providence County Towns.	Providence City.	Pawtucket.	Woonsocket.	Washington County.
January	Male Female Total	441 400 841	8 9 17	37 22 59	6 7 13	25 29 54	86 82 168	184 161 345	27 37 64	44 33 77	24 20 44
February	Male Female Total	343 356 699	5 9 14	26 25 51	4 3 7	18 17 35	62 60 122	159 168 327	32 26 58	20 33 53	17 15 32
March	Male Female Total	434 400 834	5 11 16	22 32 54	8 6 14	16 21 37	96 77 173	184 165 349	37 31 68	42 28 70	24 29 53
April	Male Female Total	361 381 742	5 9 14		6 8 14	18 21 39	71 77 148	159 175 334	37 20 57	27 38 65	12 17 29
May	Male Female Total	381 347 728	8 4 12	23	6 3 9	13 26 39	90 64 154	149 153 302	38 22 60	36 35 71	18 17 35
June	Male Female Total	420 401 821	11 12 23	35 35 70	4	19 26 45	91 90 181	174 157 331	25 26 51	40 35 75	16
July	Male Female	472 468 940,	12 12 24	29 29 58	12	21 24 45	103 104 207	212 198 410	31 36 67	33 33 66	25 20 45

TABLE II.—BIRTHS, 1893.—Continued.

			•	1	DIVIS	SIONS	OF TI	IE STA	TE.		1
MONTHS.	SEX.	Whole State.	Bristol County.	Kent County.	Newport County Towns.	Newport City.	Providence County Towns.	Providence City.	Pawtucket.	Woonsocket.	Washington County.
	Male Female Total	429 443 872	17 7 24	29	10 5 15	24 19 43	97 99 1 96	162 187 349	38	36 46 82	19 13 32
	Male Female Total	453 409 862	7 7 14	25	13 10 23	32 26 58	83 85 • 168	177 178 355		22	16 17 33
October	Male Female Total	418 450 868		41	11 9 20	30 26 56	88 91 179	171 185 356			20 17 37
November.	Male Female Total	454 416 870	10	21		38 31 69	85 105 190	192 159 351		24 28 52	20 16 36
December	Male Female Total	499 472 971	10 15 25	41	11 6 17	3 6	107	216 169 385	42	32 30 62	
Whole Year	Male Female Total	5,105 4,943 10,048	118	339	81	302	1,054 1,041 2,095	2,055	391	393	223

TABLE III.—PLURALITY BIRTHS, 1893.

j

IVITY OF THE PARENTS.	Parents.	English Father. Canadian Mother. English Father. Irish Mother. English Father. German Father. German Father. Trish Father.	1 1					1 1	1 1	····	1			1 1	1 4 1 1 1 2 1 1
THE NATIVI	Y OF THE	English Father. American Mother. English Father. Australian Mother.	;	:	: :	1	1 1	:				:		:	1 1
SHOWING	NATIVITY	American Father. Nova Scotis Mother. American Father. Irish Mother.			<u>:</u> - <u>:</u>		=	:	<u>:</u>	<u>:</u>		- <u>:</u>	<u>:</u>	: :	61
STATE; AND SE	:	Ruselan. Swedish Western Islands. American Father. Canadian Mother.						- <u>:</u>	11	3 1	:	<u>† 1</u>	: :		9 1 1 1
OF THE		Canadian. German. Italian. Irieh.	$\frac{1}{1}$	3 1 1			1		3 1	11	1		_: _:	9 1 1.	15 4 3 11
AND DIVISIONS	THE STATE	Providence County, Providence City Washington County Native.	3 5	<u>+</u> 1		- +	† 3 †	3 5 4	+ 1 ···	61 61	3 1 4	† ·· † €	3 3	3 6 4	37 40 32.1
MONTHS, SEXES	DIVISIONS OF T	Bristol County. Kent County. Newport County Newport City	- :	:	1	1	71	· · · · · · · · · · · · · · · · · · ·	ा - : :	1 1,	1 3		$\dots \dots $:	* + :
ARRANGED BY MON		SE X X Vumber of Children.	Males 10 Females 8	Males 7	Malcs 2 Females 8	Males 4	Males9	Males 7	_	Males 9	Males 4 Females 12	Males 8 Females 12	Males ?	Males 8 Females 12	(Males 82 (Females 106
ARRA	· · · · · · · · · · · · · · · · ·	MONTHS.	January 9	February 5	March 5	April 7	May 9	June 8	July 7	August 8	September 8	October 10	1-	December 10 Remales	Whole Year. 93 Remales

TABLE IV.—MARRIAGES, 1893.

Arranged by Months and Divisions of the State.

				DIVI	SION	OF T	HE S	TATE.		===::.	
MONTHS.	Whole State, 1892.	Bristol County.	Kent County.	Newport County Towns.	Newport City.	Providence County Towns.	Pawtucket.	Providence City.	Woonsocket.	Washington County.	Whole State, 1893.
January	275	18	18	8	10	45	29	154	37	16	335
February	289	4	17	5	9	53	25	124	21	9	267
March	180	3	9	4	6	18	18	52	9	14	133
First Quarter	744	25	44	17	25	116	72	33 0	67	39	735
A pril	268	14	29	4	11	66	4 5	162	22	15	368
May	259	7	13	3	7	5 0	25	119	27	11	262
June	429	14	32	6	17	91	44	195	26	20	445
Second Quarter.	956	35	74	13	35	207	114	476	75	46	1,075
July	218		15	1	12	46	29	125	12		259
August	246			4	6	42	23	124		13	254
September	32 0	1		2	15	43		136			283
Third Quarter	784	25	50	7	33	131	71	385	48	46	796
October	408	13	32	2	25	54	32	158	16	11	343
November	382	12	3 0	10	27	71	45	1 81	20	17	413
December	228	4	8	8	6	37	12	7 8	13	16	182
Fourth Quarter.	1,018	29	70	20	58	162	89	417	49	44	938
Whole Year	3,502	114	238	57	 151	616	346	1,608	239	175	3,544

4

Table V.—DEATHS, 1893.

Arranged by Months, Sexes, and Divisions of the State.

				- 1	DIVIS	SION	S OF T	HE S	TATE.		П	
MONTHS.	SEX.	Whole State.	Bristol County.	Kent County.	Newport County Towns.	Newport City.	Providence County Towns.	Pawincket.	Providence City.	Woonsocket.	Washington County.	State Institutions,
January	Males Females. Total	323 321 644	8 8 16	22 15 37	4 7 11	18 16 34	53 58 111	26 33 59	147 145 292	20 14 34	16 13 29	9 12 21
February	Males Females. Total	278 294 572	7 10 17	21 21 42	5 4 9	13 14 27	48 69 117	21 22 43	$132 \\ 130 \\ 262$	14 13 27	12 7 19	5 4 9
March	Males Females. Total	358 296 654	12 10 22	25 20 45	7 9 16	17 11 28	74 63 137	35 13 48	157 136 293	13 16 29	12 14 26	6 4 10
April	Males Females. Total	352 329 681	14 10 24	27 23 50	7 11 18	18 21 39	79 60 139	23 30 53	143 147 290	18 14 32	14 12 26	9 1 10
May.,	Males Females. Total	318 317 635	9 6 15	20 19 39		12 16 28	52 64 116	23 19 42	142 149 291	19 18 37	18 14 32	11 7 18
June	Males Females. Total	272 239 511	11 7 18	27 16 43		12 6 18	44 44 88	20 27 47	117 105 222	14 12 26	13 15 28	11 6 17
July	Males Females. Total	376 362 738	8 6 14	24 39 63	9	19 14 33	85 64 149	34 33 67	154 150 304	23 30 53	17 9 26	7 8 15

TABLE V.—DEATHS, 1893.—Continued.

					DIVI	SION	s of 1	HE :	STATE.			
MONTHS.	SEX.	Whole State.	Bristol County.	Kent County.	Newport County Towns.	Newport City.	Providence County Towns.	Pawtucket.	Providence City.	Woonsocket.	Washington County.	State Institutions.
August	Males Females. Total	365 354 719	9	38	11 3 14		89 76 165	29 23 52	112 136 248	31	18 15 33	5 11
September.	Males Females. Total	312 305 617		31 17 48	7 10 17	17 14 31	67 61 128	20 27 47	120 116 236	23	11 17 28	12 5 17
October	Males Females. Total	298 249 547	8	29 14 43		19 13 32	65 48 113	25 19 44	117 106 223		17	8 5 13
November.	Males Females. Total	253 248 501	12	25 25 50	11	13	46 49 95	20 20 40	107 87 194	15 15 30	10	7 6 13
December.	Males Females. Total	284 337 621	10 9 19	21 27 48	3 2 5	13 18 31	48 64 112	25 32 57	134 152 286	20	9	7 4 11
Whole Year	Males Females. Total	3,789 3,651 7,440	110	274	74	196 174 370		301 298 599	1,582 1,559 3,141	223	152	98 67 165

TABLE VI.—DEATHS, 1893.

Exhibiting the Whole Number, the Proportion to Population, the Number of each Sex, and the Number in each Period of Life, in every Town and Division of the State.

	Pop-		D	EATHS.		ı.	
TOWNS AND DIVISIONS OF THE STATE.	Estimated I	Total.	Per 1000 of population.	SEX.	Number of each Sex.	Under 1 year.	1 to 2.
Barrington	1,500	22	14.7	Males Females	$\begin{array}{c} 9 \\ 13 \end{array}$	4	
Bristol	5,322	108		Males Females	68 40	10	3 1
Warren	4,657	98	21.0	Males Females	41 57	10 11	1
Bristol County	11,479	228	19.9	Males Females	118 110	20 18	$\frac{1}{3}$
Coventry	5,225	107	20.5	Males Females	48 59	8 10	7 3
East Greenwich	3,408	67		Males Females	$\begin{array}{c} 31 \\ 36 \end{array}$	5 7	2 2
West Greenwich	759	13		Males Females	$\begin{array}{c} 30 \\ 9 \\ 4 \end{array}$		••••
Warwick	20,446	391	19.1	Males Females	216 175	84 57	16 12
KENT COUNTY	29,838	578	19.4	Males Females	$\begin{array}{c} 304 \\ 274 \end{array}$	97 75	$\begin{array}{c} 25 \\ 17 \end{array}$
Jamestown	822	17	20.7	Males Females	8 9	1 3	1
Little Compton	1,172	14	11.9	Males Females	8		
Middletown	1,147	14		Males Females	6 8	4 4	
NEWPORT CITY	19,392	370		Males Females	$\frac{196}{174}$	$\begin{array}{c} 42 \\ 32 \end{array}$	$\begin{array}{c} 9 \\ 4 \end{array}$
New Shoreham	1,352	34		Males Females	17 17	$egin{array}{c} 2 \ 1 \end{array}$	1
Portsmouth	1,917	19		Males Females	12 7	2 2	1
Tiverton	2,918	46		Males Females	19 27	3 8	2 2
NEWPORT COUNTY .	28,720	514	17.9	Males Females	$\begin{array}{c} 266 \\ 248 \end{array}$	54 50	$1\frac{1}{6}$
Burrillville	5,714	112	19.6	Males Females	60 52	19 15	$\frac{1}{2}$
Cranston*	7,403	130	17.6	Males Females	60 70	13 13	5 8
Cumberland	8,646	185	21.4	Males Females	85 100	$\begin{array}{c} 10 \\ 24 \\ 31 \end{array}$	2 7
* Not including State Is	etitutione					1	

^{*} Not including State Institutions.

TABLE VI.—DEATHS, 1893.

		<u> </u>											
2 to 8.	8 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Age not stated.
10 2 11 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	1	1 1 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 2 2 2 1	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		11 15 36 69 97 73 32 22 55 111 116 118 166 15 15 119 129 121 129 131 144 141 141 141 141 141 141 141 141	108 108 108 108 108 108 108 108 108 108	$egin{array}{cccccccccccccccccccccccccccccccccccc$	1 3 9 6 5 5 9 15 18 3 9 4 13 11 20 20 3 1 1 1 24 20 3 3 1 1 1 2 4 25 7 7 7 9 6 6 9 8	$\begin{array}{c} 24 \\ 13 \\ 103 \\ 7 \\ 18 \\ 21 \\ 7 \\ 7 \\ 36 \\ 3 \\ 1 \\ 17 \\ 30 \\ 8 \\ 1 \\ 19 \\ 4 \\ 21 \\ 4 \\ 31 \\ 31 \\ 31 \\ 9 \\ 8 \\ 1 \\ 4 \\ 1 \\ 19 \\ 4 \\ 31 \\ 31 \\ 31 \\ 31 \\ 31 \\ 31 \\ 31 $	$\begin{array}{c} 2 &6 & 9 & 4 & 4 & 4 & 1 & 1 & 1 & 1 & 1 & 1 & 1$	2 3 3 8 1 1 5 2 7 2 2 1	

i

TABLE VI.—DEATHS, 1893.—Continued.

7200 CV	Pop-		D	EATHS.		4	
TOWNS AND DIVISIONS OF THE STATE.	Estimated I	Total.	Per 1000 of population.	SEX.	Number of each Sex.	Under 1 year.	1 to 2.
East Providence	9,386	150	16.0	Males Females	81 69	13 14	5
Foster	1,165	24	20.6	Males Females	11 13	2	i
Glocester	2,199	28	12.7	Males Females	18 10	2 3	1
Johnston	11,280	200	17.7	Males Females	101 99	23 17	7
Lincoln	22,231	451	20.3	Males Females	231 220	99	12
North Providence .	2,448	38	15,5	Males Females	17 21	8	1
North Smithfield	3,231	44	13.6	Males Females	27 17	9	i
PAWTUCKET	30,469	599	19.7	Males Females	301 298	69 58	15 13
PROVIDENCE CITY	150,000	3,141	20,9	Males Females	1,582 1,559	380 313	97
Scituate	2,915	64	21.9	Males Females	38 26	9	
Smithfield	2,597	44	16.9	Males Females	21 23	4 2	
WOONSOCKET	23,609	438	18.5	Males Females	$\frac{215}{223}$	81 76	17
PROVIDENCE COUNTY	283,293	5,648	19,9	Males Females	2,848 2,800	755 625	165
Charlestown	839	5	5.9	Males Females	2 3	1 2	•••
Exeter	891	17	19.1	Males Females	9 8	••••	
Hopkinton	2,905	42	14.5	Males Females	18 24	2	
Narragansett	1,501	12	8.0	Males Females	8	î	1
North Kingstown	4,372	51	11.7	Males Females	17 34	1 2	3
South Kingstown	5,139	66	12.8	Males Females	37 29	4 2	
Richmond	1,624	20	12.3	Males Females	13	2	
Westerly	7,101	94	13,2	Males Females	51 43	7 5	1
Washington Co	24,372	307	12.6	Males Females	155 152	18 12	5
State Institutions	1,877	165	87.9	Males Females	98 67	2 2	

TABLE VI.—DEATHS, 1893.—Continued.

			ADLE	· · · · ·							4.		
2 to 3.	8 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Age not stated.
6 2 3 9 7 7 16 6 6 38 43 3 2 71 68	11 11 11 14 49 42 	1 1 1 1 6 8 9 10 2 14 23 74 50 2 2 1 1 8 6 127 114	1 1 2 9 4 122 23 4 5 2 45 54	3 1 3 2 6 10 1 47 39 4 9 10 89 79	10 3 10 6 13 14 1 2 29 24 135 140 2 2 2 2 2 2 2 2 2 2 2 2 2	5 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 10 1 1 1 10 9 16 17 1 2 23 21 150 142 4 2 1 11 247 232	5 8 1 10 12 13 2 2 1 15 162 2 3 155 162 2 243 261	6 10 2 4 2 7 15 9 15 4 1 30 28 137 193 3 6 2 2 8 18 232 319	9 13 2 2 2 2 1 7,7 7,7 8 1 	5 1 4 4 3 1 1 6 7 3 2 12 8 3 7 6 2 7 3 4 2 5 6 9 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	1 1 1 1 1 3 3 9 2 2 2 2 14 20	1 1 1 1 1 1
3 1 2 	1	1 1 2 2 1 3 3 3	1	1 2 2 1 2 1 2 1 6 6 6 1 3	1 1 2 4 4 2 1 3 8 8 18 12 6	1 2 2 2 1 5 1 1 8 4 13 13 16 8	2 3 1 1 2 1 4 4 3 9 12 19 9	1 2 1 1 1 2 3 3 5 2 2 1 1 1 1 5 4 16 16 16 16	2 2 4 1 4 5 6 3 6 7 17 23 15 10	1 1 3 1 6 3 1 1 2 5 5 3 3 3 5 5 5 3 4 2 3 3 1 1 1 1 2 5 3 3 3 3 3 3 3 3 3 3 4 3 3 3 4 3 1 3 1 3	2 1 2 4 4 3 3 2 1 1 8 3 20 14 3 5	1 1 2 1 1 1 4 4 4 1 1	2

TABLE VI Continued.—DEATHS, 1893.—RECAPITULATION.

	u U		D	EATHS.			
DIVISIONS OF THE STATE.	Bstimated Population in 1898.	Total.	Per 1000 of Population.	SEX.	Number of each Sex.	Under 1 year.	1 to 2.
BRISTOL COUNTY	11,479	228	19.9	Males Females	118 110		3 2
KENT COUNTY	29,838	57 8	19.4	Males Females	304 274	9 7 75	25 17
NEWPORT COUNTY	28,720	514	17.9	Males Females	266 248	54 50	1 4 6
Providence County	283,293	5,648	19.9	Males Females	2,848 2,800	755 625	
Washington Co	24,372	307	12.6	Males Females	155 152	18 12	5 1
State Institutions.	1,877	165	87.9	Males Females	98. 67	2 2	••••
Whole State	379,579	7,440	19.6	Males Females	3,789 3,651	946 782	212 172

TABLE VI Continued.—DEATHS, 1893.—RECAPITULATION.

===:;	· : : - ;	,	:;	:-,	,		,	= -;	···= ==-,	=			
2 to 3.	3 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	80 to 40.	40 to 50.	5A to 60.	60 to 70.	70 to 80.	80 to 80.	90 and over.	Age not stated.
4	3	2	2 2	2 2	8	9 7	7 13	16 8	15 18	18 21	12 13	• • • • •	••••
11 2	12 12	11 14	7 3	7 10	15 17	16 18	10 18	22 18	20 20	30 28	17 13	3 8	1 1
5 9	6 1	7 8	1	7 8	20 15	19 21	28 19	23 12	34 25	31 31	14 33	2 7	1
71 68	91 84	127 114	45 54	89 79	238 231	223 230	247 232	243 261	232 319	210 214	92 121	$\frac{14}{20}$	6 2
2 5	2 1	3	1	6	8 18	13 13	9 12	14 16	17 23	34 23	20 14	4 4	
	• • •		1	1 3	12 6	16 8	19 9	16 11	15 10	13 10	3 5	1	2
93 84	111 104	150 139	55 61	112 108	301 290	296 297	320 303	334 326	333 415	336 327	158 199	24 39	8 5

я

TABLE VII.—CAUSES OF DEATH, 1893.

g

CAUSES OF DEATH.	Jan.		Feb.		Mar.	_	April.	May.		June,		July.	An	Aug.	Sept.	4.5	Oct.	-	Nov.		Dec.	PARE	PARENTAGE.		80	SEX.
	M.	F.	M.	F. M	E	M	E !	M.	F.	M. F.	×	Fi I	×	Fi	×	E	×	E	M. F	F. M.	E	Am.	For.	×	124	Total.
Abortion	:	01		-		:	-	- ;	:	-		-	:		- 1	-:		:		- :					2	
Abscess of Abdomen	:	:				:	:	1	+	-	-	:	:		:					-:	;					
Brain	-	:		-		:	-	-	-:	:	:	:	:	:	:	:			-	-:	:	0.1	60	919	0.1	
Cervical Gland	:				-	:	7:	:	:	:		:	4	:	:	1	H		-;	-:	:		:		:	
Kidney	:	:			-	:	:	;	1		:	:	:	:	:		-	•	-:	-:	:	:	G1		1	
Liver	:		-		-:	:		-	-:			::	:	Н	•	:		•	:	-		24	67	64	0.1	
Lung	:						:		-		-	:	:	:	7	:			-	:	:			64	:	
						:			-:			:	Н	:	:	٠,			:	÷	:		:			
Otitis Interna	:	-	•	3	•	:	:	:				:	:			:	1	-	:		:		i	:	1	
Pelvis	: : : : : : : : : : : : : : : : : : : :	-:			:	:	П	:		-:	:		:	:	:	:				:	:		:		-	
Psoas	:		;	1	:	:		-				:		:	:	- :					:	:	GI		_	
Recto Perineal	:		:		- :	:	:		-	:	:	:	:	:	H	:			-		;		:			
Stomach	:	:	:		_	:	:			:	:	:	:		:	:	:			:	:	:			:	
Thigh	:				-	:	:	•		1	:		:	:						-	:	:				
Throat	-:	H	•	:	:		:			:	:	:	:	:	:				:				3		-	
Unspecified	:	•				0.1	:	:	•		:		:	:	:	:	C.1		-	:		4	-	14.5	:	
Accidents, Asplyxia	:	H	-	H	03	+	:	:	-:	-	1	E	:	:	:	-			-	1		10	6	05	70	
Boiler Explosion						ಬ	:	:		-:	+	:	:		:	i	-	÷	:		:	CI	-	-	:	
Burns and Scalds	co	01	01			-	Г	:	-	61	31	-	CI	_	:	:	0.1	-	-	Н	1	6,	17	17	6	
Crushed by Weight	:	•		•	4		:	-		-	:	:	:	:	:	-		•		÷		•	-		:	
Dislocated Vertebræ.	:	÷	÷	:	4	e les les les		=		Land of the desired earliest and a standard of the	:	:		:		:	÷	÷	:	-	2		27	64		

CAUSES OF DEATH.	Jan.	Feb.	Mar.		April.	May.	June.	July.		Aug.	Sept.	Oct.	Nov.	!	Dec.	PARENTAGE	TAGE.		PEX.	
	M.	M. F.	×	F. M.	F.	W. F.	M. F.	Ä.	F. M	F	M. F.	M. F.	¥ 	M	54	Am.	For.	Ä	ß.	Total.
Accidents, Drowning	<u> </u>	6 1		G1	່_ວາ	† 1		∞	25	:	1 63	ۍ ا :		۱ ا ش	61	17	30	- 88 -	ြင	17
Explosion of Powder.	: :31	<u>: :</u> <u>: :</u>		: :	: - :	::	· :	· m	-:-:	<u>:</u>		: :	::		:::	→	.v.		: :	ى 1 ت
Exposure to Cold	: -	ē		•	:	_ : :	_: -	- :- -	_ <u>:</u>	: ::-		- : -	<u>:</u>	• :	:	— o	-1	63.E	· 14	C1 16
Fractures and Contusions.	່:	; <u>:</u>	· :	·	: :	: :	- 63	; - -	, 2	ંજા	۰ ۲	່. - ພ	• •	: -		O 1~	18	15	9	8 83 85
Gunshot Wounds	: -	<u>:</u> -	:-	_:-	-:	•	•	:	. :		- :	:	:			П.	7	G1 (:	G1 G
Inhalation of Foreign Body.	: :	<u>:</u>	- :	<u>: :</u>	: :	:-:		. –	: :			: : : :	<u>:</u> :	: - :	: :		- - -	— K	:::	23 H
Landslide	:	: :-	:	:	:	:	: -	- :	:	:	-:	: :		-:-		:			:	
Pistol Wound	: : : :		: :		: -:	: :	: :	: :		: :		:	: :	- - -			- -	-	:	
Poisoning by Alcohol		<u>:</u> <u>:</u> -:	<u>:</u>	:	-:-	:	:	- <u>'</u>	:	:	:	:	: :	:	:	:	, , , ,		:	-
by Lead	: :	: :_:	-		-:-	:	:			:	:	:		-:		:		- -	:	
by Oil of Almonds	: :	: :		: :			- :	⊘ 1		: :			<u>:</u> :	: .:	:	:	1 01	- 01	•	- 31
by Oplum		-	:	<u>:</u>	: -	:	: .	-				- : - :	<u>:</u> _	- <u>:</u> -	:-	:	- -	:		- -
Otherwise	: : :_ :	-		: :	:	: :	-			. <u>-</u>	: :	-	: -	: :		. 67	1 10	: œ	-	- t-
Railroad		-		3		3		2	. :	-		: ::	7		. T	L	32	08	် ငေ	33
by Foreign Body in	: -	: :	<u>-</u>	:	:	: -	÷	:	:	:	: -	: :	<u>:</u> -		: 	:	+	#	:	#
Geophagus.	<u>-:-</u> :	<u>-</u> <u>-</u>		: :	-:-:	. 2	- <u>-</u> -	: ci		- 	-:-	:-	:::				- !-	- 5		1 1
Surgical Operation Run over by Horse Cars	G1 :	- : ; ;	=:	1	<u>-</u> :	- 		- : - :	1	<u> </u>			<u> </u>	<u>-:-:</u>		9 =	70	· 2	1 6	111

Table VII.—CAUSES OF DEATH, 1893 —Continued.

CAUSES OF DEATH.	Jan.	Feb.	Mar.	April	. Мау	1	June. J	July.	Ang.	Sept.		Oct.	Nov.		Dcc.	PARE	PARENTAGE.		BKX.	
	M.	M.	Æ	¥.	Ħ l	F. M.	F.	Fi	M F.	×	F. X	<u>6.</u>	M. F.	W	ß.	Am.	For.	K.		Total.
Accidents, Various	- - - -	- :		1 3		<u>:</u>	:		- - :	<u>س</u>		:			:	6	- 00	14	က	17
Albuminaria	:	:	:-	: 0	: 0	: 0	:	-:-	_; _;	<u>.</u>	-:-	: -	<u>:</u> -	: -	: -	: -	- 6		t	7
Anæmia	* :	: 67	- :		· 60	•	: 67	:::	. ₂₀	<u> </u>	- 	- C1	+ :			6 6	12	, io	16	21
Aneurism AortaAbdominal Aorta	:		:	-: -	:	<u>:</u> :	:	:-	<u>:</u>	<u>:</u>	:	:	·	\div	:		: -	: [100
Unspecified	: : : :		: :	:	: :	<u>: :</u>	: :	1 :		<u>.</u> : :	=	: :		<u>: :</u>	: :	† :		<u>'</u> :		7 —
Angina Pectoris	<u>.</u>	=		1	:	-	:	· ·	-:		<u>.</u>	T	-:	در ي	:	10	C3	<u> </u>	ಣ	12
Apoplexy	13 17	11 7	14	9 91	3 7	10 13	1410	0	10.12	_	911	$\frac{1}{2}$	œ	5 10	11	139	12	131	132	263
Appendicitis	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:	-	:			က	:	Η	\exists	<u>:</u>	П	2	` ਨਾ ੇ	_	ಣ	10
Ascites	<u>:</u>	:	:	:	:	:	<u>:</u>	:		<u>:</u>	<u>:</u>	:	:	\div	Ξ	က		_	ℸ	ō
Asthenia.	<u>.</u>	<u>:</u>	<u>01</u>	<u>ო</u>	 	<u>67</u>			<u>01</u>	:	10 21	ಣ	=		က	30	T	21	26	47
Asthma	. 2	<u>:</u>			:		=	-:	<u>:</u>	:	-	_:	<u>67</u>	<u>:</u>	_	7	9	.c.	œ	13
Arterial Sclerosis	:	:	:	: -:	• :	:		 :	<u>:</u>	- <u>:</u>	<u>:</u>	:	- <u>:</u>	<u>:</u>	:	:	Γ	<u>:</u>	П	1
Atelectasis Pulmonum	<u> </u>	2	:	Т.					_:	<u>:</u>	-	:	=	<u>:</u>	:	6	СИ	<u> </u>	က	11
Atrophy, Cerebral	:	<u>:</u>	<u>:</u>	-:	:		:	:	<u>:</u>	_:	:	_:	:	<u>:</u>	:	1	1	_	٦	C 1
Bladder Diseases	1	=	:	<u>:</u>	-:	<u>:</u> :	-:	1	:	_ <u>:</u>	<u> </u>	:		$\dot{\div}$:	æ	67	4	_	5
Bowel Diseases	:	1 4	•	67		<u>:</u>	-	-	<u>ლ</u>	:	-	:	.	<u>:</u>	01	00	7	11	11	22
Inflammation	: :	1	:	67	-	<u>-</u>	87	:	:	:	<u>:</u>	_	· :	<u>:</u>	:	67	G	+	7	11
Obstruction	:	:	:	<u>:</u>	:		<u>:</u>	:	<u>:</u> :	:	:	:	<u>:</u>	<u>:</u>	:	-	1	_	:	Г
Tuberculosis	:	- <u>:</u>	:	:	:	:	:	_:	-:	_:	<u>:</u>	_:	· :	<u>:</u>	:	:	_	:	Η	I
Ulceration	:	:	-:	<u>:</u>	=	:	<u>:</u>	:	- <u>:</u>	:	:	:	<u>:</u>	:	:	:	1	_	:	Π
Brain Diseases	=	4	:	-	<u>.</u>	- <u>:</u>	=	7	-	П	:	_:	-	<u>.</u>		9	13	13	7	19
Congestion	<u>:</u>	<u>-</u>	<u>-</u>	1	1 1	-:	-:	1	C1		<u>:</u>	_:	<u>:</u>	<u>:</u>	_	∞	5	 .0	<u></u>	13

CAUSES OF DEATH.	Jan.	-i	Feb.	۔	Mar.		April.		May.		June.	July.	*	Aug.		Sept.		Oct.	Z	Nov.	Dec.	· ·	PARE	PARENTAGE.			SEX.	
	×	Fi	×	ß.	73	E;	×	F	<u> </u>	×	e.	×	E.	M. F	F	M. F	. M	F.	7	E	M	E	Am.	For.	X	_ <u>E</u> .		Total.
Brain Diseases, Inflammation			:	CZ			0.1] :]:		:	30	<u>-</u>			! -=] -:	:	_ e:	100	-	_	1 1-	28
Softening	Ŧ	-	:			=	_	, <u>;</u>	_	·				=		_	- :	:		ٔ: '	Ç.	_	11				=	13
Bronchitis, Acute	119	67	16	œ	20.5	251	9	5.	4 12		G	<u>01</u>	Ö		63	5	1,1	က		3	2	15	6	17.		Τ		263
Chronic	Ç1	30	4	ಣ	4	_	ಣ	Ω.	٠	-		Ç1	-:	=	ಣ	<u>0</u> 1					ĊI	01	13	-	₹;		96	50
Calculus	_:	:	:	:	:	:	-:	:	<u>:</u>	:	:	-:		- <u>:</u>	<u>:</u>	:		:	_:	_:	Ĥ.	:	T	_		:	-	31
Biliary.	:	_	:	:	:	:	:	•	:	:	_:	:	:	<u>•</u> :	:		_:	:	_:	_:	. :	:	:	 C1			G1	ĠΊ
Cancer of Abdomen	_:	:	:	:	:	:	- :	<u>:</u>		_:	:	:	_	. :	:	:	:	•	_:	_:	:	:	П	_	:		G1	ŞI
Bladder	:	:	:	:	-:	·	:	: :	- :	_ :	_:	:	Ċį	:	•	- <u>:</u>	-:	:	_:	.:	. :	:	G1	:	:		G1	ÇÌ
Bowels	_:	- :	:	:	:		:	:		_:	_:	- :	:	- :	_:			Γ.	:	:		•	G 3	_	•		•	က
Breast	_:	0.1	:	4	-:	+	•	<u>.</u>	<u>-</u>		Ç1	:	Ċ.	•	:		_:		_:	. က 	:	©1	11	10	:	(1)	15	57
Face	1	-:	П	:	H	:	:			_:	:	-	-:	-	-	;	:	<u> </u>		_ :		•		ु	•	:	·	5
Liver.	Ç)	:	:	+	_	•	-	=		7		:	:	Ξ	ಣ		=	CJ		C1	:	:	15	2	12	_	9	61
Maxillary (Upper)	:	-:	:	:	_	<u>:</u>	— <u>:</u>	· - :	٠	:	_:	•		_ :	<u>:</u>		:	<u>:</u>		:	:	:	_	જા	-	•	.	ಚ
Mesentery	:	:	:	-	:	:	- <u>÷</u>	- :	:	:	_	:	•	_	•		<u>-:</u>	<u>:</u>	_:	:	_:	:	Т	_		-	٥١	33
Mouth	:	:	:	-:	_:	:	_	- .		:	:	:	_ :		_:		:	_:	_:	:	_:	:	_	_		<u> </u>	- .	?1
Neck	_:	:	:	:	:	<u>:</u>	•	<u>-</u> :	- :	٠:	_:	:	- :	<u>-</u> :	_	-	. :	_:	_:	:	-:	:	_	_				ខរ
Ovaries	:	:	:	:	-:	- :	···	_:	:	:	_:	:	:	<u>:</u>	•	:	:	<u>:</u>	:	:	:	:	_	_:	:			1
Pancreas	:	_:	:	:	_:	:	-:	. <u>:</u>	- :	_:	_:	:	:	·	·	•		- :	_	:	:	:	:			_:		1
Prostate	:	:	:	:	:	:	$\frac{\cdot}{\cdot}$	• :	:		<u>:</u>	:	:	· :	•	•	:	<u>:</u>	:	:	:	:	_	:	-	_:	.	П
Pylorus	:	:	:	:	:	:	•	_;	- : <u>:</u>	:	_:	:	•	:	•	•	. :	∹	. :	:	-:	:	_	:			_	1
Rectum	:	-:	:	-:	:	<u>:</u>	\div	<u>:</u>	<u>.</u>	:	<u>0</u>	_	=	<u> </u>	-		_:	_ <u>:</u>		:	:	•	īO	7		Oi		G.
Stomach	Τ	C)	:	4	-	ಣ	<u>01</u>	-:	· M	61	90	:	Ç1	_	_	C)	_	<u>ස</u>	:	C1	+	က	<u>က</u>	5	<u> </u>	. 25	٠.	#1
Testicle	7	:	:	-:	:		- :	:	- <u>:</u> -	_:	:	:	:	:	•	-:	:	. <u>. :</u>	_:	:	:	:	1	<u>:</u>		:		_
Throat	=	:	:	•	_ :	- <u>:</u>	:	. :	_: -:	_:	:	:	- :	•	•	:	- :		<u>:</u>	:	:	:	1	_	_	_	1	C)
Tongue	:	:	:	:	:	<u>:</u>	:	-:	<u>:</u>	_	:	_	:	·	÷	. :		$\stackrel{\cdot}{=}$	<u>:</u>	:	:	:	C)			:		ೞ
Uterus	<u>:</u>	<u>01</u>	:	ž,	:	÷		Š	<u>.</u>	:	<u>ဗ</u>	:	ೞ	<u> </u>	ن	:	. 9	<u>.</u>	:	 C1	:	Ö	٠ و	16	:	-+	<u> </u>	4

TABLE VII.—CAUSES OF DEATH, 1893.—Continued.

CAUSES OF DEATH.	Jan.	Feb.	-	Mar.	April	May.	-	June.	July.	· i	Aug.		Sept.	Oct.	Z	Vov.	Dec.	. PA	RENTAGE	GE.		SEX.	
	M, F.	. M.	F. M	E.	M F	M.	E.	M. F.	M.	54	M. F	7. M.	Fi .	M. F	. M	H	M.	F. A	m.	For.	M.	E	Total
neer of Vacina			-									-			_	1	İ	-				į ,	
Value	:	:		:	:	:	:		:	di.	;	:	:	:	÷	-	:	-	:	:	:	-	
Thomasified	:				:	. 1	. 1		-	:		÷	:	:	:	:	:		-	:	:	Н	
Carbural	7	1 1	-		:	21 1	21	1	÷	71	:	:	4	-	:	0.1	:	1	07	9	9	50	24
roundie	:	1	:	:		7	:		:		:	:	:	:	-	:	i		H	0.1	9	:	
tarrin	:		-	:		:	:	:	:		÷	:	:	:	:	:	:		Н	H	:	C)	
manual	:				:	:	:	:	:	ij	:	:	:	:		:	:	:	:	H		Н	
phalæmatonia				:	:	:			:	:	:	:	:	:		:	H		H	7	H		
rebritis	1		1	:		-	;	:	F		:	:	:	-:	•	:	:		0.1	3	4	7	
ildbirth	:		GI.		:	:	:	*0	:	:	:	:	Н		1	CI	:	1	30	13	:	180	
Peritonitis	:		:	:	:		1	-	:	:	:	:	:	:	01	:	:		-	10		9	
Phlegmasia Dolens	:		-:	Η.		:	:	:	:	÷		:	:	:	:		:	i	-		:	H	
Puerperal Convulsions	:		01	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1	60	:	;	3	
Fever		:	ij	-	:	3			:	:	:	:	:	:	:	:			:	7	:	1	
Hemorrhage			-		:	:	:	:	:	:		:	O1	:	:	-:	:	-		00		33	
Mania		:		:	:	:	:		:	-	:	:	:	•	:	1	:	:	:	-	:	-	
Septicæmia			1	. 1		:	i	-	:	:		:	H			:	:		4	4		00	
Uræmic Coma	:		:		:	•	:	:			:	:	;		•	:	:		1	:	:	1	
Cholera Infantum	1.	GI	F	+	c)	G1	31	20	96	87.1	028	143	43	15	6 2	65	-	1 1	50 3	371 2		239	30
olera Morbus	:	:	GI	1		:	:	:	50	+	9	9	0.1	-	:	:	:	=	13	55	00	17	33
Chorea		-	:		:	:	:	:	:	:	:	:	Н	:	:	-	:	:		4	Н	3	
Chyluria	9		Ė		:	Ċ	:	1	:	:	:	-	:	:	:	:	:		1	:	H		
Colle	17.1			:				*	-						:	1	:		, ,		Н	:	
Consumption	25 1	-	1929	61	90	C1	211	8 24	=	31		21 19	25	171	8 21	115	191	8	65 3	350 2	46	569	515
Convulsions	9	*	6.1	1 8	ž	6 9	-1	7	-	ď.	ox	110	V	c	G	10	10	-	101	1000	1	6.0	140

						l I—	l I-					l.–	 	-	_		
CAUSES OF DEATH.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	PABE	PABENTAGE.		BEX.	
	. F.	M. F.	M. F.	K.	¥. ¥.	Έ.	Σ. Ε.	¥ ₽	M.	<u> </u>	E	. X	Am.	For.	¥	. A	Total.
Coxitis, Acute		. : 	- : :	. : :		: 	<u>:</u>	:	:	:					:	-	
Croup	် (၁) -	‡		+	ن دن		 :	1 1	:	<u>.</u>	<u></u>	Ġ1	13	37	66	21	20
Membraneous	1 33	 13 50	31 -	ু ক	_ :	3	 1	-:-	:	5 5	- 	근 61	17	67	7,	ei ei	97
Cyanosis	ું જો	: _:	े । ।	: ::		•	-: :	-: :	:	-:		: :	es	15	1-	ಬ	10
Cystitis	: G1	:	 	-:	?ì	:	: જો –		: က	31		æ	=	00	19	ಬ	ei ei
Debility, General		_:	Ç1	C)	:	-	ु : :		7	G1	_	-	. 13		11	19	30
Infantile	86	4.01		_	9	iO.	ဗ	က - တ	5 4	_	ى 0	: :	988		65	52	117
Premature Birth	ည့် (၁)	G1	+		က ဗ			- +		-	10	50	-		#	약	85
Senile	-	_	<u>:</u> :	1 1	:	ı.	- : :	?ì	1		:	:	_	ι-	.0	င	14
Delirium Tremens	:			<u>:</u>	- : - :		- : :	:	:	-	- : -	•	_	-	<u>-</u> -	:	_
Dementia	:	<u>:</u>		<u>:</u>	<u>:</u>		(1)	ુ: (૧)	6 <u>1</u>	:	:	:	C1		က 	œ	11
Dementia, Agitata	·- :	<u>:</u>	:	_ <u>:</u>			1	:	: .		:	•	:	+		3.5	-+
Senile		<u>:</u>	:	<u>:</u>	:	<u>:</u>		ુ: જા	. :					ű	ec	က	9
Dentition.			<u>:</u>	<u>.</u>	_:	-	<u> </u>	ઉ	:	<u>:</u>	C1	-		10	ж 	÷	11
Diabetes	: : :	1 1	_: :-	ତା + 	:		ુ: :	:	ડા :	=	-	- -	3 14		10	13	63
Mellitus	: T	ত। ত।	<u>.</u>	: 	:	-	_:	:	:	1	=	:	<u>.</u>	œ	١-	2	17
Diarrhœa, Acute	. 33	ਜ ਜ	- :	. 1	-	_ 	14 10	11 9	11 7	oc ∽	ن د د	 	2 31		51	1 5	96
Chronic	:	<u>:</u>	=	. 1.	- : :	-	<u>.</u> 1	ണ :	" "	डा च	_	:	 	10	2	11	<u>15</u>
Difficult Labor	:	<u>:</u>		-	:		:			<u>:</u>	-:	:	_	:	_	:	-
Diphtheria	+	7	ر دو دو	ස වෝ	ر. ت	 	ဗ		₩ ₩ -	യ യ	-	~ -	•	7	51	9	111
Dropsy	-	 		9	:	<u>-</u> -	٠.	ુ જો	대 라			:	3 16		Π	œ Gi	33 33
Dysentery		C1	<u>.</u>	:		:			# %	7	=	:	. 11		18		11
Chronic	:	:	<u>:</u>	-	:		:	:	:	_ <u>:</u>	<u>:</u>	:	:	_	_:	_	_
Dyspepsia	:			<u> </u>	:	- :	:	- : :	:	-		:		CJ.	:	ೞ	က
Eclampsia	:	-	=			:	ું. - :		-	<u>:</u>	=		T.		က	<u>ت</u>	6
Embolism	ତା - -	<u>:</u> -	: :	<u>:</u>	- :	_ ज	<u>:</u> -	-:	<u>:</u>	=======================================	<u>:</u>	ن			G	+	6

TABLE VII.—CAUSES OF DEATH, 1893.—Continued.

CATIERS OF DEATH	-	Jan.	Feb.		Mar.	Ap	April.	May.	_	June.		July.	-	Ang.	Sept.	of.	Oct.		Nov.		Dec.	PARE	PARENTAGE.		SEX.	J.
3 1	M	Fi	M.	F.	M.	N.	P.	M.	F.	F.	N.	Ei	×	1	N.	F4	W.	E	M. F	N.	154	Am.	For.	M.	£4	Total.
Empyema	:	- :	:	- :	- :			:	-	-		53	E.V	4 4	1											
Emphysema		:		-	:		:	-		÷	:	:	1	1	:	:	H		-				+	4		
docarditis	::	1 1	Н	-	:	:	Н	:	:		:	:	H		H	:	:			01		2		-	, TO	
teritis	:	1 3	0		2/1	-	Н	:	H	3	9	62	6	0.1	01	3	4	23		H	0	_				•
Gastro	:	61	31	0.1	.	-	Н	7	01	4	9 1		9	.0	3	00	30	20	н	61	-	2 27	36	27	96	63
tero-Colitis			:	:	:			1			7	03	4	,0	60	4	9	3	-					_	3	
ilepsy		:	Н	0.1	-	:	:	:	01		:	7	1	:	:	H	:	OJ.		-		-				
vsipelas		+	O1	7	3	C.I	60	П	0.1			:	:	H	:	Г	:		-	1	-			_	-,-	34
haustion			Н	01	67		Н	Н	05		:	:	1	:	T					Н	2	8		_		
ver, Gastric				:	-	•	े	:	•	-	:		H	1	1	-	:	•	-					_		
Intermittent	::	:	:	- :		Ċ	:		:	-	:	:	:	Н	:	:	П	ri	:		-	1 3		_	50	
Malarial	:	-:	:	:	:	:	:	:			:	:	:	:	:	0.1	:	•		1		7		:	က	
Typho	:	:		:	:	:	:	:		1	1	:	:	:	:	:	:						1			
Remittent		.:	:	:	:	:	:	:	•		-:		-	:	:	:	П	1		- 8			3	co		
Typhoid		7 1	0.1	01	6 1	5	10	G1	0.1	63	4	9	6	9	10	3	50	12	00	5 10	1	5 41	74		50	Ξ
Unspecified	:	:		:	;	;	:	:	:	:			:	:		:	:			-				4	Π	
Il Stones	::	:	:	:	:		:	:	-	,	:	:	-	:	:	:	:	1	:	:		472	1	_		
ngrene of Foot	:::	:	:	:		Н	:	:	-			1	1	1	:	:	:	-				413	63	0.1	-	
Leg		:	H	:	:			:	·	•	:	:	:	:	:	:	:			1		C1	1	_	31	
Senile		:	:	:	1	:	:	:			7	:	:	1	:	:	H				•	4	:	4		
Unspecified		:	:	-	:		:	H	÷	:	:	:	:	:	:	H				-	_:	67		0.1		
stritis, Acute	::	2	63	Н	1 1	"	Н	Н	61	-	:	CA		:	0.1	G)	4	:	H		1 3	1	19	16	14	
Chronic		-	:		:	:	Н	:	01	1 2	1	:	1	C4	:	Н	:	01	-		_:	6		70		16
Goitre		-						1	-								-					_			-	

	 -		: !_ -	إ		H. P	ال	1	-			-	1	`I_		ij		4	ļ		.,			!]
CAUSES OF DEATH.	Jan.	Ĕ 	Feb.	Mar.	April		May.	June.		July.	Ang.	-	Sept.	Oct.	ا ن	Nov.		Dec.	PARENTAGE	TAGE.		F.B.X.	×	
	M. F	. W.	F. 1	M. F.	W.	F. M	E-	M.	F. M.	F.	M	F. M	f. F.	M.	F	¥.	×	52	Am.	For.	ž	SE.	Total.	l
Gout		-										-				!		- :			_			ı –
Heart Diseases	-	7	101	7.8	=	13.1	2 14	16	00	8 12	131	63	00	6	Ξ	6		12	145	133	158	137	či	.65
Dilatation	G1	:	É	-:	Н		1 1	i	•	:	Ť		:	Ī			:	Т	C)	•	+	7		œ
Failure	9	3 4	ŵ	63	:	7	1 3	+	H	1 3	4	GI	3, 4	O1		+	~			÷	3	35	_	9
Fatty Degeneration	1	:	30		Н	GI	3	:			-	1	:	;		-:	:	•	₹ •	15	∵ —	ာ		15
Hypertrophy	-	:	:	1 1	1	:	1 1	:	:	:	:		:	:	. :	=	-:	•	7	ಣ	.0	G1		ı ~
Inflammation	CI	31		-:	:	•	33	7	1	:	:	31	:	Н	3	<u> </u>	٦.	:	+	::	<u> </u>	œ	_	17
Valvular Disease	20	63	co	+	QI	0	33	GI	10	51	4	3	5	ı-	10	<u>س</u>	5	10	1 2	53	5	87		86
Hæmatemesis	1 3	:	: :	:	10*	7.	74			-	:		-	-:	:	-:	:	:	_	_		П		61
Hæmoptysis.		:	-: :	:									:	:	:	:	- :	. :	:	1	:	Т		_
Hemiplegia	1	:	:	:	Н	(C)	_	23	-				- :	:	:	<u>:</u>	:	:	1-	31	 	+		6
Hemorrhage, Cerebral	7	- :	<u>:</u>	_	14	:	1	Н	O3		:		Ξ.	_:	Ξ	C1	۳.	:	œ	<u>ئ</u>	-	1-	-	13
from Bowels		:	<u>:</u>	_: -:		:	TW	•		1 14	:	П	1 ::	:	: :	-:	:	:	:	31	_	_		31
from Lungs	:	1 1	_ :	:	:			GI		G1	1	Ξ.	:	:	:	÷	:	:	5	φ	ල 	31		11
from Stomach		:	:	-			(4)	•	:	1 4	:	:	.:	:	:	•	:	:	1	:	:	_		_
from Umbilicus	-	1	- :	<u>:</u>	GI	:		-	:		:	:	:	:	:	:	:	:	Ċ.J	æ	+	_		ō
from Uterus	•	:		<u>:</u>	:		-		-:			:	٦.	:	:	:	. :	:	-	_	:	31		G J
Unspecified		7	_	=	:	:		•	:		_:	Η.	:	:	-	H	:	:	_	ō	≎	÷		÷
Hepatitis	_	C1	- :	; H	:	:		19	-:		:	:	3 1	_	31		: :	:	œ	9	-1	1~		14
Hernia	3.5	.00	:	-	-	:	190		_	1	_	:	:	·:	_	•	:	_	.	5	۱ -	7	_	11
Umbilical	:	31		. : :	:	-:	_	14	-:-	-	:	:	:	:	_	· :	:	:	G1	G1	:	7		+
Hip Disease	:	:	:	- <u>:</u>	-	•			-:	:	:	·- :	:	:	:	•	:	:	:	1	П	:		Н
Homicide	:	:	<u>:</u>	<u>:</u> :	•	:		100	:		_	:	: 1	П	:	<u>:</u>	:	:	_	C1	≎	:		÷
Hydrocephalus	_	1:	Ç1		C)	П	-	0.1	H	50	_	က	1 1	_	:			:	15	<u>:</u>	16	15	•••	31
Hyperæmia. Cerebral.	:		<u>:</u>	<u>:</u> -	*	- :		•	:	:	:	-:	:	:	-:	.		•	<u>-</u>	:	:			П-
Hysterectomy	5	0	:	$\cdot $	*	$\cdot $		9	:		:	:	:	\exists	:	-	:	:	1		:	7		٦

TABLE VII.—CAUSES OF DEATH, 1893.—Continued.

THE PARTY OF THE PARTY OF	Jan		Feb.	-	Mar.	4	pril.	M	May.	June.	ne.	July.	· A	Ang.		Sept,	45	Oct.		Nov.	Q	Dec.	PARE	FARENTAGE.		ã	BKX.
CAUSES OF DEATH.	N.	E.	N. I	F.	M	×	E4	×	E.	×	E	×	E	×	5.	M. 1	F.	F	2	E	×	[五]	Am.	For.	×	Fi	Total.
Icterus Neonatorum	:	,	H		=;	-	:	:	:			:	:	:				-:	-	-:			1	က		•	
Inanition	-		-	7	-	1	-	4	П	:	H	က	:	4	Ç1	Н	н	3	-	:	0.1	:	12	28		<u>∞</u>	
Indigestion	Н	-	-	4	01		3		Н	:	:	H	7	1	-			Н	-	3	;	+	=		_		
Influenza	01	60	-		0.1	-	-	7	0	CI	Ca	:	H	CI		-	:		-	_	Η	25	47				
Innutrition		-:	ĩ.	H		:	:	:	:	:	:	:	:	:	ī.	H	:			•	_		63		 ~		ന
Insanity	:	-	i.	-	Н	-	1	:	C1	-	Н	-	Н	:			-	1		:	:	:	6	01		9 	
Insolation	:	÷		-:		-:		:	:	:	:	:	:	:	H				:	:	:	:	4	_	:		
temperance	00		-	-			П	-	:	:	-	:	:	1			:		1	:	:	:			9	ണ 	
Intestinal Obstruction	H	-	-	- :	-:		:	:	:	:	:	:	:	:			-:			-	:			_		:	
Intussusception	-		H	-	÷		7	:	9	П	:	-	:	:	H	-	-:		:	:			2	<u>നാ</u>		9	
Invagination	:		:		•			-		:	:	:	:	:	4	:	•	- :	:	:	:	:		_		:	
undice	:			H	01		:	:	:	:	:	:	:	:	F		:		-	:		-	4	0.0	01	ক	
Kidney Disease	-			-	-	1	5	3	:	:	co	:	:	4	H	-	-	1	:	01	7	63	14				67
Bright's Disease	1	6	60	ò	9	8 9	63	7	1-	00	0	4	00	4	9	10	90	20	6	8	5	6	73	92		- 2	_
Laparotomy		•		•	•		:			:	-	:	H	:	1						:	:	CJ	:	:	G1	
Laryngitis	:		:			1	П	٦	:	:	:	:	:	H	:				01		:		ည	_		<u>⊸</u>	
Leucocythæmia	-	-					;	:	:	:	:	:	:	:			-				:	-	C1	•	_		
wer Disease		H		H	-	-		-	0.1	:	1	Н	:	01	64	H		:	•	-	:	9	ū	6	_	L~	
Amyloid Degeneration	:					:	:	:	:	:	:	:	:	:		-	•	-:			•	Ĩ.		_	_	<u>:</u>	
Atrophy	:	1		:			:	;	:	:	:	:	:	:	:			-:	4	-	:	:		1	:	_	
Cirrhosis	00	Н	-	GI	Н	63	3	0.3	C.I	4	:	60	7	C1	H	-		4	-	-	00	1	17	23	26	7	40
Hypertrophy	:	•	-	•	•		:	;	;	:	:	:	H	:	:	:	:	•		_	Н	:	က	:	_	 0.1	
Inflammation	:	÷		÷	•	:	:	:	-	:	:	:	:	:	:		:	•		_;	:			.03	_		
Locomotor Ataxia			+						+	+									_				۲	•		•	

CAUSES OF DRATH	Jan.	Feb.	Mar.	April.	Мау.	June.	July.	Aug	Sept.	Oct.		Nov.	Dec.	PARE	PARENTAGE.		8 W.X.	
	E	ME	N.	K	Y.	K.	N	F	¥	¥.	E	E.	Y.	Am.	For.	×		Total.
Lung Diseases	- :			:			:	-	- · - :	<u>-</u>	:	:	:	:	· ++		01	-+ +
Gangrene	:			:	· :	:	:			:	:	:	:	:	C1	:	_c1	31
CEdema	: - 		?1	:	<u>:</u>	:	1	:	. :	-	:	:	:	-	· +	37)	₩.	١~
Lymphangitis	: -		DWC	<u>:</u> -	:-	:		:	:	:	:	:	: -	—	•	 ≎	<u> </u>	٠ -
Malformation of Anus	⁻ : <u>:</u> :	: :	. —	:_: -	- :	: :	· ·	: :	; -		: :	: :	7 : : :	1	<u>.</u>	: G1	o −	ာက
of Bile Ducts	:	<u>:</u>		:	:	- :	:	:	. 1	:	:	:	:	_	:	-	:	-
of Heart (Foramen Ovale)	: -	:		1	61	31 31	:	:		:	:	:	1 1	-	က _'	-1		10
Of Falate	: -	:-	1972.79	:	:	:	:-	:-	-	:	:	:	:	:	<u></u>	: -	—	⊢ ⊣
Malignant Pustule	: :	: :		: : : :	· ·		· ·	• ` ` • :	· :	<u> </u>		:_:	: :	· -		١:		-
Malnutrition	_:	:	: ::	<u>:</u>	_ :	:	. 5		٠,	+		. :			Ξ	c.	10	19
Mania, Acute	<u>ः</u> :	:		<u>:</u>	:	:	:	<u>:</u> :	<u>-</u>	_ <u>:</u>	:	:	:		•	⊙ 1	Ç1	+
Chronic	: :	: :	- 2	: :	· :	•	:	:	:	:	:	:	:	:	_	:	<u>, -</u> -	1
Marasmus		— —	G1	+	÷0	821 831	تو .	ි යා සා	-	+ •	C1	₩.	دان ب		∓'	각 	36	æ:
Senile	: : ১	: :	. 10	" "	: [. 61		: -	; ;	<u>:</u> -	:-	:_	:	-1 6	o1 [- 10	01 <u>-</u>	9 9
Metancholia		٦.		•	•			- ·		-	7 .	:		3 	3 -	9	# -	3 -
Meningitis	 	G	L-	#	40	က	8	: :::	· ~	+	+	: ***	 	·	-0.	5	59	120
Cerebro-Spinal	 _1_ ლ	3 1	ಣ	GI GI	· :	ั๋งจั	6.1 6.2	:		GI	·	-	-	19	ફો 	96	15	1 1
Spinal.				=	-			_ ·		1	G1 :	<u>:</u>	-	_		ص <u>ز</u> 	11	20
Tubercular	ः : :			-1	:	<u>ო</u> _	:	:	?1 ⁻	-	,	:	G) ,		-	13.	G ,	61 7
Menopulse	:	<u>:</u>	200	:	:	÷-	:	:	:	:	:	:	-	: 	- -	:	٦,	⊣ ⊢
Myelitis	: -	:	- 01	1	: :	-			:			: _:			 		1 00	- 50
Necrosis of Humerus		<u>:</u>		-			<u>:</u>		<u>:</u>		-	:	_	· :		•	-	1

TABLE VII.—CAUSES OF DEATH, 1893 —Continued.

CAUSES OF DEATH.	Jan.	E4	Feb.	Mar.		April.		May.	June.		July.	_ -	ng.	Sept	1	Oct.	Z	Nov.	Dcc.		PARENTAGE	A G K.		BKX	ن
	M. F.	Ξ	F4.	Σ	<u>6</u>	M. F.	X	<u> 5-</u>	K	f£,	M. F.	M	<u>6.</u>	<u> </u>		Œ.	X.	£4.	М.	F.	Am.	For.	M.	£4	Total.
Accidents, Various	1	:	<u> :</u>			<u>ښ</u>			:	_:	-		-	ب			1	:	67	-	6	∞	14	က	17
Albuminaria	<u>:</u> :	:	_	:	:	- :	<u>:</u>	:	:	:	:	-:	:	<u>:</u>	<u>:</u>	÷	_:	:	:	<u>:</u>	:	П	:	_	1
Alcoholism	4	:	:	_	C/I	•		<u>ස</u>	C 1	:	<u>0</u>	<u></u>	-:-	<u>~</u>	-	_	#	<u>-</u>	ಣ		13	21	27	<u></u>	34
Angurism Aouts	<u>:</u>	:	—. ⊙	:	:	01	01 F	:	:	67		:	0.1	:	.	•••	: ા	ω	:	<u> </u>	ග ,	12	<u>.</u>	16	21
Abdominal Aorta	: :	:	:	:	:		-	:	: :	:	· ·	: :	:	: :	:	: :	:	:	:	•	- -	:	:-	٦,	⊣ C;
Unspecified	:	: :	:	: :	: :	; :	<u>:</u>	: :	:	:	:		:	:		:	: :	:				-	1:	. . .	۱ —
Angina Pectoris.	<u>67</u>	_	_:	_:	$\overline{}$:	:	_:	Ξ	:	:		_	-:	-	27	:	_:	.		10	67	C.	က	12
Apoplexy	13 17	<u> </u>	<u>-</u>	14	6	91	<u> </u>	$\frac{7}{10}$	13	14		7 10	12	15	91	$\frac{1}{1}$	<u>~</u>	20	• •		139	124	131	32	263
Appendicitis	<u>:</u>	<u>:</u>	<u>:</u>	:	:	÷	<u>:</u>	<u>:</u>	-	:	01	:	П	ლ	·:-	_	_	:	:	-	L~	က	7	က	10
Ascites	<u>:</u> :	:	:	:	:	:	=		:	:	:	Π.	П	<u>:</u>	-:	<u>:</u>	<u>:</u>	:	:	_	က	Ø	Н	4	5
Asthenia	: ന	_	<u>:</u>	01	:	ಣ	<u>ന</u>	27	07	_	01	<u>જા</u>	rO.	-:	, ,	4	3	4	:	က	30	17	21	56	47
Asthma	:	:	_	01	01	:	$\frac{1}{1}$:	_	Н	:		:	÷	<u>:</u>	÷	<u>01</u>	:	:		7	9	<u>.</u> 0	œ	13
Arterial Sclerosis	<u>:</u> :	:	_	:	:	:		:	:	:	:	-:-	<u>:</u>	<u>:</u>	·	: :	:	:	-:-		-:	П	:	П	-
Atelectasis Pulmonum	<u> </u>	<u></u>		:	:	$\overline{}$:	:	П	:		: :	:	<u>:</u>	-	<u>.</u>		:	<u>:</u>		<u>ල</u>	01	œ	က	11
Atrophy, Cerebral	:	:	:	:	<u>, </u>	<u>:</u>	_ <u>:</u>	:	_	-:	:	:	:	·:-	:	_ <u>:</u>	<u>:</u>	:	:	=	_	H	H	Η	C 1
Bladder Diseases	_	_	<u>:</u>	:	:		÷	:	_:	-:	<u>.</u>	:	:	<u>:</u>	•	: -	:	:	$\frac{\cdot}{\cdot}$		ಣ	01	4	_	Ω.
Bowel Diseases	:	_	4	:	:	C 7		·- <u>:</u> -	:	<u>-</u>	C)	ಣ =	_	:	_		<u>.</u>	:	-	01	œ	7	11	11	22
Inflammation	: :	<u> </u>	_	:	:	CJ.	=		:	Ø	· :		:	:	=		<u>:</u>	:	• :-		<u>α</u>	6	7	<u> </u>	11
Obstruction	:	:	<u>:</u>	:	$\bar{:}$	<u>:</u>	$\frac{\cdot}{\cdot}$:	-	:	-:	:	:	:	÷		<u>:</u>	:	:	<u>:</u>	:	-	П	:	_
Tuberculosis	<u>:</u>	<u>:</u>	<u>:</u>	:	:	:	<u>:</u>		_: <u>.</u>	:	<u>:</u>	<u>:</u>	_	:	-:-		:	:		-	 :	_	:	7	7
Ulceration	: '	:	<u>:</u>	_:_	:	·		<u>:</u> ,	:	-	÷,	:	: '	: '	•		: 1	:	:	<u> </u>	:	— (- ;	:1	, - 1 (
Drain Diseases.	_			:	٦,	÷,	.,,	:	:	-	<u> </u>		٦ ٥	- -	<u>-</u>	:	-	: '	×	• •	5 (E. ,	77 '	_ (67
Congestion	$\frac{\cdot}{\cdot}$	-	-	<u>:</u>	=	-	-	:	:	:	=	7	, N	-	$\dot{-}$	-	<u>:</u>			=	$\bar{\mathbf{z}}$	C	0	ā	13

CAUSES OF DEATH.	Jan.	Feb.		Mar.	April.	May.		June.	July.		Aug.	Sept.		Oct.	Nov.		Dec.	PARRNTAGE	TAGE.	<u></u> !	SEX	×
	M. F.	M.	F. M	£4	M. F.	W.	E.	6.	. X	F.	F 4	×.	¥.	St.	M.	F	Ŀ	Am.	For.	M.		Total.
Brain Diseases, Inflammation.		:		:	ີ່ເນ		-		`: :		<u>.</u>	_	-		- :		:	ີຕ	15		-	
Softening	1 1	:	_ •		-		=	:	-	_		=	; ;		:	(1)	_	Ξ	· 01	- 1	့ ယ	13
Bronchitis, Acute	9 12	16	8	0.25	19.1	514	12	6	01		5 3	9	1	3.1 3.0	5.	: :	15	6	173		123	
Chronic	2		ಣ	7	ಣ			<u>.</u>	_ _ _			3	_	G1	:	3	63	13	37	4		20
Calculus	-:	<u>:</u>	<u>:</u>	:	<u>:</u>	:	:	:	:	:		<u>:</u>	•	:	•	<u>.</u>	:	_	_	31	:	
Biliary.		:	<u>:</u>	:	:	:	:	<u>:</u>	:	•	•	:	_			•	:	:		:	G1	
Sancer of Abdomen	:	:	<u>:</u>	:	:	:	-	:	:	:	:	<u>:</u>	•		:		:	_		:	Ç1	
Bladder	:	<u>:</u>	<u>:</u>	:	:	:	:	<u>:</u>	:	_C1	-	_: _:	:		:	•	:	Ċ1	:	:	G I	
Bowels	:	:	_:	H	-:	:	:	_:				:		_	:	•	:	C.J		:	3.5	
Breast	C1	:	-1	7		C1	<u>ن</u> ن	<u>.</u>	<u>-</u>	ÇĮ	•	-:	<u> </u>	c:	-:	35 :	Ç.	17	10	:	ن 1	31
Face	1	i		:	:		:	<u>:</u>	:	− :		=		_:		:	_:	က	ئ	ıc	:	
Liver.	67	:	4			_	01	<u>.</u>	:			CI	Ä		_	ري :	_:	15	ĩ	ä	15	Ç.J
Maxillary (Upper)	:	:	_	_ _	:	:	:	:	:				:	:	-	:	_ :	-	e 1		:	
Mesentery	:	:	-	:	- <u>:</u>	:	- :		:			<u> </u>	- :	:	:	<u>-:</u>	:	-		:	G1	
Mouth	_:	:	_ <u>:</u>	_:	-	_		<u>:</u>	:	:				_:	:	•	:	-	_	ر د ت	:	_
Neck	<u>:</u>	:	- :	_:		:	:	<u>:</u>	:	•	_;	ä	:	<u>:</u>	:	:	:	_	7	_	_	
Ovaries	-:	<u>:</u>	<u>:</u>	:	-	:	:	<u>:</u>	:		<u>:</u>	:	•	:	:	:	_:	_	:	:		
Pancreas	:	:		_:	-:	<u>:</u>	:	_: -:	:		:	:	•	:	_	:	<u>.</u> :	:			:	
Prostate	<u>:</u>	<u>:</u>	<u>-</u> :	:	<u>:</u>	:	:	:	:	•	:	<u>.</u> .	:		:	:	:	Н	:	_	:	
Pylorus	<u>:</u>	:	<u>:</u>	:	:	:	· · :	<u>:</u>	:		:	- :	•	<u>:</u>	•	:	:		:		_	
Rectum	-:	:	<u>-</u> :	-:	<u>:</u>	:	01	<u>.</u>	-	ä		:	≓	<u>:</u>	-	:	_:	30		วา -	١-	
Stomach	1 2	:	4		<u>01</u>	:		67	:	C1	_	Ç1	_	<u>ස</u>	:	CI J	<u>س</u>	63	21	. 16	i.	7
Testicle	-	<u>:</u>	:	-:	- :	:	:	:	:	:	:	: :	-:	:	:	:	_:		:	-	:	_
Throat	<u>-</u>	:	:	-:	:	-:	· ·	:	:	- :	:	:	-:	_	:	:	_:	1	-	_	-	
Tongue	:	:	:	-:-	•	:	-:-	:	Ξ.	•	:	<u>:</u>		<u>:</u>	:	$\frac{\cdot}{\cdot}$:	Ċ1		ಚ	:	
Uterus		<u>:</u>	:	-	-:		<u>C1</u>	.	:	: ന	<u>.</u>	:	: ت	<u>.</u>	:	<u>ei</u> :	<u>۔۔۔</u>	95	16	:	4	7,

TABLE VII.—CAUSES OF DEATH, 1893.—Continued.

CAUSES OF DEATH	Jan.	Fe	Feb.	Mar.	April.	-	May.	June.		July.	Aug.	bio	Sept		Oct.	Nov.	. A.	Dec.	PAR	ARENTAGE.		SEX.	x.
	M. F	N	E.	M. F.	×	F. M	E	M.	F. M	<u>6</u>	X,	Eil	M.	F. M	1 1	×	E.	M. F.	Am.	For	M.	E	Total
Cancer of Vagina			:	- :	:	:					:	:			-:		H	-:		1	_ :	1	
Vulva		:	:		_;			:	:	:	:	٦	:	:	:		:			1		1	
Unspecified	. 1	1 1	-		:	:	31	П	1	G1	:	;	:	4	:	:	63		621	0	20	3 20	
Carbunele	:		:		:	:	1 ::	:	1	4		:	:		:	H	:	+		1	03	.:	
Catarrh	:		-	•	:	H	:		:		:	:	:		:	:	:		-	1	:	C1	
ulitis			:		:	:	:		:	. 1	:	:	:		:	:	:		:		:	-	
halæmatonia		:	:	-:	:	:	:					3	:		:	:	:	-	-2			:	
ebritis	1	:	1	-:	:	:	:	H	:	1	:		:	-:	:	:	:			01	60	1	
ldbirth		:	GI	*10	:	+	:	:	00	-:	:	:	1	-	-	:	63		_	5 1		18	
Peritonitis				:	:	G.1	-	:	-	-:	:	:	:	•	G)	:	:		-	1	:	9	
Phlegmasia Dolens		:			:	:		:	:	:	:	:	:			:	:	•		1	:		
Puerperal Convulsions	:		71	:	:		:	i	:	:	:	:	:	-	:	:	:			3	:		
Fever	:	1	Ä		:	3	:	:	*	:	:	7	:		:	:	:	:	-		7	_	
Hemorrhage		1	:		:		:	:	:	:		:	:	63	:	:	:	•			3	en	
Mania			-		:	:	:	:	:	:	:	:	:	-		:	H	•	:		:		
Septicæmia		G	-		;	H			+	-	:	4:	:	1	:	:	:	•	_	4	.:	00	
Uramic Coma		-	:	-	:	:	:	:	:	1	:	1				1						_	
lera Infantum	1.	GT.	1	01	CI	GI	60	14	8	78:96	102	81	43	131	5 6	63	co	-	1 15	0 37	1 282	2239	10
Cholera Morbus			01	1		:	:	?	:	5	9	6	10	CI	-	:	:	•	-	3	2 18		33
Chorea		-	:			:	:	:	:	:	:	:	1	1	-:	:	H		-		4		
Chyluria	:	-:	:	:		:	:	:	:	:	:	:	Н	:	:	:	:	:	-	1	-	:	
Colie			: 5		: 6	. 6	: 6	:0		::	:-	: 6	:0	: 40		: 6	. 10		.0	1 20	0 0 0	1	- 10
Communication	-	4	17	1	+	4 4	0		1	101	1			1	+		_	4	-		9	0070	

CAUSES OF DEATH.	Jan.	<u> </u>	Feb.	Mar.		April.		May.	June.	-	July.	Aug.	sign I	Sept.		Oct.	Ž	Nov.	Dec.	_	PABENTAGE	 19		BEX.	
	M. F.	M	F.	M.	F. 1	M. F.	M.	E.		F. M	F.	×	_: ' Ei	M. F	F. M	<u>Fri</u>	Œ	E.	Æ.	Am		For.	7	F4.	Total.
Coxitis, Acute	-;		:				:	-:			:	:	:	:	:	<u> </u>	_ :	:	•	:		1	:		1
Croup	71	+	30	10	-	7	: 	:	:	F	· ຕາ	П	H	:		:	<u></u>	۱,	Ģ1	-+	13	37	6	21	50
Membraneous	1 3	G1	30	31	-	٠. ب	:	:	C1	—	<u>~</u>		:	:	<u>61</u>	5	+	7	٤1	•	12	6; 6;	なる	ei ei	97
Cyanosis	71	:	7	Ġ1		: :	:	•	:	•	: 	:	:	•	:		:	01	•		ش	1-	t-	æ	10
Cystitis	61		:	ç	ij		 	:	:		୍ : ତୀ	. 	_	ი ი	.	·	-	:	₩.	•	 	00	19	က	67 67 75
Debility, General		1	-	31	+	CI.	:	:	-:	·:	<u></u>	_	_	Ĩ		(1)		Ç1	_		13	17	11	19	30
Infantile	33		GJ	00	65		<u>ب</u>	Ö	5	4	9	9	ಬ	ij	7		,co	9	٠ <u>.</u>	9	χ χ	$\frac{1}{x}$	65	55	117
Premature Birth	3	G)	3	+	50	<u></u>	<u>5</u> 6		31	ن ئ		+	4	ō			_	÷	'n		1 5	0#	1 3	약	85
Senile	1	F	31				<u>:</u>		31	•	- :	:	31	;	_ :		:	П	:	_	1~	-	<u>.</u>	G	14
Delirium Tremens		:	:				:	_:		•	_: -:	:	:	:	_	:	-:	:	•			- :-	<u> </u>	:	1
Dementia		:	:	:	H		:	_	-:	• :		:	G I	٥ı	_	<u>:</u>	:	Г	•	.	C1	G.	ಣ	œ	11
Dementia, Agitata	:	:	:	П			:	_	-:	:	_	:	:	- :	=	<u>:</u>	:	:	•	_ <u>:</u>	-	+	_		7
Senile	C:		:		:	-	:	:		•	-	G I	:	·- <u>:</u>	•	<u>:</u>	:	:	:		_	ū	æ	က	9
Dentition	ä	-	-	:		- 3	_:	:	Н	•	<u> </u>	G1		•	<u>:</u>	\vdots	G1	:	_	-	_	10	œ	ಌ	11
Diabetes	C1		-	:		-	:	က	• • •	•	31 31	:	:	•	<u></u>	<u>:</u>	-	1	-	က	1+1	5 .	10	13	23
Mellitus	1	C)	0.1	:	ço	<u>, , , , , , , , , , , , , , , , , , , </u>	:	-	=	•	Ξ.	:	:	:	· ·			Ç1	:		œ	œ	٠.	10	17
Diarrhoa, Acute	3 1	1	00	:	G3	_		_	ಣ	Ξ	1 10	11.	5.		<u></u>	အ	GJ.	:	-	31	31	65	51	1 5	96
Chronie		-	:	Н		=	_:	<u> </u>	-:	H	1	-:	ဢ	 —	<u>''</u> चा	ा च	_	-:	:	= .	11	10	2	11	21
Difficult Labor			•	;		-	_ :	_:		•	<u>:</u>	:	:	:	<u>:</u>	<u>:</u>	_:	:	:		<u>:</u>	=	_	:	П
Diphtheria	4	1	4	ço	20	63	<u>ار</u>	5	ñ	Ō	න ප	7	ō	÷		∞ ∞	∓ +	11	١~	œ	#	Ľ	51	09	111
Dropsy	:	-	7	Н	63		:	_	,	_ :	<u>~</u>	G1	:	₹			Ŧ	ĊΙ	:		16	53	11	85 83	39
Dysentery	1	CA	:	ic	:	-		CJ	:		<u>01</u>		9	က	+	7	<u>-</u> -	:	:		1,1	57	18	<u>.</u>	41
Chronic	:	:	:		:	17	_:	. :	:	<u>:</u>	:	-:	- :	· :	-:	<u>:</u>	:	:	:	:	:	=	:	Ä	-
Dyspepsia	:	.:	7	:		-	:	. :	- :	-:	:	:	:	-:-	•		:	:	:	.	=	ÇJ	:	က်	က
Eclampsia		:	_	П	:		:	_:		-:			Ī	÷	•	<u>:</u>	Ŧ	-	•		+	ņ	ဘ	9	6
Embolism	: :	:	:	:	÷		:	<u>:</u>	G)	T	<u>:</u>	<u>:</u>	:	$\dot{}$	-		:	:	G J	<u></u>	<u>ő</u>	4	ŭ	4	6

TABLE VII. - CAUSES OF DEATH, 1893. - Continued.

CAUSES OF DEATH	Jan.	Feb.		Mar.	Apr	pril.	May.	Ju	June.	July.		Aug.	Sept.	jt.	Oct.		Nov.	A	Dec.	PARE	PARENTAGE.		SEX.	si.
	M. F.	M. F	F. M.	Fi	N.	E.	M. F.	×	E	M. F.	M.	Fi	M	F4	M. I	F.	F.	×	E	Am.	For.	Ä.	F4	Total.
Empyema		:	-:	:	113			:		100				1		•					-	m	ſ	
mphysema	:	:	:	:	г	:	:		:	:	:		•	:	H		-:		:		4	4		
ndocarditis	1 1	-	1	:	:	H	:	:	:	:	-	:	H	:	:		cı	*	1	G1		-		
nteritis	1 3	5		1 2	П	H	-	3	:	9	2 9	63	-	9	+	0.1	-	0.1	П	20		34	138	52
Gastro	01	G1	01	·.	Т	Н	<u>1</u>	1	4	9	7 6	30	60	co	က	10	1 2		0.1	27		-		
ntero-Colitis	:	:	14	:	:	:	7	1	г	7	4	20		+	60	3		:	0.1	17		-		
pilepsy	1	П	01	-	:	:		.:	:	:	1 1	:	:	Н	:	63	-	:	:	9		_		
rysipelas	7	61		01	03	00	CI CI	:	:	:	:	1	:		:		-	:	C3	6		_		
xhaustion	61	-	01	3	•	Н	L 53	:	:	:	:	:	Н	:	:		-		GI	00		_	-	
ever Gastric	:		:	7	:	:	-	:	:	:	Ξ.	:	:	П	:		:	;	;	1			01	
Intermittent		:	•	-	;	:	:	:	П	:	-	1	:	:	-	-	:	:	H	co			50	
Malarial		:	:	:	:	÷		:	:	:	:	:	;	03	:	•		Ċ	:	-	C.1	:	က	_
Typho		:		:	:	:		П	:	:	:	:	:	:	:		:		:		1	_		
Remittent		,		•	:	:				:				:	_	•	•	:	:	٦	30	60		
Typhoid	7	21	03	6 1	10	10	0.1 0.1	03	O3	4	6 9	9	0	က	51	67	8.5	2 10	10	41	7.4	65		_
Unspecified	:	:	•	:	:	÷	:	:	:	:	:	1	:		:	:	-	:	:	1	:		1	
all Stones		:		:	:	:		:	П	:	-	:	:	:	:	.		:	:	00			က	
angrene of Foot	:	•		_	H	:		:	:	:	:	:		:	:	-	•	П	:	33	0.1	G1	က	
Leg		-		:	:	:	-	;	:	:	:	:	:	:	:		-	:	;	0.1			31	
Senile	1/::	:		:	:	:	:	1	:	1	:	:	:	:	<u>-</u> i		:	:	;	4	:	4	Ė	
Unspecified	:	:	1	:	:	:	-	:	:	:	:	:	:	Н	-	:		1	:	C)	cc	621	က	
astritis, Acute	62	03	H	1		Н	L1		П	:	63	:	0.1	Ç)	4		-	7	60	П	-	16	14	
Chronic	1	:	•		:	-		2 1	O)	1	-	C.1	:	Н	:	67	1	1	:	6	7	10	П	_
Goitre																		_		-				

		- 	-	1					Ī	1.	:	i.	1	,	!	:	
CAUSES OF DEATH.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Ang.	Sept.	Oct.	Nov.	Dec.	PARENTAGE	TAGE.		FRX.	
	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M.	M. F.	M. F.	M. F.	M. F.	Am.	For.	Ж.	 	Total.
Gont		:		:	<u> </u>		TI-6			<u> </u>		; ;				 :	-
Heart Diseases	L	7,10	7 8	11^{13}	12	16 8	8 12	13 12	15, 8	9 11	9119	7 15	145	123	1281		265
Dilatation	G1	ij.	*	_	_	•	:	_: :	- :	<u>:</u> :	:	: 1	Ç1	9	+	-,	œ
Failure		∞ +	60 60	1	~	+	1 3	-+ C1	3	<u>61</u>	7	ည က	30	33	34	35	6:9
Fatty Degeneration		က	П	G3	೧೧		. 1	1 1		<u>:</u>	<u>-:</u>	:	x.	1-	=	5 .	15
Hypertrophy	-	:	1 1	_	-	•	:	:	:	<u>:</u>	=	:	-	<u>.</u>	50	Ç1	۱~
Inflammation	01 t			: 0	01 -		: 0	: : ن	:	 1	71 : : 1		-11 }	<u> </u>	ص <u>ا</u>	x ;	17
Valvular Disease	, 0	33 	+	0	#	o.	71	1 Հ	+ G	<u>.</u>	<u>ن</u> 0		C †		ر د	<u>بر</u>	ŝ
Hæmatemesis	191	•	38			•	1 1	:	:	- <u>:</u>	:	:	_	=	-	_	31
Hæmoptysis	. 1	:	:	14"		•	•	:	:	<u>:</u>	: :	:	:	Π	:	_	-
Hemiplegia	1	:	:	ei ei	7	33		:	:	:	<u>:</u>	:	l ~	?1	<u>۔</u> م	-,	G
Hemorrhage, Cerebral	- -		-:	1.0	1	C1	1	:	_	-	<u>ن</u> ا	:	X	5	9	ı ~	13
from Bowels	•				7.4		4	:	1 :	:	-:	:	:	31	_	_	?I
from Lungs	1	-	:		100	g i	71	1 1	:		: ::	:	õ	ဗ	G 	? 1	11
from Stomach	-:	:	:		- 0	:	7.	:	:	<u>:</u>	-:	:	Г	:	:	_	_
from Umbilieus	1	:		21		TA.		:	:	:	:	:	G)	æ	+	~	2
from Uterus	:	:	<u>:</u>	30	7	*		:		<u>:</u>	:	:	_	_	:	31	G1
Unspecified		-	1		18			:	:	-:	: -	:	1	ō	က		9
Hepatitis	Ġ1	- -	-		1.4	*	100	:	<u>ი</u>	근 당	: :	:	œ	ဗ	۱-	t ~	14
Hernia	:	 ∶	-	T			1	1	:	-	:		9	5		 #	11
Umbilical	C31	:					٠	:	:	<u> </u>	<u>:</u>	: :	31	31		-,	+
Hip Disease		:	-			14		:	:	<u>:</u>	<u>:</u>	:	:	7	_	:	-
Homicide	-	-::	:		11	N.		:	1	$\frac{1}{1}$	<u>:</u>	:		G1	ო	:	≎
Hydrocephalus	1 1	G1 :	1	Q1	=	61	9	ا	1 1	:	<u>:</u>	ું ઉ	19	3	16	15	31
Hyperæmia. Cerebral.	•	<u>:</u>	:	. *	٠		1.	:	:	:	- :	: -	-	:	:	_	
Hysterectomy	-			48	1.5		i.			<u>:</u>	-		-	:	•	-	7

TABLE VII.—CAUSES OF DEATH, 1893.—Continued.

DAMEN OF DEAME	Jan.	Feb.	Mar.	April	l. May.		June.	July.	Ang.	Sept.	Oct		Nov.	Dec.	PARE	PARENTAGE.		BEX.	
r!	M.	M.	E	×	F.	F.	£.	M.	Α F	.≱. -F.	×	E.	fz.	Ε. Ε.	Am.	For.	M.	Fi	Total.
Icterus Neonatorum	<u>:</u>	:	:	H	-:		<u>:</u>	:	:	:	_ - :		:	<u>:</u>			#		4
Inanition	-	1 1	=	<u></u>	1 4	:	П	· ·	८ १	F	<u>е</u>	<u>:</u>	:	<u>63</u>	12		22	œ	30
Indigestion	<u>п</u> с	 	60 <u>1</u> 0	<u>ლ</u>	ာ က	 		# -	 		-	<u>ਜ</u> -		7 6			13	202	ස ස
Innutrition	٠ : :	:- :	<u> </u>	-		•		- :	<u>: :</u>	- -	<u>:</u>	<u>: :</u>	- :	$\frac{1}{1}$	4 67	8 	÷ 67	7 -	ဂ္ဂ က
Insanity	:	- :	H	- <u>-</u> -	-:-	сı Ц	T	1 1	· ·	-:	; ;	_	<u>:</u>	<u>:</u>	6		50	9	11
Insolation	:	:	- :	<u>:</u> -	: '	:	:	:			:-	-: '	:	<u>:</u>	: '	- -	:	Ħ,	П (
Intemperance. Intestinal Obstruction		-		:		: :	===	::			: :	_ :	: :		- 	×	9 F	· ·	ი -
Intussusception	: :	-	:			3.1	:	1 ::	-:	÷	_:	-:-	:	-:	_	က	+	9	10
Invagination	:	_:-	:	<u>:</u>	- -	:	$\frac{\cdot}{\cdot}$:	_: '	:	:	:	:_		:		-	:	
Jaundice	: -		ci -	•		:	·	:	:4	: -	: -	=	•		_	ο1 _. α	07.0	+ C	တ ဇွ
Bright's Disease	. O	. m	1 9	. 8	101	∞ -1-		8	4 6	110		. <u>8</u>		170	-		10.	62	149
Laparotomy	:	<u>:</u>	:	· ·	:	:	-	-	<u>:</u>	<u>:</u>	_:	: ,	:	- :-	C1 :	:	-:	C1 .	GI.
Laryngitis	; ::	- :	:	:		:	- <u>:</u>	<u>:</u>	<u>:</u>	:	:	دن_ :	:	: '	 		C1 1	ᠳ,	သ (
Liver Disease	 	: -	: -	<u>:</u> –	: -	. 63	<u>:</u> :	: :	: 01 : 02	: =	·	: :	::	- ∶ :	 27 10	- - - -	12	717	7 7
Amyloid Degeneration	:	:	:	:	:	:-	· ·	<u>:</u>	$\frac{\cdot}{\cdot}$	Ħ	- -	÷	:	<u>:</u>	:	<u></u>	Η	:	
Atrophy		:°	: -	: 0	. 0.	. : d	: :	: -	-:-	:-	<u>:</u> 4		:-		17	e	96	- 7	L 4
Hypertrophy	:	:	1 :	:	·	:	:	,	$\frac{1}{2}$:	:	: :		<u> </u>	. co	:	<u> </u>	ा	က
Inflammation	:	<u>:</u>	:	<u>:</u>	- :	: =	· :	:	<u>:</u> :	:	- : - :-	-	. :	. :	:	<u>01</u>	_	_	G I
Locomotor Ataxia	- <u>:</u>	:	<u>:</u>	<u>:</u>	:	=	<u>:</u>	<u>:</u>	$\frac{\cdot}{\cdot}$	<u>:</u>	<u>:</u>	<u> </u>	:	:	_	ಣ	က	=	-

CATISES OF DEATH	Jan.	Feb.		Mar.	April.		Мау.	June.		July.	Aug.	Sept.		Oct.	ž 	Nov.	Dec.	PARE	PARENTAGE.		5	BEX.	
	M. F.	W	E I	βi	k	E.	E	K.	F. M	F4	Σ Ε	X	Fi	.¥.	×	E	M. F.	Am.	For.	zi	Ei	Total.	igi
Lung Diseases			:				: . <u>:</u>	:		:	:	:	:	:	:	:		:					-4
Gangrene			- :		:	•	:	:	•	-	:	:	:		:	:	:	:		:	. C.1		31
Œdema		<u>-</u>		?1	=	•	:	:	Ι.	:	:	:	:	-	:	:		- -	#	ಬ		•	L-
Lymphangitis	:	.:			÷	•	•	:		:	:	:	:	- :	:	:	:			- :	: '		- -
Malaria	⊣ :	:		: -	<u>-</u> :-		_	:	:	:	:	: -	•		:	:	-	G1	- + ~		ന −		ಅಣ
of Bile Ducts		: :	-11	1 :				: :			: :		: :		: :	: :		:		1 — :-	7 :		- c
of Heart (Foramen Ovale)	1			_	:	_	:	٥1	•	:	•	. 1	:	•	:	:	1 1	- 1	ຕ		, ere		10
of Palate	:	:		~	-	•	:	:	•	:	: ,	•	:	÷	:	:	:	:	 :	:		- · 	
Unspecified	:	:		0.7	:	:	:	:	:	:	· ·	¬ .,	:	<u>:</u>	:	:	:			'' '	: -		-+ -
Malputrition	: -:			: **	: :		: :	:	: -	: :	: -	: ?ì	: +	: -	: 01	: :	: -	- œ	: :	: c.	7 🖺		19
Mania, Acute	ુ: (ઉ)	:			<u>:</u>	- :	:	:	•	:	_	Ξ.	:		:	:	:		<u>က</u>	 	61		+
Chronic	• • •	 - • •	- 1	: ?	: ;	- : ,	: 3	: '	: 3	: 3	•	:	::		: '	:	٠.		┌; 	: `	- 3		 (
Marasmus	- :1		-	71	+ -		د در	21	, n	ပ – သ		# :	ے د	+			# : :1 —	,	∓ ^દ ે	₽ 			œ e
Measles	. ∞ . ∞	315		10	• 9		: S	: ::1	L-	. 	-	, - 1	: :		: -	: :	: :	. 99	611	500	'∓		100
Melancholia	:	:		- 2	:	• :	:	:	Ϊ.	:	:	:	:	<u>:</u>	:	:	:	:		:			_
Meningitis		ر د د	က ·	15. *	-11 (ن ف	ۍ ص	<u>۔</u> دو دو	- # ^	(- r	တ္	ત્મ ક સ્ટ ડ	→	<u>.</u>		ಞ,	ಣ, ಣ	<u>بر</u> ير		5	٠.		120
Cerebro-Spinal	i	ے د ⊒ دی	-ĭ ≈	~	· -	31	: -	วเ -	;ı –	 	:-	ان با در	:-	 - i :	++	_	-	≘ 	?} = -		15		∓ }
Tubercular	- C1			-	4 55		: :		• •		• •				: G1	: :	- cı	-	E	: E	1 00		ું હો
Menopanse	: 1	•	-:-	1	•	•	. :	<u>:</u>	- <u>:</u>	:	:	:	:	<u>:</u> :	_:	:		<u>.</u>		<u>.</u>			7
Metritis	. <u>:</u> -	•	÷.		-	•	. : .	:-	:-	:	:	:	<u>:</u>	:	<u>:</u>	:	·:	: ~	 		— ·		– "
Necrosis of Humerus				4	4	$ \cdot $: -:		: :	: - <u>:</u>	: :	: :	<u>: :</u>	: :	-:		-	•			
.\																							

TABLE VII.—CAUSES OF DEATH, 1893.—Continued.

CAUSES OF DEATH.	Jan.	Feb.	Mar.	_	April.	May.		June.		uly.		Ang.	Sept.	pt.	Oct.	ţ.	Nov.	-	Dec.	PARI	PARENTAGE.	*	SEX.	X.
	M. F.	M. F.	× I	F. M	E.	M.	田	M.	F.	E	. N	E.	Μ.	E	M.	F.	M	F. M.	F.	Am.	For.	M	E.	Total.
Necrosis of Jaw	:			-:	:	:	:	:		:	:	:		:	-:	:			•				:	
of Spine	:	•	:	:	:	-	:	:		:	:		:	:	:		÷			:		:	-	
of Tibia	+		:		:	*	:	:	•	•	:			:	:		÷	•			1.7		-	
ephritis	8	9	9 1	4	T.	7	50	Ġì	01	F 9	7	00	31	4	00	60	4	30	3	9 42	99 2	3 58	8 50	10
ervous Prostration	:	:	į	:	-	:	:		•	:	:	:	:	:	:	•	÷					:	-	
euritis	:	-	:	:	:	•	:			:	:	:		:		:	:				-	5	:	
bstipation	:		÷	:	:	:	:	-		:	1	:	-	:	:		•	•	.:	-	2	_	3	
Edema Glottidis	:	:	:	:	:	•	:	:			:	:	:	:	:	;		•				:	-	
ld Age	312	0.1	6.12	1	6.12	60	15	10	7 10	013	3 6	133	50	H	GJ.	50	1	9	1	3 113	3 70	7 (2 1111	183
pium Habit		:	H .	:	1	:	-	:	:		1	:	:	:	:	d					3		22	
titis Media		:		•	:	:	:	:	-	-	:	:	:	:	:	:	:				1		:: 1	
varitis	:	:	::	:		:	:	:			1	:	:	:	:	:	÷				1,		_	
aralysis	3 6	6	6 1	+	1	64	4	GI	-	33	G1	9	00	00	7	9	9	GI	6.5	3 59	4	0	3 46	٠,
araplegia	:	:	:	:	0.1	:		:	:	:	:	:		:	:	Ċ	-:		1.		1 2	-	GI.	
aresis	1 63	-	-	:		Н	:	:		GI		٦		:	0.1	1		-		15	GI	~	00	
emphigus Neonatorum	:		-		:	:		:			:	:		:	Н		-	,	-		,,		:	
ericarditis			:	:	Ξ.	П	:	Ä	:		1	7	:	Н	-	:		•	-		3 5		+	
eriostitis Osteo	:		:			:	:	:			:	:	:	:	:	:		•	-	:			:	
eritoritis, Acute	60	31	3 4	+	01	03	0.1	G)	30	33	5	Q.J	1	4	+	9	-	-	60	3. 28	97	3	1 43	2
Tubercular	;	:			-	:	:	:		61	:	:	:	:	:	-:	•	-:		1000	01		-	
erityphlitis	1	:	:	•		;	1;	Ä	:		:	:			:	:	-	:				-	1	
hlebitis	:				-	:	7	:		:	:	;	:	:	:	:	Ġī.	Ċ	-		3		01	
hrenitis	:	1	:		:	;	;	:	:	:	:		;	:	:	:	i		-:				:	
hthisis		61	œ	O.	1	7	cc	-	G		C	C	M	*	A		-		0 11	00	100	-	900	0.0

חוייאת מס מסטוייט	Jan.		Feb.		Mar.	A D	April.	May.		June.		July.	Aug.		Sept.		Oct.	Z	Nov.	Dec.		PARENTAGE	TAGE.	ļ	9BX.		}
4	ž	F.	- F	K	<u> </u>	Ä.	Ei	×	F.	₩	×	F4	×	Fi	X	Z .	<u>Fi</u>	E	Ei	×	5 4	Am.	For.	Ä	βij	Total.	اندا
Phthisis, Fibroid	:	<u> </u>	÷	:	:	:	:		:	:	•	:	:	:	:				:	:	-		:	1			-
Pulmonalis.	<u>.</u>	<u>ක</u> .	-	$\frac{5}{1}$	7 0		20	.C	7	~~ [~		<u></u> 01	က	+	i-		ಣ ಈ	∞ -:	<u>ာ</u>	- +	Ç]	38	- -	5	7	_	15
Pleurisy	 -	<u> </u>	_ -	ત્તા 	:	с1	_	C1	ຕີ	. -	<u>:</u> -	:	:	:	•	_	:		•	G3	:	G +	<u> </u>	11	[~ +		12
Pheumonia	: 87	 1 63	39 .1	11 11.57	1	62	: 3	5.1	: 93	$\frac{31}{16}$	$\frac{\cdot}{9}$::	. cı	·œ	13	. ci	. 1	$\frac{1}{8}$: 81	: 2	50	$\frac{1}{319}$	7 <u>6</u> ±	415	364	<u>.</u>	- 9 <u>/</u>
Prostate Disease		-:	•	-:	:	:		H	:		_:	:	<u>:</u>	:	•	٠٠		<u>.</u>		:	:			30			က
Purpura Hemorrhagica	<u>:</u>	<u>.</u>	•	<u>:</u> -	·:		:	:	Η.	- <u>:</u>	_	_:	<u>:</u>	:	:	:	:	_:	:	:	:	_	- #	G1	က		ō
Pyæmia	:_	- -	<u>:</u> -		<u>:</u> -			:	:	•	<u>:</u> -	:	-		:		Ξ.	- : -	Н	:	:	L~		ಣ ,			∞ -
Rheumatism.	<u>: -</u>	: =	·	• •	: 개 구 61	: 01	::	: :	: cı		-: :	: :	. cı	: :		: _	: -	-=-	: ;	: =	: -		18	7 =	13		- 53
Acute	-	=		=		1	П	-	_	_	:	:	-	:	-	تـــا		<u>' :</u>		<u>-</u> -i	•	œ	9	00			11
Chronic.	_:	- i	:	- <u>:</u>	- <u>:</u>	_:	П	:	:	-	<u>:</u>	:	:	:	:	_:	<u>:</u>	_	:	<u> </u>	:	·—	31	1	G I		အ
Rubeola		•	- 1	-: ;	. . • .		: 1		•		<u> </u>	•	·-: '	-		_:	_:_	<u>.</u>	• •	::	=,	: 1	(C)			· '	ទា :
Scarlatina		21	<u>.</u>	_ 급	 	x	_	_ 	<u></u>		ლ ლ	c.		G.	11	ನ್ -	<u>ထ</u>	က 	≎ 	Ţ	ж.	7.5	118	ž	101		ee -
Scierosis, Arterial	: :		:	<u>. :</u>	<u>:</u> :	:_:	:	: -				: :	:	: :	:	<u>.</u> .	:. <u>:</u>	<u>:</u> :	: :	: :	:::	⊣ ≎≎	:	:	٦		⊣ જ
Scrofula	:	_	:	<u>:</u>			:	C)		- :	· :	:	:		G1	- :			:	:		4	, O	- -	ണ		0
Septicæmia	_	Н.	<u>c1</u>	-	1	:		_	· :		:		:	:	:		:	. <u>:</u>	:_	7	=	۲-	+	١~	 -	—.: -	1
Shock.	:	$\dot{=}$	<u>:</u> -	÷	· <u>:</u>	:	:	:	•	<u>:</u>		:	:	:	:	- <u>:</u>	. <u>.</u> .	.: <u>.</u>	.:	:	:-	:	- -	:			
Psoriasis.		:	<u>. </u>	<u> </u>	_	: =	: :	: - :	-	·	:	: :	:	:		:	:- :	• - :	:	:		: –	•	: _	•		-
Spina Bifida	:	:	-:	<u>:</u>		. 	:	:	-:			: :	ુ (1	: :			-:	. :	:	F	:	(<u>Ç</u> 1	က	+			ı vo
Spinal Diseases	:	$\dot{}$		-	- <u>:</u>	_ :_	:	-:-	<u>:</u> -	-:	:	:	_:	:	:	:	Ξ.	•		:	:	C1	_	_:	೯೯ -		ಯ :
gtomach Diseases	<u>:</u>	$\frac{\cdot}{\cdot}$	-:-	_:-	.:	:	_	:	- <u>:</u>	:	:	:	:	:	-:	÷	<u>:</u>				-	_	- +	_			ر م
Inflammation	Ė	: =		• •	<u>:</u> :	::	::	::			: -	:-:	: :	::	-:-:	: :	\vdots	::		:_:	: :	г .	: 7				т т
		-				1	İ		-		1		-	!		1	-	-		-	-	1			į		į

TABLE VII.-CAUSES OF DEATH, 1893.-Continued.

CAUSES OF DEATH.	Jan.	i	Feb.	-	Mar.	April.	. May.	-	June.	July.	-	Aug.	Sept.	ot.	Oct.		Nov.	_	Dec.	PARKN	PARENTAGE.	_	52	SEX.
	N.	F.	M. F	F. M	E	M. F.	×.	F. M	E	M. F.	W.	E	M.	E	M.	F. M.	E.	M.	H	Am.	For.	×.	E.	Total.
Stomatitis		= 5		-			+				-										-			
stricture of Gsophagus				-				_		-				-				-		0	-	10	: [
of Rectum	:			-						-		:		1			:	1	:	4 -	1	4	-	
of Urethra.			-																	-		: [1	
Suicide by Cutting Throat	:	:			-					-		:				:	: :	: =		4 02	. 01	4 00	: -	
by Cyanide of Potassium	:		-:		:	:	•		•	:	:	:	C)	:	:			:	1:		0.1		:	
by Drowning	:			•	:	:	:	-	:	:	1	:	:	i.	÷	-		:		-	1		:	
by Hanging	:				:	:	:			:	G1	:	Н	÷	-	•	:	:	:	1	co	7		
by Opium	:				-	:		:	:	1	:	;	:				:	:	:	1				
by Paris Green		:				:	:	:	:		-	:	:		:		:	:		-				
by Poison,	:		-		:	:	:	-	:	:		:	:	:	:		:	:		:	7		L	T
by Shooting	:	:	1	-	:	:			:	:	:	:	:	:	1		:	:	:	33	1	7		
by Suffocation	:				:	:	-		:	:		:	H	:	:		1	:	:	E				
Unspecified		:			:	:	:		:	:	Į.	Н	:	:			:	:	:		1	:		
Syphilis	:					:	-	:	.:	:	1	:	-	-	:	:	:	:	H	1	9	10	Q1	
Congenital	•	H			:	:	::	:	31		1	Н	H	:	H			:	:	10	7	65		
abes Dorsalis	:	:					:	:	:	:	:	Н	:	:	:		:	:	1	:	-	1	_	
Mesenterica	:	:	1	-	:	:	•	•		:	:		:	H	:	•		:	-	0.1	330	64	60	
Teething	:	:	21			•	G1	:		-	1:	C)		Н	01		:	-	Н	7	6	ĭ	9	
Tetanus	П	H	:		:	1	G1	:	:	:		:	:	:			G1	:	:	5	3		_	
Thrombosis		H	Ü		:	:		:			:	:	:	:	:	01	:	:	:	0.1	1	:	3	
Tonsillitis	Н	oi.	-		1		7	:	:		:	:	:	:	:	•	:	:	:	C.1	#	9		
Trichinosis.	:	. 0	:-,					•		:	•		:	:0			:	: '	: 0				-	
r uner curosis	4	6	7	0	0	0	+	+		+	0	1	#	0	17	0	7	1	23	2.5	C+	33	23	

CAUSES OF DEATH.	Jan.	Feb.		Mar.	April.		May.	June.		July.	Ang.	g.	Sept.		Oct.	z 	Nov.	Dec.		PARENTAGE	LAGE.		SEX	×
	M F	Σ.	E.	M.F.	×	F.	<u>Fi</u>	Σ	5.	M. F.	×	된	М.	F.	F	×	F4	Σ	 _{Ei}	Am.	For.	×	<u>e</u> ;	Total.
Brain Diseases, Inflammation	-	:	67	:	0.7			:	:	:	50	:	,	_		:		:		က	15	1		18
Softening	-				H	=			•		7	:	-	•	:	:	:	01	-	1	Ø		. .	133
nchitis, Acute	19 12		8	20 25	13	151	4 12		6	50	5	ಣ	9	41		6	12	10	70	91	172	140	12	
Chronic								က	•			က	Ø	-	1 2	:	က	C)	01	13	37	57	1	50
Calculus	:	:	:	:	:	:	:	:	:	:	:	:			=	:	:	_		П	<u>-</u>		•	
Biliary.		_:	-:	<u>:</u>	:	:	:	:	- <u>:</u>	_ <u>:</u>	:	•	:		-:	:	:		<u>:</u>	:	67	:		-2
cer of Abdomen	:	:	-:	:	:	:		:	-:	_	-	:	<u>:</u>	_:	_:	_:	:	:		_	·	:	C1	0.1
Bladder	_ <u>:</u>	:	_ <u>:</u>	<u>:</u>	:	: :	_:	_:		<u>.</u>	-	:	-:	:	_:	_:	:		=	67		_:		G.
Bowels	_ <u>:</u>	:	<u>:</u>		:	_:	:	:	-:	:	:	_:	-:	-	_	_:		_:		67		_:	_ ~	C13
Breast		:	4		:	67	62		<u>0</u>	C)	:	:	:	=	413	<u>.</u>	ಣ	:	C)	17	10	_:		27
Face	:	_	-:	:	:	:	:	:	_ <u>:</u>	_:	_:	:	<u> </u>	-:	<u>:</u>	_	:	_:	-	က	07	-0	_ :	<u>۔</u>
Liver.	<u>01</u>	:	4	-	П	-	$\frac{1}{2}$	7	67	_: -:	_	က	C)	_	<u>~</u>	_	67	_:	-	15	13	12	15	
Maxillary (Upper)	:	:	:	<u>:</u>	_:	:	:	:	-:	:	П	:	:	:	:	_	:	_:	=	Н	21	က		
Mesentery	<u>:</u> :	:	=	<u>:</u>	:	:	_ <u>:</u>	:	급	:	:		_ <u>:</u>	<u>-:</u>		_:		_:	•	H	-	:	 21	21
Mouth	:	:	:	<u>:</u>	T	:	<u>:</u>	:	:	:	:	:		-:	<u>:</u>	_:	_ :	:	•	7	<u></u>	 67	:	
Neck	:	:	- <u>:</u>	<u>:</u>	:	-	<u>:</u>	:	-	•	:	:		:	<u>:</u>	:	:	<u>:</u>		_	_	_	_	
Ovaries	:	:	:	<u>:</u>	:	-	<u>:</u>	:	- :	:	:	_:	:	-:	_:		-	:	-	=	:	_:	_	
Pancreas	<u>:</u>	:		_:	:	:	_:	-:	:	- :	_:	:		•	_:	_	:	:			<u></u>	_	:	
Prostate.	<u>:</u>	:	<u>-:</u>	:	:	:	:	7	- :	:	:	_:		_:	_:	_:		:		Ħ		<u> </u>	:	_
Pylorus	:	:	-:	<u>:</u>	:	-	<u>:</u>	:	:	:	:	:	-	_:	_:	_:	_	:		i	:	:	_	
Rectum	-:	:	-:	_:	:	-:	~	_:	07		:	_	-	=	_:	_	_:		= :	70	4	_ €1		
Stomach	1 2		_4		Ø			3	<u>ين</u>	67	-	-	67	_	(C)		8	4	-00	20	21.	16	55	4
Testicle	-		-:	<u> </u>			<u> </u>		;	<u> </u>									~~	7			<u> </u>	
Throat.	-	:	<u> </u>	:	:	:	:	:	·	-				•		:	. :	:		=	H			
Tongue	: :	_:	: :	<u>:</u>	:	<u>:</u>	<u>:</u>	H	-:		_:	:	<u>:</u>		$\frac{1}{1}$	_:	_:	_:		67	П	ന 	:	- 613
Ilterna	c.	_	ì.	_	_	7			-										-					

TABLE VIII.—CAUSES OF DEATH, 1893.

٠.
ife
f Lij
ورا
2
$\boldsymbol{\varphi}$
$\mathcal{L}_{\mathcal{L}}$
ė
$^{\prime}$
μ
Ξ
ea
Ŀ.
05
જ
ä
\ddot{c}
7
30
ĕ
rom eacl
Ö
£
p_{i}
lie
.0
⋛
2
Sex,
Sex
ω
c_{P}
α
٠
9
5
Ž
итре
,ž
4
he
7
ž
\ddot{i}
3
Slk
Ś
٠,
≋
ä
; ≥
ž
Ξ
Ę
=
_4
p.
<u>Š</u>
Ž
÷
➾
•

CAUSES OF DEATH.	Under 1 and 1. 2.	to 3.	29 29 20 20	5 to 10.	10 to 15.	15 to 30.	20 to 30.	30 to 40.	to 50.	5 5 60.		0. to 80.		to 80	90 and over.	Age not stated.	<u></u> .	SEX	J
 :	M. F. M. F.	M. F.	M. F.	M. F.	E	Ж. F.	Υ Έ	M	표 편	X Y	*	F	F.	F.	₩ F.	M.	ž	£i	Total
Abortion						୍ଦୀ :	60	- G1	:				:		:	h.:			
Abscess of Abdomen	0.10			_:	-			100	<u>:</u>	- <u>:</u>	:	्ं		:		r it	_	<u>:</u>	•
Brain		:	- :	-	-	-:		G1	_ <u>:</u>	- <u>:</u>	:	:	··· <u>:</u>	:		:	 دت	C1	
Cervical Gland		:	: - <u>:</u>	÷ :	-: :	:		÷	<u>:</u>	· <u>:</u>	-:-	:	<u>:</u>	- :				:	_
Kidney	196	:	- <u>-</u> -	•	:	:	-	* *	-	<u>:</u>	-:-	:	:	-:-					
Liver	*	<u>:</u>	:	:	•	-:	-	7	:	<u>:</u>	:		:	:		3	31	21	
Lung		<u>-</u> :	<u>:</u>		. :		•		<u>:</u>	:	<u>:</u>	H	<u>:</u>		- : -	*	-: C1	:	
Neck	180	:	:	-	<u>:</u>	-: :			:		<u>:</u>	:	<u>:</u>	\vdots	<u>:</u>			:	
Otitis Interna	1	:	<u>-:</u> -:	- :-	•	:	•		<u>:</u>	$\frac{\cdot}{\cdot}$	<u>:</u>	•	:-	-:	<u>:</u>		:	_	
Pelvis	•	:	- <u>:</u> -:			_ :		П	. :	:	- :	:	- :	·:	<u>:</u>	10			
Psoas		:	- <u>·</u>	•	-	Ξ :	**	H.	-: -:	:	Ξ.	:	. : :	<u>:</u>	· :	1	_	_	
Recto Perineal		:	:	-:		:	140]6	-:	-:	-	:		:	:		_	_ :	
Stomach	•	:			:	:			:	٠		1		:	•	-:	-	:	
Thigh This	•	- - :		:	•		•		•		:	:		:	:	:	-	<u>:</u>	
Throat Throat		:	- <u>:</u> -	:				4	•		•			<u>,</u>	:	:	. : 	_	
Unspecified		:	<u>:</u> -	-:-			•	•	:	H		- :		:	:	:		:	
gidents, Aspliyxia	300	- <u>:</u> -:	-:	<u>:</u>	•		0.1	1	_	0.1		:				:	<u></u>	۳.	- -
Boiler Explosion		-	- :	<u>:</u>					H	П		_:				-:	ဢ	:	
Burns and Scalds		1	3	<u>61</u>	1	1	53 13	. •	G)	. 06	_	<u>:</u> :	-	-		:	17	ص 	<u></u>
Crushed by Weight		<u>-:</u> :	<u>:</u>	<u>:</u>	- ·	:-			:	-		:		_		:		:	
Dislocated Vertebras.		-		_		_	_			1	_			_		-	G	_	_

CAUSES OF DEATH	Jan.	F	ep.	Mar	<u> </u>	April.	May.		June.	July	ŀ.	Aug.	i-	Sept.	<u> </u>	Oct.	ž	٥٧.	Dec.		PARENTAGE	TAGE.		8 EX	
	A.	Z	GE.	M. F	. M	<u>F</u>	×	F.	<u>F</u>	M.	E4	M.	. X	F	M	ß.	Σ	<u>F</u> ;	M.	F4	Am.	For.	¥.	E	Total.
Covitie Aoute																						-		-	
Croup		• +	. بن		· 7	•	0.1	: :	•	: m	::	<u>: </u>		\vdots	: m	<u>· · ·</u>	. ლ	: [~	22	4	13	37	. 53	21	50
Membraneous	1 3			C)	4	01	:	•	2		01	:	-	<u>.</u>		70	4	Н	01		17	29	24	53	4
Cyanosis	С1 :	:	:	<u>61</u>	•	:	:	:	<u>:</u>	:	:	<u>:</u>	- <u>:</u>	<u>:</u>	_:		:	03			က	<u>L</u>	_	က	ĭ
Cystitis	•	:	:	ಣ	•	_	<u>01</u>	:	<u>:</u>	<u>01</u>	_:	_		•			F	:	<u>.</u>	-	14	œ	19	က	<u>83</u>
Debility, General		<u>.</u>	_	01	4	4	:	•	_:	•	01	Н	=	1 1	<u>01</u>	C)	-	C/I	-	-	13	17	11	19	ణ
Infantile	<u>ස</u>		01	œ			9	10	5	9	9	9		5			50	9	ō	9	38	8	65	52	11
Premature Birth		<u>01</u>		4		<u> </u>	9				20	4					5	ည	20	7	45	40	43	42	õ
Senile	-	_		$\frac{\cdot}{\cdot}$:	•	<u>:</u>	:	:	:		:	:	Н	:	Н	:	П	7	7	20	6	7
Delirium Tremens	- <u>:</u>	<u>:</u>	:		\vdots	<u>:</u>	:	•	<u>:</u>	:	:	<u>:</u>	:		_	:	:	_:	<u>:</u>		T	:	П	•	
Dementia	<u>:</u>	:	:	-:	:	<u>:</u>	:	-	<u>:</u>	:	01	:	01	2	1	:	:	Η	<u>:</u>		61	6.	က		
Dementia, Agitata	: :	:	:	-	\vdots	:	:		<u>:</u>	:	П	<u>:</u>	:-	_	:	:	:	:	$\frac{\cdot}{\cdot}$	÷	:	4	_	က	
Senile		•	:	:	<u>:</u>	:	:	<u>:</u>	<u>:</u>	:	_	01 •	·:	<u>:</u>	:	:	:	:	:	-	_	5	က		
Dentition.	<u>:</u>	_:_	7	· :	<u>:</u>	:	:		:	_	-	0.j		<u>:</u>	_:	:	01	:	H	=	7	10	90		
Diabetes	<u>01</u>	_	-	<u>:</u>	4	01	:	<u>ი</u>	<u>:</u>	:	ÇJ	$\frac{\cdot}{\cdot}$	-:-	<u>.</u>	_	:	_	Н	Ŧ	က	14	6	10		
Mellitus	-	C)	01	-:	3	:	:	_	:	:	7	:	-:	<u>:</u>			-	01		-	00	œ	7		
Diarrhœa, Acute	က —	三	က	:	<u>~</u>	-	7	_	3	14	01	11	91	1 7	<u>ش</u>	000	C /1	• :	Н	C1	31	65	51		
Chronie	<u>:</u>	_	:	.	_		:	- <u>:</u>		三	:	:	ຕ	14	4		_	:	-:-	=	11	10	10		
Difficul Labor	<u>:</u>	:	:	<u>:</u>		•	:	<u>.</u>	•	•	:	:	<u>·</u>	<u>:</u>	:	•	:	:	:		H	:	_	٠	
Diphtheria	4.0	 	4	က	ئ	01	_	5	<u> </u>	9	က	-	ن	7	<u> </u>	က	4	11	ī~	∞	44	71	51	09	11.
Dropsy	-	_	₩	Н	<u>.</u>	9	:			•	01	<u>01</u>		7			_	Ø	:	က	16	23	П		ణ
Dysentery	==	03	:	ن	_	:	П	ω.	<u>:</u>	C3	~	П	5	~		4	-	:	-:-	•	14	27	18		4
Chronic	<u>:</u>	:	:	÷	<u>:</u>	П	:	-:-	<u>:</u>	:	:	<u>:</u>	-:	<u>:</u>	:	:	:	:	- <u>:</u>	-	:	=	:	1	
Dyspepsia	- <u>:</u> -	:	-	<u>:</u>	<u>:</u>	_	:	-:-	<u>:</u>	:	:	<u>:</u>	- <u>:</u> -	<u>:</u>	:	二	:	:	<u>:</u>		Н	01	:	က	•••
Eclampsia	-:-	:	Н	÷	<u>:</u>		:	<u>:</u>	:	:	0.1	:		:	:	·	ㅋ	- i	÷	-	4	Ö	က	9	
Embolism		:	$\overline{\cdot}$	$\frac{\cdot}{\cdot}$	<u>:</u>	:	:	-	2 1	-	:	-:	\div		_	_:	:	:	<u>0</u> 2	Ξ	2	₹	_ ~	4	

TABLE VIII.—CAUSES OF DEATH, 1893 —Continued.

	CAUSES OF DEATH.	Under 1.	<u> </u>		ئ ئن	5 5.		5 to 10.	10 to 15.		15 to 20.	to 30.	30 to 40.	to 50		50 to 60.	60 to 70		70 to 80.	80 to 90.		90 and over.	1.00	Age not stated.		SEX.	
1 1 1 1 1 1 1 1 1 1	/-		×			Z					-		-			54		<u> </u>	<u>Fi</u>	×	F.	Æ.	×	E.	ž	ß.	Total.
4 3	A Ceidents, Various		:	÷	:	_	 :	:	:	. 21	:	:	<u> 63</u> :	က		:	:	67	<u> :</u>	-	<u> :</u>	<u>:</u>	_ :	<u>:</u>	14	3	17
4 8 8 8 8 8 8 8 8 8 8 8 8 1	Alcoholism	<u>:</u>	-		<u>:</u>	:	÷	<u>:</u>	:_	<u>:</u>	<u>.</u>	· 10		1 •		:	: 0	÷	: 0	: 0		<u>:</u>	:	:	. 6	 1.	7 6
4 3 3 3 3 3 3 1	Anemia	<u>: -1</u>	<u>:</u> -	: :	<u>: :</u>	: ;	: -	: :	: :	<u> </u>	: -	•		. :		•	· :	· m		×1 :	: :		: :	: :		7 9	21
8	Aneurism Aorta	:	:	:	:	:	:	:	:	:	:	:	:	:	-	_	:	•	:		<u>:</u>	:	:	:	•	-	-
8	Abdominal Aorta	<u>:</u> :	:	· :	<u>:</u>	:	<u>:</u>	\div	<u>:</u>	:	:	:	:	:	<u>.</u>	<u>:</u>	:	$\frac{\cdot}{\Box}$	<u>:</u>		:	<u>:</u>	<u>:</u>	:	_	_	C)
3 1 3 2 1 2 2 1 3 2 4 1 3 2 4 3 5 3 6 3 7 4 8 3 9 4 1 1 1 1 1 1 1 1 1 1 2 2 3 4 4 3 4 3 4 3 1 1 1 1 1 1 1 2 2 2 2 2 3 4 4 3 4 4 5 5 6 6 7 7 8 8 8 8 9 9 1	Unspecified	<u>:</u> :	:	$\frac{\cdot}{\cdot}$	<u>:</u>	_:_	<u>:</u>	<u>:</u>	:	:	:	:	-;	:	-÷:	_:'	•		:	:	$\frac{\cdot}{\cdot}$	$\stackrel{:}{\div}$	<u>:</u>	_:	:	1	7
3 1 1 2 3 4 3 4 5 6 7 1 1 1 1 1 1 1 1 2 2 3 4 4 6 6 7 8 1 1 1 1 1 1 2 2 3 4 1 2 2 3 4 1 2 2 3 4 1 2 2 3 4 1 2 3 <td< td=""><td>Angina Fectoris.</td><td><u>: </u></td><td>: œ</td><td><u>:</u></td><td><u>:</u></td><td>:</td><td><u>:</u></td><td><u>:</u></td><td>:-</td><td>: 0</td><td>:-</td><td><u>.</u> .</td><td>٦ <i>د</i></td><td>- 5</td><td>_ં હ</td><td></td><td></td><td></td><td>. 5</td><td>N &</td><td>- 10</td><td>:°</td><td>:<u>-</u></td><td><u>:</u></td><td>בי בי</td><td>200</td><td>212</td></td<>	Angina Fectoris.	<u>: </u>	: œ	<u>:</u>	<u>:</u>	:	<u>:</u>	<u>:</u>	:-	: 0	:-	<u>.</u> .	٦ <i>د</i>	- 5	_ં હ				. 5	N &	- 10	:°	: <u>-</u>	<u>:</u>	בי בי	200	212
	A population of the property o	<u> </u>	<u> </u>	- -	: :	: :	: :	: :	٠ ا				5	<u></u>	ì _					- :	2		-	:	701	ا ا ا	90
	A solites	-	:	:	:		:	:	:	:	:		:	:	2,1		=	<u>.</u>	:_:	:	<u>- :</u>	:	: :	:		4	
	Asthenia		:	· :	_ <u>:</u>	:	· :	-	:	-	:	-	-	=		:	7	<u></u>	<u>ಇ</u>	C.I	9	$\frac{1}{3}$:	:	21	56	47
25	Asthma	<u>:</u>	:	- :-	<u>:</u>	:	<u>:</u>	<u>:</u>	:	•	<u>:</u>	=	<u>:</u>	:	=	<u>0</u> 3	_	4	_	:	$\frac{\cdot}{\cdot}$	<u>:</u>	<u>:</u>	<u>:</u>	5	œ	13
2	Arterial Sclerosis	•	:	-:	<u>:</u>	:	<u>:</u>	<u>:</u>	:	<u>:</u>	:	:-	<u>:</u> :	<u>:</u>	-	:	<u>:</u>	•	<u>:</u>	:	<u>:</u>	$\frac{\cdot}{\cdot}$:	:	:	-	Η:
23	Atelectasis Pulmonum		:	<u>:</u>	÷	:		<u>:</u>	:	<u>:</u>	<u>:</u>	<u>:</u> -	<u>:</u>	:	÷	:	:	:	_:.'	: -		÷	<u>:</u>	:	ос _г	٠ •	11
23	Atrophy, Cerebral.	: :	:		<u>: :</u>		<u>: </u>	: :			:	:_	: :	:-		:	÷=	<u>. </u>	-	-	:	•	-	:	- 4	-	и к
2	Blada Diseases		:	:	:	:		:	:	-	:	: :	:	् ३	7		:		: :	:	:	: :	: :		11	11	67
4 3 1 1 1 2 1 1 2 2 1 2 2 2 2 2 2 2 2 2 2	Bo" Inflammation.	:	:	=	<u>:</u>	:	:	:	_	<u>:</u>	:	:	-	<u>:</u>	<u>:</u>	C 1	:	<u>:</u>	_	<u>:</u>	<u>:</u>	<u>:</u>	_:	:	7	7	11
4 3 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Obstruction	:	:	<u>:</u>	-:-	:	<u>:</u>	<u>:</u>	:	<u>:</u>	:	<u>:</u>	<u>:</u> :	•		_ :	<u>:</u>	.	:	:	<u>:</u>	<u>:</u>	:	:	_	•	_
4 3 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Tuberculosis	<u>:</u> :	:	-	- <u>:</u> -	:	<u>:</u>	<u>:</u>	:	<u>:</u> :	<u>:</u>	<u>:</u>	· :-		.	:	÷	÷	:	:	:	<u>:</u>	_:	:	:	_	П
22 1 1 22 1 2 2 1 2 2 2 2 2 2 2 2 2 2 2	Ulceration	:	_	$\dot{\cdot}$	-:-	:	<u>:</u>	:	:	<u>:</u>	<u>:</u>	:	:	•	•	:	$\frac{\cdot}{\cdot}$	÷	:	:	<u>:</u>	<u>:</u>		:	_	:	_
	orain Diseases		Ė	·:	<u> </u>	:	<u>:</u>	-	:	:	<u>:</u>	:	_		:	<u>:</u>	<u>21</u>	.	:	:	:		:	:	13	_	13
D' Congestion	D' Congestion.	2	<u>:</u>	<u>01</u>	-: -:	_:	$\frac{\cdot}{\cdot}$	_	•	<u>:</u>	<u>:</u>		-	<u>:</u>	=	-	÷		_	:		<u>:</u>	÷	<u>:</u>	<u>ص</u>	∞	23

CAUSES OF DEATH	Jan.	-	Feb.	-	Mar.	Ā	April.	May.	· S	June.	_	July.	_	Aug.		Sept.	43	Oct.	_	Nov.		Dec.	PAR	PARENTAGE.		90	SEX.	
	M. F	E. N	M. F	F. M	F.	M.	H	M.	E	M.	F.	M.	6	M	F	M.	H.	M. F		M.	M	E.	Am.	For.	N.	F.	_	Total.
Gout	:	-	H			:		:	:	:				:	-					,						•		
Heart Diseases	1	L-	7.1	01	2	811	13	12	14	16	00	8	67				00	Н	-	916	6	7 15	142	123	128	3 137	1	265
Dilatation	O1	H			:	П	:	П	П	:	:	:	:				-:	•		-	-			9	_	4	-	00
Failure	9	00	- 61	00	01	3	1	П	co	4	Н	-	co	4	CJ.	60	4	GI	20	4	-	3	60	39	32	3	10	69
Fatty Degeneration	1	-		60			Col	60	П		:	:	П	Н	-				-:			-:		2	_			12
Hypertrophy	1	:			-		:	H	Н	:	:	:	:		-	-				1		:		69			01	
Inflammation	0.1			•		:	:	C3	00	H	-	:			04	_	:	-		0.3	-			13	6	00	00	-
Valvular Disease	10	1			4	01		4	co	63	10	-	G1	1	00	10	4	1	10		10	5	45	5 53	50	4	00	86
æmatemesis	:		-			:	:	:	:	:		Н	-			1		:	-	-	:	:		1		_		
Hæmoptysis	:	-	:			:	:	:	:	:	:	:	:	:		÷	:	-		:	:	:	:	-	i			-
Hemiplegia	-	1					0.1	:	Н	3	H	:	:				÷	÷			:	:		7 2	50		-41	
emorrhage, Cerebral	-			÷		:	:	-	Н	H	CJ.	H	:				Ä		-	01	-	:		8	9	2	-	1
from Bowels	:	-	:			:	:	:	:	:	:	;	:		Н	H				:		:	:	61			1	
from Lungs	:	Н	7				:	:	:	01		01	:	H	-			;		3		:		5 6	_	6	03	-
from Stomach	:					:	:		;	:	:	:		:		•				-	1				:		1	
from Umbilieus	Н	H	:	•		.03		:	:	:	:	:	2	:		,		•	:					50	-	-	_	
from Uterus	:	:			•	:	:		-	1	:	:	:				H			•	- 54	:	7		,		01	
Unspecified	:	:	-	1	-	:	:	:	:	:	:	*	:	:	H		1		_	-				1 5		33	00	ō
Hepatitis	7	C 1	-		-		:	:	:	:	:	;	:	:		00	H	Г	G1	-	0.1			8		1	2	H
Hernia	:	:	00		-	7	:	:	:	:	7	-	\rightarrow	F		-:		,	7		:	-		3		-	-4	-
Umbilical	:	0.1			:	:	:	ं	Н	:	:	:	:	1		:			-					61		4	-	4.
Hip Disease	:	:				-	:	:	:	:	:	:	:	:	:			:				:	:	-		:		
Homicide	:	:		÷	:	:	:	:	:	:	:	:	:	H		H	3	H	:	:	:	:		C)		3		•
ydrocephalus	H	1		03	-	1 2	-	Н	-	C)	Н	9	4	-	co	Н	Н	1		-		67	1	9, 12	-	6 1	10	9
Hyperæmia. Cerebral.	i				:	-	A	:	: 1	:	:	:	:	:	:		1	•			-	:						
Hysterectomy		:	÷	÷	÷		:	•	7	:	:	:	:	:					•		•	:						

TABLE VII.—CAUSES OF DEATH, 1893.—Continued.

CATISES OF DEATH	Jan.		Feb.	M	Mar.	April.	-	May.		June,	July.	Ŋ.	Ang		Sept.	-	Oct.	Z	Nov.	Dec.	9	PARENTAGE.	TAGE.		SEX.	,
	M. F	. W	F.	M.	E.	M.	H.	M. F	M	14	M	E	M. F	. W	f. F	M	E4	×	Œ.	×.	E	Am.	For.	M.	E.	Total.
Necrosis of Jaw											-												-		N	
Of Grino	:		:	:	:				-	:	1	:	:					:	:		:	:	1 7	1	: "	-
or oping		•	:	:	:	:		-	:	: '	:	:	:			•	:	:	:	:	:	:	7	:	_	7
or Tibia	:	٠	:	:	:	:		•			:				1		•	:		:	:			:	-	
Nephritis	00	20	6	9	4	-	+	2	61	G1	9	4	4	00	C)	4 3	33	4	က	9	6.	42	99	58	20	108
Nervous Prostration	:		:	:	:	:	H			:	:	:	:				:	:	:	:	:	:	-	:	П	_
Neuritis	:		:	;	:	:	:		:	:	:	:	:	,		:	:	:		:	:		-	_	:	-
Obstipation	:		-	;	:	:	:				:	1:	:		1	-	:			:	:	CI	-		:	5.5
Œdema Glottidis	:		:		:			:	:	. :	:	:	:	•			:	;	:	:	-	-	:	:	-	
Old Age	31		2 6	12	7	6.1	12	31	5	7	10		-	63	51	C.I	00	H	9	7	9	113	20	72	111	183
Opium Habit	;	:	:	Н	:	:	-	-	_:	:	:	:	:	:	•		+	:	:		:	33	:	_	0.1	673
Otitis Media	:		:	:	:	:	10		:	:	Н	:	:		-	:	:	:	:	:	:	7	:	7	:	-
Ovaritis	:	•	-	:	:	:	•	•		:	:	:			•	- 2	:	:	:	:	:	1	:	:	Н	
Paralysis	65		9 7	6	+	4	F	31	61	1	co	9	01	9	3	33	0	9	C.J	9	9	59	40	53	46	36
Paraplegia	:		:	:	:	:	01	:			:	:	:				:	:	:	-	:	-	C3	_	03	ers.
Paresis.	Н	03	1	П	:	:	-	1	:	•	Н	C1		H		01	:	:	Н	:	:	12	65	1	00	15
Pemphigus Neonatorum	:		:	;	:	:	:			•	:	:	:	•		-	:	;	:	:	:		-	-	:	
Pericard tis	:			:	:		-	-	-		:	:	-	-		Ξ	:	:		:	Н	60	50	4	4	00
Periostitis Osteo	:	•	:	:	:	-			4		:	:	:		÷	-	:	:	;	:	:	:	1	1	:	1
Peritoritis, Acute	9	60	62	4	4	0.1	1-	0.1	63	3	co	0	10	0.1	4	-	9 4	;	Н	3.5	3	83	97	31	43	74
Tubercular	:		:	:	;	:	-	•	:	:	01	:	:	-:		_	:	:	:	:	:	CI	-	CI	Н	co
Perityphlitis	H		:	:		:		:	-	:	:		:				:	:	:	:	H	60	:	CI	-	erò
Phlebitis.	:		:	_:	;	:			:	:	:	:	:				:	G1	:	:	-	ಣ	-	C)	O)	4
Phrenitis			:	:	:	:			:	:	:	2	•				:	:	:	:	:	-		-	:	1
Phthisis	9	2	2	00	00	-1	4	+	3 1	2	4		00	01	20	-	9	-	00	-	6	56	61	44	43	87

CAUSES OF DEATH	Jan.		Feb.	X	Mar.	April.		May.		June.	July.		Aug.		Sept.	Oct.		Nov.	Ā	Dec.	PARE	PARENTAGE.	-	8 KX.	
1	M.	F.	Fi	×	圧	×	Fi	Α.	≱ l	Fei	ja	<u>E</u>	M.	×	β e i	M.	F.	F4	Ä	F4	Am.	For.	K.	E4	Total.
Phthisis, Fibroid	<u>-</u> -i-	_ .	÷	_:_	<u>4</u>		• • • • • • • • • • • • • • • • • • • •		:\	10	: 10	:0	cr	: 1				: 3	: -	: ?	1 88		1.5	. 7	-
Pleurisy	<u>-</u>	, , ,	· -: '	-		©1	- -	. 61 . 60	· -		:	· :		• : H •		-			 H G1	1:		: 21	2) [~ 1	61
Fleurodinia	7.8 1	6.39	$\frac{1}{4}$	[[] . 1,57	• 1 9	$\frac{\cdot}{\cdot}$: <u>;</u>	: }	31	:1	16]	<u>:3</u>	. 01	813		: ;	-10		: \$	50	$\frac{1}{319}$	157	413	$\frac{1}{364}$	2.2
Prostate Disease Purpura Hemorrhagica	:::	-÷- -		-:-	<u>:</u> :	: =	::	: -	-	. :	: =	::	-:-:	_:	-:-:	: :	-:-:	: :	: :	: :	<i>⊶</i> ⊶	: 7	 	: ന	
Pyæmia	<u>:</u>	_	:		:	F	: -	·	:	-	\vdots	:		:		:	_:-		:	:	(~			10	
Rheumatism.	<u>:</u> :	: =	<u> </u>		: 🛨	<u>: 01</u>	: :	: 	: ::	:_	<u>:</u>	: :		::	:-	: :		: :	: -	: i	: "	18	T	: 2	Ċ1
Acute	_				-	_	-				<u>-</u> :	:	-	_		- -	:	: _	- -	:	ж ₋ -	 	∞ - -	ဘဂ	-
Rubeola					: : [61 0C		<u> </u>	: !\ 	: : :	: : e	: : .	· ·	: : =		α	• • • •	- 7	: : [5	~X		1 61 62 	(?) %		5
Sclerosis, Arterial.	:	•	:	:	:	•	:		:	:	:	· :		:	-	:	. :		:	; - -		:	: 	-	•
Spinal Serofula	::		<u> </u>	::	:_:	:=	<u> </u>		::	. : :	_ :	: :		: 61	::::		-:	: :	: :	:-	∙ः न । 	0	ດາ ໝ 	<u> </u>	
Septicæmia Shock	_		<u>.</u>		Н_	:		Ξ.	:		: :	:		:		<u>-</u> -	:	-	Τ.	-:		→ -			
Skin Disease, Eczema	<u>:</u>	<u>;-:</u> -	<u>: :</u>	<u>: :</u>	:_ <u>:</u> _	: : :	: :	: :	: :	: : .	: :	: :	: . :	: :	:::	<u>: :</u>		: :	: :	: –	::"		<u> </u>	٠ -	
Spina Bifida	::	· · ·	: "	<u>: :</u> _	: .:: .	7-	<u>:</u> :	<u>:</u> -:-	: .: <u>.</u>	: -	: :	: :		<u>: :</u>	:::	: :	:- :-		: -	<u>:</u> :	⊣ 71 G	: m -		<u> </u>	
Stomach Diseases.	<u>: :</u> -	<u> </u>	<u>:</u> :	<u>:</u> :	: :	::		<u>:</u>	<u>: :</u> _	: : ·	: :	: :		<u>: :</u>	<u>: : : : : : : : : : : : : : : : : : : </u>	: ::-		:_: :_:	: :	: თ		- - 	: -		
Ulceration				<u>: :</u>	: :	: -	-		<u>: :</u> ¦	: :'	: = 1		: :	<u>: :</u>	:::		:-:	<u> </u>	<u>:-</u> :	: :	·		;≈;	7 ==	

TABLE VII.—CAUSES OF DEATH, 1893.—Continued.

CAUSES OF DEATH.	Jan.	Feb.	Q	Mar.	April.		May.	June.		July.	Ang	-0	Sept.	Oct.		Nov.	Dec.		PARENTAGE.	AGE.		SEX.	ų.
	M. F.	W. I	64	M. F.	. W.	E	M. F.	N.	F. M	f. F.	M. H	F. M	E	. W	F. M	F.	M.	E.	Am. I	For.	M.	E.	Total.
							-				6								T+3	-	-		
138										-	•			:		:		:	. 0	1 -	4 0		
of Bostum	:		:		:	:	:	:			:	:	1	:		:	1		10 1	+	13	1	
Treconm	:	:	:			:		:	:	1 .		:	:	:	•	:	:	•	7	:	:	7	
of Urethra.	•	-	:	:	:	:	:	:	:			-	:	:		:			-		-		
icide by Cutting Throat	:		:			:		:	:	-	:	- :	:	:		2		-	C	6	00		
by Cyanide of Potassium.	-:			-		:	-	:				-,							i g	0	C	1	
by Drowning								-			_	-					_			-	10	:	
hy Hanging																:	:		4 +	4 0	1 -	:	
be Onime	:				:	; ,	:				1			1	÷	:	:	:	4	0	4	:	
by Opium			:		:	-	:		:				:	:	•		:	:	-		:	-	
by Paris Green	:		:	-	:	:		:		:	-		:	:		:	:	-:	1	:	-	:	
by Poison.	:	:	:	:	:	:	-:	:	:	:	-	-	:	:		:	:	i,		1	-	:	
by Shooting	:	Н	:	63	:	:	:		:	:	•	:		H		:	:	7	00	-	+		
by Suffocation	:	:	:	1	:	:	:		:	:	:		:				1	5	-		-		
Unspecified	:		:		:	:			:	:		-									,	-	
	:	:	:	-	:	:	-	Ç.S	:	:	H	-	1	:	:	:		-	-	9	10	0	
Congenital	:	:	:	-	:	H	:	1	31	-	:	1	:	H				-	10	+	. 00	9	
bes Dorsalis	:	:		-	:		:	:	-:	:	:	1			-			=		-		-	
Mesenterica		Н	:	1	:		-:		:		:	1						F	CI	.00	. CI	4 00	
Teething		03	:	1 1	:	1	31	:	:	1 1	:	63	H	0.1		:	Н	7	1	6	10	9	
Tetanus	1.1	:	:	1	-	:		:	:	:	:		:	:	:	3		-	10	63	7	-	
Thrombosis	1	:	:	:	:	:	:		:	:	:	-	:	:	61	:	:	,	CI	-	:	00	
nsillitis	1 2	:	:	1	:	:	:	:	:		:	:	:	:	:	:	:	:	C)	+	60	60	
Trichinosis	:	:	:		:	:	:	:	:	.:	:	:	:	:	:	:	:		:	-	-	:	
Tuberculosis	6 V	-	c	1		-	,			-	7												

CALISES OF DRATH	Jan.		Feb.		Mar.	Ap	April.	May.		June.		July.		Aug.	o	Sept.		Oct.	Z	Nov.	Ă	Dec.	PARE	PARENTAGE.		BEX	×i	1
•	.M.	F.	f.	M	Fe	M.	β£i	<u> </u>	E	K	- I	표	X	<u> </u>	×	E.	Z	B-i	E	ᄄ	×	F4	Am.	For.	岌	<u>F4</u>	Total.	=
Phthisis, Fibroid	:	<u>:</u>	<u>:</u>		:	:	:	:	<u>:</u>	:	.	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>.</u>		:	:	:	:	:		:		•		7
Pulmonalis.	_	<u>ස</u>	4	$\frac{2}{10}$	0 4	9	0	,C	4	<u>.</u>	20	20	<u>01</u>	ى 4	4	7 5	4	က	<u>∞</u>	9	4	0,1	38	77	2	45	_	15
Pleurisy	=	_	$\stackrel{:}{=}$	4	:	C 1	\vdash	C 1	ن	•	+	<u>:</u>	<u>:</u>	:	<u>:</u>	Ξ.		<u>:</u>	_	:	0.1	:	6	12	77		_	21
Pleurodinia	<u>:</u>	<u>:</u>		=		:		:		·	•	•	<u>:</u>	_ <u>:</u>	•	$\frac{\cdot}{\cdot}$:	<u>:</u>	٠		:	:	_	:	:			П
Pneumonia	184	6 33	9 44	4 57	$\frac{1}{46}$	62	42	544	F 6 3	7	<u>6</u>	$\frac{615}{}$	37	<u>01</u>	8	3	<u>2</u>	20	18	22	48	20	319	457	412	364		922
Prostate Disease	:	:	<u>:</u>	<u>:</u>	:	:	:	H	:	-	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>		<u>:</u>	<u>:</u>	:	:	:	:	:	ന _	:	ണ	<u>:</u>		က
Purpura Hemorrhagica	:	.		=	:	Н	:	:	.	•	•	:	:	<u>:</u>	·	<u>:</u>	_:	:	_:	:	:	:	_	4	01		က	'n
Pyæmia	:	_	-	•	:	Τ	:	:	÷	•	.	<u>:</u>	_	$\stackrel{:}{=}$:	_	_:	_	:	:	_	1	က		,0	œ
Rachitis	:	<u>:</u>	<u>:</u>	-	:	:	:	-:	:	•	•	-:	-:	<u>:</u>		<u>:</u>	_:	_:	_:	:	:	:	:	П	_	:		_
Rheumatism.	:	_	<u></u>		4	0.1	:	:	<u>01</u>	•	<u> </u>	-:		<u>.</u>		_	:	_	_	_:	Н	H	,c	_	11	=	63	23
Acute	_	.			_	_	H	\vdash	Н	<u>-</u>	•	:		_:		Ξ	_	:	_:	:	Η	:	∞		<u>∞</u>		9	14
Chronic	:	$\dot{}$	-:	<u>.</u>	:	:	П	:	<u>:</u>	:	:	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	_:	<u>:</u>	_	<u>:</u>	:	:	_	<u>01</u>	_		01	က
Rubeola	:	÷	•	<u>:</u>	:		:	:	<u>:</u>	<u>:</u>	·	<u>:</u>	$\stackrel{\cdot}{-}$	<u>:</u>	<u>:</u>	<u>:</u>	:	:	:	:	:	:	:	C1	 0.1	:		07
Scarlatina	9	<u>01</u>	7	-	$\frac{2}{9}$	00	<u></u>		3	<u>-</u>	<u>~</u>	9	<u>6</u>	<u>ಣ</u>	$\frac{6}{10}$	$\frac{1}{13}$	<u>∞</u>	<u></u>	က	က	7	o	75	118	98	10.	7	93
Sclerosis, Arterial	:	•	<u>:</u>	•	:	:	:	:	<u>:</u>	- <u>:</u>	·	<u>:</u>	<u>:</u>		<u>:</u>		:	:	:	:	:	:		:	:		_	_
Spinal	:	.	÷	•	:	:	:	<u>:</u>	- :	÷	-	-	÷	-	÷	:	_	:	:	:	:	:	ಣ	:	C3			က
Serofula	:	-	·-•	<u>:</u>	:	_	:	01	-	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:		<u>~</u>	_:	<u>:</u>	_	:	:	_	4	ŭ	9		3	6
Septicæmia	_		67		_	:	:	_	- <u>:</u>		=	<u>:</u>	<u>:</u>	_:	<u>:</u>		_	<u>:</u>	:	:	П	:	_	4	t~	۷۰	٠.	1
Shock	:	-	•	•	:	:	:	:	:	•	:		<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	_:	:	:	:	:	:	:	_	:	_	_	_
Skin Disease, Eczema	:	:	•	•		:	:	:	:	<u>:</u>	·	<u>:</u>	÷	:	<u>:</u>	<u>:</u>	_:	:	•	:	:	_	:	_	:	_	_	_
Psoriasis	-:	:	-:	<u>.</u>	_:	_	:	:	<u>:</u>	·	•	<u>:</u>	<u>:</u>	_:		:	_:	:	:	:	:	:	_	:	_	:		_
Spina Bifida	$\frac{\cdot}{\cdot}$:	<u>:</u>	•	:	7	:	:	:	•	-	:		<u>.</u>		<u>:</u>	<u>:</u>	:	_:	:		:	C3	က	4	_	_	ņ
Spinal Diseases	-:	$\frac{\cdot}{\Box}$		-	<u>:</u>	:	:	:	- <u>:</u>	·	•	<u>:</u>	:	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	_	<u>:</u>	:	_:	:	63	H	<u>:</u>		ಣ	က
Stomach Diseases	:	:	•	<u>:</u>	_:	:	П	:	<u>:</u>	:	<u>:</u>	<u>:</u>		:	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	_	:	:	က	_	4	_	-11	-41	ŭ
Inflammation	:	• •	•	÷	<u>:</u>	:	:	:	÷	:	·	:	- :-	÷	÷	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	_	:	:	_	:	:			
Ulceration	=	4	-	\cdot	:	:	:	\exists	$\dot{\cdot}$	÷	-	-	$\dot{\cdot}$	÷	-	\vdots	-:	\vdots	:	:	:	:		<u>∓</u>	ا ت	_		#

TABLE VIII.—CAUSES OF DEATH, 1893.

Life.
Life
£,
<i>i</i> .
Ę.
ĕ
h P
ich
ec
, in
se,
n
ŭ
ch
eacl
u
tro
ئة ك
lied j
) d
₹3
ž.
Sex
z S
ach
e e
6
pei
<u>m</u>
ž
ان م
Ŧ
Sã.
wi
μÕ
Š
.;
Ĩ
įċ
be
hai
Z
Fl
Jeri
ž
7

CAUSES OF DEATH.	Under 1.	under 2.		to 3.	to 5.		5 to 10.	to 15.		15 to 30.	to 30.	_	30 to 40.	-	40 to 50.	_	to 60.	to 70.	0,	70 to 80.		80 co	00	So and over.	not	r G	on.	SEX.
!	M. F.	N. I	F.	M. F.	M. H	F. M.	Fi	×	F.	M. F.	×	E	M	M	E	N	Ei	M.	1	M. I	E. M	E	Α.	E	K I	E	M.	F. Total
Abortion				_:		-	:			61		23		6.1	- :	_;		:			-:							L
less of Abdomen	:		:	1			:	:	1	:		:	:		:	. :	:	:	:		:			:	:		1	:
Brain	-	:	:	:	:	-	:	П	:	:	:	;		01	•	:	1	:	1:		÷	:		:	:	1	00	61
Cervical Gland	:			:	:	- :	:		-:		:	:	-		:		į.	:	:	:	1	:	:	:	:		1	1
Kidney	:	:		:	:	•		:		-:	:	:	:				:	:	Г	:	1	:	:		:	:	-	H
Liver	:	:	-	:			:	:	-:	:	П	:		-		:	:	:	:	:	1	:	:	:	:	:	C)	0.1
Lung		:	-:	:	:	•	:		-:	:	:	:	1		:		;	:	:	H		:	;	:	1	:	C.1	:
Neck		:		1	:		:	:	1	:		:				•	:	:	:	:	-	:	:	:	:		-	1
Otitis Interna	:	:	:	:	:		:	:	:	:	:	:			:	•	:	:	:	:	:	:	:	:	:		:	-
Pelvis	:	:		:	•		:	:	:		:	:		1			:	:	:		:	:	:	:	:	:	:	7
Psoas	:	;		:			:	:	:		:	:	-				:	П	:	:	:	:		:	:	•	_	Н
Recto Perineal	:	:	:	•	:	•	:	:	:	- :	:	:	-					-	:	:	:	:	:	:	:		=	:
Stomach	:	•	:	:	:		;	:	:	:	;	:	:	•	•	:	:	-	:	:	:	:		:	:		H	:
Thigh	:	:	:	:	:		:	:	:		:	:	:		:	-	:	:	;	:	:	:	:	:	:	:	7	
Throat	:	:	:	:		:	:	:	:	-:	:	;	:			:	:	:	:	:	-:	-		:	:	1	:	П
Unspecified	1	•	:	1	:		;	:	:	:	:	:	:		:	-	:	:	:	-	:	:	:	:	:	:	0	:
gidents, Asphyxia	60	3	1	:		•	1	:	:	:	C)	:	-	-	-	CI	:	:	:	:	:	:	:	:	1	:	6	0
Boiler Explosion	:	:	:	:			:	*	:	:	:	:	H			-	:	:		:		:	:	:			3	:
Burns and Scalds	4	:	H	1 1	00	03	03	Н	H		67	H	:	•	G1	:	_	:	:	:		:	:	.;	:	:	17	6
Crushed by Weight	:	:	:	:	:		:	:	:	:	:	:	:	-	:	Ξ.	:	:	:	:		:	:	:	:	:	H	:
Dislocated Vertebræ.	:	:	-	:	:	-	,	:	-	-			-		-		:	;	:	:	-:	-	;		:	=	c)	:

CAITSES OF DEATH	Jan.		Feb.	Mar.	-	April.	Ma	ay.	June.		July.	A	19.	Sept.	4.5	Oct.	4	Nov.	Dec.		PARENTAGE.	AGE.		SEX	a
	M.	F. M	fa.	M.	F. N	E.	M.	E.	M.	F.	M. F.	W.	14	M.	F.	M. F.	. M.	E	M.	F. A	Am.	For.	M.	F.	Total.
berculosis of Bowels		-	. 1			:		:									13			-	67	-	67	-	ľ
of Larynx		1	1					-											_		-	+		-	
		_			•			+	-				:				:	:	. 0		1			1	
Tumor of Abdomen		: [:	: -	1				:	:	-		:	:	_	: -	4	2 00	3 0	. 10	
of Bladder															1								-		
of Brain.	:		:				:		_			-		H							ÇI	H	0.1	Н	600
of Kidney	:	:	:	:	•	1	:	:	:		•	:	:	:			:	:	:	:	1		H	:	
of Leg	:	:	:	:		:	:	:	:	:		:		:	:		-	:	:			Н	Н	:	
of Liver	:		:	:	•	:	:	Н	:	:		:	:	:	:		:	:	:	:	1	-	:	CI	
of Maxillary (Upper)	:	:	:	:	:	:	:	:	:	:		:	:	:	:		:	:	-	=	:	г	Н	:	
of Neck	:	:		:	:	:	:	Н	:	i		:		:	:	:	:	:	÷	:	:	7	:	-	
of Omentum	:	:	:	:		:	:	1	:	-		:	:	•			:	:		:	7	:	:	H	
of Ovary	:	:	3	:		:	:	C				67	:	:	00		:	C.J	:	01	03	7	:	6	
of Thyroid Gland	:	:		:	:	:	:	:	:	:	-	:	:	H	1		:			:		1	П	:	
of Uterus	:	:	:	:	1	:	:	:	:	:	:	:	O3	:	:		:	٢	;	ī	00	C)	:	20	30
of Sacrum	:	:	:	:	:	:	:	;	44	-	•	:	:	:	:			:		:	1		Н	:	
Unspecified	;	:	:	:	:	:	:	;	:	:		:	:	:	:		:	:	:	:		1	:	Н	
Uræmia	:	01	1	:	-	.:	Г	:	:		60	0.1	1	H	:	1	:	Н	:	_	11	oo	12	7	1
erine Disease.	:	:	:	:		:	:	;	:		- 3	:	Г	:	:		:			:	:	Н	:	Н	
Vomiting	:	:	:	:	•	:	:	:	:	1		:	T.	:	:		:	Н		:	63		:	C1	
hooping Cough	:	:	1	;	=	:	:	Н	4	-		:	CI	1	4	_	63	-	H	65	6	14	00	15	23
Unknown	cr:	6 P	•	c	G	20		G	C	,	c	G	1	C	1	10	9	-	Y	C	55	36	0.0	10	3

Table VIII.—CAUSES OF DEATH, 1893 —Continued.

CAUSES OF DEATH.	Under under 1. 2.	r to 3.	3 to 5.	5 to 10.	10 to 15. t	15 to 20. t	20 to 30.	30 to 40.	to 50.	50 to 60.	5 5 20 20	 to 50 80.		⇔ 8	90 and over.	Age not stated	e = 5	SEX	×
1	M. F. M. F	r. M. F.	M.	M F.	M F. M	£.	M. F. M	<u>F</u>	M. F.	M. F.	M.	×	F.	Ei	M. F.	Z	F.	F4	Total
Acidents, Various	::	1 ::	:		:	:	.:	3	: :	:	:	1 7	<u> </u>	:	_: :	<u> </u>	 :	 <u> </u>	<u> </u>
Alcologia	<u>:</u>	:	:	<u>:</u>	<u>:</u>	-	:	:	:	:	:	÷	<u>.</u>	:	· - <u>:</u> -	:	<u>:</u>		-
Anæmia.	- - - - - -	:	:-	<u>:</u> -	: -	:-	: o	+ c		٠: - ن	?1	 	2.1 2.1	:	<u>:</u> -	:	<u>=</u>	27	<u>_</u>
Aneurism Aorta.		: :	:	: :	1	· ·	• •	1 :	•	1 :	· : :_ :	1 :	<u>-</u> -	: :	<u> </u>	: _:	-	-	;; , ; ;
Abdominal Aorta	: :	: -:	<u>:</u>	- <u>:</u>	<u>:</u>	<u>:</u>	:	<u>:</u>	<u>:</u>	:	:		. :	:	:	:	:		_
Unspecified	- <u>:</u> - <u>:</u>	<u>:</u> :	:	÷ :	· :	:	:	-	:	:	•		-:-	<u>:</u>	<u>:</u> :	:	<u>:</u>	:	_
Angma Fectoris.	÷ = = = = = = = = = = = = = = = = = = =	:	:	:	:-	: -	. 67	7 1 2	 	1 1 96 10		1 3	 	20 50	:°		<u> </u>	9 13	35 12
A poendicitis	· · · · · · · · · · · · · · · · · · ·	: : : : : :		: :	: 61 : 63	, ₋		<u>-</u> :	3 -	- :	!:	£ :	:	<u> </u>	:	7 :	<u> </u>	er 17	
A gcites		:	<u>:</u> :	<u>:</u> :	<u>:</u>	<u>:</u>		<u>-:</u>	2/	<u>:</u> :		<u>:</u>	<u>-</u> :	:	<u>:</u> :	<u>:</u>	:		4
Asthenia	61 :	<u>:</u> -:	<u>:</u>	;	·:-	<u>:</u>		<u>-</u>	C1 :	: ' က ,		<u>छ</u> ।	ಯ	010	ا		:		96
Asthmaal Sclerosis	:	<u>:</u> -		<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u> -	<u>:</u>		드 23	=-	?ī	<u>:</u>	:	<u>:</u> :	:	- -	<u>د</u>	∞ -
Artellasis Pu monum	 	<u>: :</u> : :		· · : :	: : : : :		· _ :	: :_:	•	: :		: <u>:</u>	: :	: :	<u>: :</u> :	::	<u>-</u> -	· 0C	ਜ ਨਾ
Atrophy, Cerebral.	:	:	:	:	:	- <u>:</u>	•		:	:	- <u>:</u>	:	_	<u>:</u>	_ <u>:</u>	<u>:</u>	<u>:</u>	-	_
Bladder Diseases		:	:	<u>:</u> :	:-	:-		:	: r	:	.,	— ∻ — ∻	<u>:</u> -	:	<u>:</u> -	:_	:	4-	
Bowe Inflammation.		: :	: :	: :	: :	: :		=	1 :	. cı		3 31	: : : 	: :	<u>: :</u> : :	::	: :	-	- I
Obstruction	:	_ <u>:</u> _ <u>:</u>	<u>:</u> :	:	<u>:</u>	<u>:</u>	- <u>:</u>	· :	:	- <u>:</u>	<u>:</u>		:	:	<u>:</u> :	:	=:	-	
Tuberculosis	: -		:	:	·	- <u>:</u>	:	:		:	<u>:</u>	:	:	:	<u>:</u>	:	<u>:</u>		
Diseases	: 4 : ::		: :	: -	:-:	·	:	:- <u>-</u>	:-	<u>:</u> :	: o	<u>.</u>	:	:	<u>:</u>	:_	-	: ⊣ ⓒ	
Brat. Congestion.		 		=	:			=		3	· · ·	:	<u>:</u>		<u>:</u>	::	· ====		- 00

CAUSES OF DEATH.	Under 1.		nder 2.	≈. ≈.		3 to 5.	2	20.	2 2 2		15 to 20.		8 8 8	_ _	o 40.	to 50.		55 56 56		6.	. S	 206 	5 96 96		90 and over.		not stated.		SEX	. :
	Ä	×	E.	×	F4	M. F	×	E.	×	SE,	M. F	. M	<u> </u>	×	<u>F4</u>	×	퍈.	M.	. W	ᄄ	Ä	£i,	Σ	Ei Ei	M.	Σ.	Fu	Σ	균.	Total
Accidents Drowning.	: :	:	-		67	-			၂ ဗ	:	7		9	4	0,2	4	:	0.1	-	1	:	:	:	:	•	_ <u>:</u>		38		
Electric Shock	<u>:</u> :	:	:	:	<u>:</u>	-:	<u>:</u>	:	:	:	-	<u>:</u>	<u>:</u>	:	:	:	:	:	:	<u>:</u>	:	:	:	•	·	: :	:	_	•	_
Explosion of Powder	<u>:</u>	-	:	:	:	H	<u>:</u>	:	:	:	<u>:</u>	·	<u>:</u>	<u>01</u>	:	П	:	<u>:</u>	·	<u>:</u>	:	:	:	:	•	<u>:</u>	<u>:</u>		:	
Exposure to Cold	: :	:	:	:	:	<u>:</u>	:		:	:	:	-	<u>:</u>	_	:	:	:	<u>:</u>		•	•	:	:	<u>:</u>	-:	<u>:</u>	:	<u>~</u>	_:	
Falls	<u>01</u>	:	:	:	<u>:</u>	÷	:	:		:	<u>0,1</u>	:	$\frac{\cdot}{\cdot}$	4	=	4	<u>:</u>		_	<u>छ</u>		-	=	:	<u>:</u>	÷	:	요 		. 0.
Fractures and Contusions.	:	:	_	:	_	÷	<u>:</u>	_	_	:	.	:	÷		_	ಣ	:	<u>~</u>	-		<u>a</u>	07	:	<u>01</u>	<u>:</u>	<u>:</u>	:	15	<u> </u>	-
Gunshot Wounds	<u>:</u> :	:	:	:	:	÷	<u>:</u>	:	:	:	$\dot{=}$	<u>:</u>	\vdots	:	:	:	:	<u>:</u>	÷	$\frac{\cdot}{\cdot}$:	:	:		<u>:</u>	<u>.</u>	:	==	:	-
Injury at Birth	<u>.</u>	: '	:	:	- <u>:</u> -	·	<u>:</u>	:	\equiv	:	<u>:</u>	:	$\frac{\cdot}{\cdot}$:	:	:	÷	÷	÷	$\stackrel{:}{\div}$	<u>:</u>	:	-:-	•	:	:	:		:	-
Inhalation of Foreign Body.	<u>:</u> :	_	:	:	:	<u>.</u>	:	:	: -	;	:	·	<u>:</u>	:	:	:	:	:	÷	\vdots	:	:	:	:	<u>:</u>	<u>:</u>	:	٦r		-
Moshipona	: :	:	:	:	<u>:</u> -	•	<u>:</u>	:	٦_	:	$\frac{\cdot}{\cdot}$	•	<u>:</u>	<u>:</u>	:	:	:	<u>:</u>	•	<u>:</u>	:	:	:	<u>:</u>	<u>.</u>	:	:		<u>:</u>	•
Distal Wound	: :	:	:	:	<u>:</u>	•	<u>:</u>	:	:	:	<u>:</u>	<u>·</u>	<u>:</u>	<u>:</u>	:	:	:	<u>·</u>	•	:	:	:	:	:	<u>. </u>	•	:		<u>:</u>	-
Poisoning by Alcohol	:	:	:	:	:	•	<u>: </u>	:	:	:	:		-	: :	:	:	:	:	•	: :	:	: :	: :		<u> </u>		: :			
by Carbolic Acid			: :						:				_:	: :		:		•	:		:	:	:		-		:		:	
by Lead		:	:	:		•	:				•	•	-	:	:	:	_ <u>:</u>	•		:	:	:	:	-:	<u>:</u>	_ <u>:</u>	-:	_	_:	-
by Oil of Almonds	:	:	_:	:	_ <u>:</u>	-:		:	:	:	<u>:</u>		67	:	:	_:	:	<u>:</u>	-:	<u>:</u>	:	:	:	<u>:</u>	<u>:</u>	:	:	31	· :	
by Opium	_:	_:		_:	• :	-		:	_:		:	_ <u>:</u>	_:	:	:	:	=	<u>:</u>	•	:	:	:	-:	- <u>:</u>	:	-:	:	-	. '	Н
by White Drops	:		:	:	<u>:</u>		_:	:	_:		-:	_ :	<u>:</u>	:	_:	_:	<u>:</u>		-:	<u>:</u>	_:	_:	:	:	:	<u>:</u>	:	:		_
Otherwise	<u>01</u>		_:	:	=	-:	:	:	:	-:	=	<u>:</u>	:	<u>~</u>	:	_:	_ <u>:</u>	<u>:</u>		:	:	:	:	<u>:</u>	•	<u>:</u>	:	9		
Railroad	- <u>:</u>	:	_:	:	- <u>:</u>	-:		:	_:	:	-		7 4	1 10	C2	4	П	က	_	$\frac{3}{2}$:	:	:	:	•	-	:	<u>က</u>		
gtrangulation	;	:	:	:	$\frac{\cdot}{\cdot}$	•	<u>:</u>	<u>:</u>	:	:	<u>:</u>	<u>:</u>	<u>:</u>	<u>~</u>	:	:	÷	<u>:</u>	-	:	<u>:</u>	:	:	<u>:</u>	÷	- <u>:</u>	:	4	•	
by Foreign Body in						_	_				-	_	_					_	_				_	-						
Œsophagus	1	:	:	:		•	:	:	:	:			:	-		:	:	•	•	:	:		1	<u>:</u>	÷	<u>:</u>	:		:	
duffocation.	6.4	:		:	:		:	:	:	:	:		-	Н		-	-	-	:	:	:	:		_: :	•	<u>:</u>	-	<u>ග</u>		50
gargical Operation	63	3 1	:	:	:		:	:	:	:	:		-:	- 1	П	H	-	-	-	:		:	:	-:-	:	:	<u>:</u>	40		9

TABLE VIII.—CAUSES OF DEATH, 1893 —Continued.

CAUSES OF DEATH.	Under 1.	1 and under 2.		. to 5.		5 to 10.	10 to 15.	15 to 20.			30 to 40.	5 50 50.		50 to 60.	60 to 70	70 to 80.		26 of 90.	90 and over.		Age not stated.		SEX.	⊳ i
	M. F.	E.	M. F	. W	F. M	E.	F.	M. F	M.	F. M	M. F.	M.	×	Γ±i	H.	Σ	F.	H	Z.	F	M. F.	×	E.	Total
Accidents, Various	 =	 	:				:	0.1	0.1	:	:	00		<u> </u> :	0.1	-		:	<u> </u>	5.5	:	Ħ	-	3 17
Touminaria	 	÷	:	:	;	:			:	:	:		:	_:	:	:	- <u>:</u>	÷	<u>:</u>	•	÷	:		_
nami:	::	:	:	:	:	:	: '	: '		: 0	+ 9		- 2	:	3.1	<u>-</u> ,	01 	31	•	,	-:	27		5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5
Deliniam Acrts	7	-	:	:	:	¥.	1	7	:		,		7	:1 -			<u>:</u>		<u>.</u>	0.	:		0	N D =
Abdominal Aorta	: :	: :	: :	: :	: :		: :	: :	: :	: :	: :		: :	<u>.</u> :	: -	: :	::	. :	-			:		
Unspecified	:	:	:	:				:	:	:	-			:			·:		:					
Angina Pectoris	:	:	:			•				:	1 1	H	1	_	55	П	:	31		•	:			02
poplexy		0.1	:		:	•	1	O)	62	00	5 6	13 15	5.26	6	29 45	43	25	6 15		03	1	13	13	263
Appendicitis	:	1	:	:	:		30 21	П	03	:	1 ::	9	<u>:</u>	<u>:</u>		:	· :		<u>:</u>	•	:		· ·	23
scites				:	:			:	•	-			<u>:</u>	_:	-	\equiv	83		<u>:</u>		:		- 1 	-+
sthenia	60 61	:		:	:	-	ě.	i	: '	1	-	-	ണ വ	_: '	+	5 =	20 1	10	-		:	GJ.	o1	50
sthma	•		*	-:-	:		:	:			4		- i	31	-T 	31	-		:	٠			0	20.
rterial Sclerosis			:	:		×		::		•	;			:	٠. '	:) # ·		:		:			_
telectasis Pulmonum	2)		:	<u>:</u>	:	·		:		•		:		<u>:</u>	-	:	16/1		Ė		:		Υ .	20.
Atrophy, Cerebral			:	:	:	*	9		, ř		3	•	91	:	÷	: '	T	-	÷	*				
adder Diseases	1:	Ť	:			•		•	e e	7	<u>:</u> -	- ،	. 0	:	ة -	٦ ٠	r e		÷	•			# -	00
owel Discuses	0 -		:		: "		1	:	e e e u	•	: -	1	1	: જ	ା ତ	2	ě.	•	:			4	-	115
Obstruction	:		:		-			:	e esim	•	•	:	• (1	od.	H	4	•					+ -	
Luberculosis		:	:	•								: :		:		•								
[Cleeration		-			30	. 0	4		G. P			. :											_	
in Diseases	4	-	-			H					-	<u>cı</u>			0.1	03						H	GI	7 19
Jrw Congestion	1 0	•	 G	_		1	-		-	_	_	_	9	-			-				_		M	0

CATISES OF DEATH	Jan.	i i	Feb.	9.	Mar		April.	M	lay.	3	June.	July	ly.	Au	ug.	Sept	pt.	Oct.	45	Nov	ν.	Dec.		PARENTAG	sú.		SEX.	
2 1	×	E	M.	E	M. I	F.	1	N	E	M.	14	M.	E	M	P.	M.	E	M.	F.	M	E	M. F	Am	For.	×	E4 .	-	Total.
out	:	1	-	:				:	:	:			1	:	:	:	:	:				,		-		-	-	H
Heart Diseases	1	1	7	10	17	-	113	312	2.14	Н	00	00	-	-	12	-	00	6	П	6	61	71	5 14	42 12	23 12	281	37	265
Dilatation	01	-		:			1			:	:	:	:	:	1	,	:	:	1	:							4	
Failure	9	co	4	00	01	00			- 60	4	٦	-	00		C.I	60	4	0.1	3	4	Н	60	3		39 3	4	22	9
Fatty Degeneration	1	:	:	50		-	7,	63	~	:	:	:	-	Н	П	:	:	:	:	:	:		-	00		_	6	1
Hypertrophy	-	:	:	:	-	-	-	-	-	:	:	:	:	:	:	:	:	:		-		- ;		+	33	10	G)	7
Inflammation	01	33	:	:	•			C1	60	-	-	:	•	:	C.J		:	-		GI	:	. *	_	4		_	00	17
Valvular Disease	5	1	C)	9	4	-	01	5	69	0.1	50		CJ	4	co	50	4	1	10	ço	10	10		45 5	uc)		00	86
æmatemesis	:	:	:	:	:	:			:		:		Н	:	:		:	:	:	:	:			_		T	П	
Hæmoptysis	:	-	:	:	:	-		-		:	:	:	:	:	:	:	:	:	:	:	:				1		Н	
emiplegia	-	:	:	:	:		-	63	_	ಣ	1	:	:	:	:	:	:	:	:	:	:			-1	03	0	4	
emorrhage, Cerebral	П	:		:	:	1	•		_	-	C)	H	:	:	:	:	7	:	П	01	1		-	00	9	9	6	-
from Bowels	:	:	:	;	:	•		•	:	:	:		:	:	-	-	:	:	:	:	:		:		01	H	H	
from Lungs	:	Н	H	:	:				:	CJ.	:	01	:	Н	H	:	:	:	:	00	:			10	9	6	01	-
from Stomach	:	:		:	:	:				:	:	:	:	:	:		:	1	1	:	_			1 ::	:		П	
from Umbilicus	٢	П		;	:		01	•	:	:	:	:	:		:	-	:	:	:	:	:	•	-	63	33	4	-	
from Uterus	:	:	:	:	i					:	:	:	:		:	:	-	:	:	:	-			1	-		31	
Unspecified	•	:	H	H	H		:		:	:	:	1		:	Н		:	:	Н	Н		:	-	1	0	33	9	
Hepatitis	П	C.)	-	:	-		:		:	:	:	:	:	:	:	00	-	Н	0.1	:	G.1	:	_	00	9	-	1	-
ernia	:	:	9	:	-		-	:	:	:				-	:	:	:	1	-	:	:		_	9	20	7	4	_
Umbilical	1	C)	:	:	:	÷	:	-:		:	:	4	;	:	:	:	:	0	-	:	:			61	6.1	-	4	
Hip Disease	:	:	:	:	:		1		:	:	:	:	:	:	:	:	:	:	:	:	:				-	1		
omicide	:	:	:	:	i	•			:	:	•	•	:	П	:	T		Н	:	:	:	-:	-	ī	C3	3		
Hydrocephalus,	H	Г	:	C.J	-	Н	0.1	1	-	0.1	7	9	4	П	00	-	H	٢	:	Н	:	0.1		6	23	9	15	20
yperæmia. Cerebral.	:	:	:	:	:				:	:	:	;	:	;	:	;	:	;	:	;	H	:	_	1,	:	÷	7	
Hysterectomy						-			_	_	_												_	,			,	

j
ne
.9
1
٦Ō
\neg
!
93
1893.
_
Ë
Ę
Ą
DEATH
H
H
OF
CAUSES
20
H
ರ
1
÷
II
>
Œ
TABLE
۶
Ţ

CAUSES OF DEATH.	Under 1.	1 and under 2.	to 3.	3 to 5.	5 to 10.	10 15.	15 to 20.	20 to 30	30 to 40.	40 to 50.	50 to 60	60 to 70	70 to 80.	50 80 90.	90 and over.	Age not stated.	502	SEX.
/ -	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M.	M. F.	M.	M. F.	F.	F.	M. F.	M.	F. Total
Vancer of Vagina.		:		:	:	:	:	: '	: :	<u>:</u> :	: :	<u> : </u>	1 :	<u>:</u> :	 :	: :	¦ —	 !
Unspecified	<u>:</u> :	: - -		::	<u>: :</u>	::	<u>: :</u>	- : 	:		; c ₃	· ∞	: : न	: :	::	:::		
Catarrh	:: <u>-</u> -:	: :	: :	: :	: :	: :		: :	: :	: :		<u>. –</u>	34 :	: :	: :	::	ກ	· 01
Cephaliematoma.	<u>:</u> :	: :	<u>: : : : : : : : : : : : : : : : : : : </u>	: :		- 				: :	: :			:	: :		<u>-</u> -	
Cerebritis	- :-		<u>:</u>	:	-: <u>-</u>	:	:	: 0	: 0	C1 C				:	:	:	4	0
Children Garages Peritonitis	<u>:</u> : : :	<u>: :</u> : :		: :		: :	: :	 o <u>4</u> 1	· · · ·	: :	: :	: :		:::	: :	: :	::	<u> </u>
Phlegmasia Dolens.	-::		: :	: :	:::	: :		<u> 60</u>	: :	: :	: :				:			
Fever	- :	<u>:</u>	:	:		:	-	: 5	: c		: :		:		: : : :	:	:	- C
Mania	: : : :	: :	<u>:</u> :	: :		: :	: :	<u>: :</u>	::	- :	: :	: :	::	: :	: :	::	 : :	ا ئ
Septicæmia Uræmic Coma.	- : :		-	:::		:	-								•		•	∞ -
Cholera Infantum	$\begin{array}{c} 249207 \\ 2 \\ 2 \end{array}$	232	1 8 5	— 01 01 01	::	::	::	-:-	· : -	: =	: : : : +	: en		: :			282 239 18 17	39 521 7 35
Chores	: : : :	::	<u>:</u>	<u>: :</u>		; ;		: :	: :	: :	: :	-:-:	<u>:</u> :	:::	-: :	::		ന •
Colic Colic Constant	: 8 2	: m ±	· 40 · 61 70 · 62 1-	: . w c	: 62 €	1 5	26 26	71 82	62 63	35 35 35	23.23	9		: :	- :-:-	::	$\frac{1}{246269}$	69 515
Convenience	_ P	2	_i		H	:	-			-	: :!	<u>: </u>	:	-	-	-		i

Lung Diseases. Cyangrene Of Bile Ducts Of Palate Unspecified Malignant Pustule Maniatrition Marsmus Maniatrition Marsmus Maniatrition Marsmus Maniatrition Marsmus Maniatrition			H	<u>x</u>	x :: " :: :: : : : : : : : : : : : : :	<u> </u>	Fi : : : : : : : : : : : : : : : : : :		<mark> </mark>	For For		<u>* 004 : 60 - 60 - 10</u>	Total. 7 7 7 10 110 110 110 110 110 110 110 110	
n Ovale) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					: : : : : : : : : : : : : : : : : : :	·				<u> </u>			904 · 60 · 60 · 10	437-198 100 141
1 Ovale) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		: : : : : : : : : : : : : : : : : : :	H :		::::::::::::::::::::::::::::::::::::::	· · · · · · · · · · · · · · · · · · ·				<u> </u>		: :	04 · 60 H · 60 H · H · H	27 C C C C C C C C C C C C C C C C C C C
1 Ovale) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					· · · · · · · · · · · · · · · · · · ·	<u>н </u>		:::::::::::::::::::::::::::::::::::::::		<u> </u>		<u> </u>	4 : 60 - 60 - 10	7 1 9 8 6 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 Ovale) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		: : : : : : : : : : : : : : : : : : :	——————————————————————————————————————	· · · · · · · · · · · · · · · ·	: : : : : : : : : : : : : : : : : : :			:::::::::::::::::::::::::::::::::::::::				<u> </u>	:m- :m- :-	10 10 14 1
1 Ovale) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				::::::::::::::::::::::::::::::::::::::	: H H H : 101 -	· · · · · · · · · · · · · · · · · · ·		: : : : : :	<u> </u>	<u> </u>	: :	:_:	m — : m — : п ;	6 3 10 10 1
1 Ovale) 1 1 1 1 2 2 4 1 5 3 2 2 2 2 2 3 3 4 4 3 3 1 3 1 3 1 2 2 2 2 2 2 3 3 3 3 4 4 3 3 3 1 3 1 3 1 3 1 3 1 3 1				· · · · · · · · · · · ·	<u>нчч :н :03 -</u>	· · · · · · · · · · · · · · · · · · ·	: : : : : : : : : : : : : : : : : : : :		::-::	<u>: :</u> :	: :		ਜ :ਲਜ :ਜ ਼	3 10 14 14
1 Ovale) 1			<u> </u>	· · · · · · · · · · · · · · · · · · ·	<u> </u>	· · · · · · · · · · · · · · · · · · ·		: : : : :	 	<u> </u>	: :	<u> </u>	: 67	10 10 14 1
1 Ovale) 1		;;;; 	· : - : 61	: : : - : - :	<u>н : н : ю -</u>	· · · · · ·	: : : : .	: : : :	- : :	<u>.</u>	•	<u> </u>	юн : н ç	10
1		: : : :	- <u>;</u> - <u>;</u> - <u>;</u> - ; - ; - ;	-	: H : 62 -	· · · · ·		: : :		<u>:</u>	·	<u> </u>		⊣∜⊢
1		: : -	: 61 : : : : : : : : : : : : : : : : : : :	: : :	1 :01-	· · ·		::	<u>:</u> -		ਜ ਜ	:	: = 5	₩
8 312 2 2		:-		- :	: 4	<u>:</u>		:			1	<u>:</u>	5	
8 312 9 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-	:	:	<u>61 -</u>	<u> </u>	6	-	:				•	
8 312 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		_	_	-	-	_	•	:	_	=	8 11		2	19
8 312 9 11 1 2 2 4 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1	1 1 2 2 4 1 1	:	:	:	:	:	:	:	<u>:</u>		1 3		01	4
8 312 9 5 5 6 5 710 12 6 5 9 3 7 7 4 6 5 9 3 1 1 1 3 1 1 1 2 2 4 1 1 1 1 2 2 4 1 1 1 1 1 1 1	1 1 1 2 2 4 1	:	:	:	<u>:</u> :	:	<u>:</u>	:	:	:		:	_	_
8 312 9 5 5 6 5 7101 6 5 9 3 7 7 4 6 5 9 1 1 1 3 1 4 1 2 1 1 1 3 1 4 1		07	5.	0	4	4	67	က	<u>67</u>	स	37 + 41	1 42	36	28
8 312 9 5 5 6 5 7101 6 5 9 3 7 7 4 6 5 9 9 1 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1			-	-	<u>:</u> :	<u>:</u>	<u>:</u>	:	=	_	4	4	01	9
6 5 9 3 7 7 4 6 6 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	312 9 5 5 6 5	М	01 4	:	:	_	1	:	<u>:</u>	<u>.</u> س	33 67	56	44	100
6 5 9 3 7 7 4 6 5 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	:	:		-:	<u>:</u>	<u>:</u>	<u>:</u>	:	<u>:</u>	:			Η	-
4 3 3 1 3 2 2 2 1 1 1 1 3 1 1 1 4 1 1 1 1 1 4 1	9 3 7 7 4 6	6	×	6 4	ى 4	4	4	က	က	3.0 3.0	50 70		59	120
1 1 3 1 1	3 1 3	; 01	 1		: :	<u>.</u>	4	_	:	_		2 26	15	41
2 1 1 1 4	_		г :	7	3	_	<u>87</u>	. :	:		6	6	11	20
	2 1 1 1 4	: ന	- :		2	_	<u></u>	:	:	01	$\frac{9}{13}$	3 13	6	55
Menopanse		:		<u>:</u>	:	<u>:</u>	:	:	:	: ::			H	-
		:	<u>:</u> :	:	:		<u>:</u>	:	<u>:</u>	<u>:</u>		<u>:</u>	П	_
Myelitis 1	$1 \cdots 1 \cdots 2 1 \cdots$	ī	:	:	<u>:</u> :	:	<u>:</u>	:	:	_	ග	es es	က	9
Necrosis of Humerus		- <u>:</u> - <u>:</u> - <u>:</u>	<u>:</u> :	:	<u>:</u> :	<u>:</u>	<u>:</u>	:	-	:	_	:	H	Η

CAUSES OF DEATH.	Under 1.	er 1 and under 2.	50 %	. 50 5.	육_		10 to 15.			10 30.	_	90.	40 to 50	-	0.50 0.00		0.70	50 to 80.		80 30.		90 and over.	Age not stated	ge ted.	.,	SEX.	ن
	M. F.	M. F.	M. F.	M.	F. M.	P.	M. F	. M.	E.	M. F.	. M.	E.	M. F	, M	E.	M.	Ħ,	M	F.	M. F	N	E	M	54	N.	F.	Total
Empyena		:	-			:	1				-:	;	:			:	:					1	:	:	:		
'mphysema	:		:		:						:	;	H	-	61	1	1			-	. :			:	7	:	7-9
adocarditis		:	1	:	0.1	-;		:	:	:	1 1	:	:	-		F		:		:		. :		:	_	10	
anteritis	14 9	-1	; 10	1		63		:	:	:		:	П	61	1	Н	T	7	H	-	:		:	:	5	18	
Gastro	1		1	:	-	г	:	:	:	:	.:	-	:	01	۲î	:	91		-	1				:	101	36	63
Cultero-Colitis	8 11:	33	:	1.		1			:	1	:	:	:	:		:	71	-				-		:	in in	17	ده.
pilepsy		1	:		:	Н		1 ::	00	-:	-	H	:	1	-	:	:	:	1		:			:		-	27
rysipelas	1 3	:	:	:	- :	1	:	:	H	-	33	33	П	_	1 2	-		-	22		1	:	1	:	00	15	
Exhaustion	3, 1	:	:		:	:	:	:	•	:	:	T	0.1		1 1	:	0.1	-	2:	7	31	-	:	:	T.	œ	Ŧ
ever, Gastric	:		:		:	:		:	H	:	:	:	1		Γ.		:	;	:	,	:	:	:	:	_	O1	
Intermittent	1		:	:	1	П	:	:	;	-	:	:	:		1.1	:					1	:	:	:	_	10	15
Malarial	1	:	:	:		:	:	:	:	:	:	П	•		:	:	;	:	-				:	:		2.5	
	:	:	:	•	:	:	:	,	:		:	:	:			:	:	:				:	:	:		;	
Remittent	· · · I	:	:	•	: 3		*					: 1	:		311		:	: 1	.,			:	:	:	7		
Typhoid	:	:	: "	:		0	+	5		77	011	9	0	+			0	-				:		:	co.	00	=
or stones.	: :	: :				:		:		: :		: :		. :		:	: 00	:	:	. :			: :	. :	: [- 22	
all rene of Foot		:	:		:	:		:	:	:	:	:	7		-	:	:	-	H	:	:	:	1	:	21	ಣ	5
rang Leg	:	:	:	:	:	:	:		:	:	:	:	:		1	:	:	:				:	:	:		31	
Senile		:	:	:		*	:	:	:	:	:	:	:		:	П	:	:				:	:	:	+	:	+
Unspecified		:	:		1	:	:	:	:	•		:	1	_	:	-	-				:	:	:	:	31		
atritis, Acute	61			_		:	:	-	Н	-	01	7	O1	_	G)	00	+	C1	GI	•		:	:	:	16	7	30
Chronic	:	-:	:	:	:	:	:	:	:	:			:	-	C1	1	0.1	01	00	•		:	*	:	.0	Ξ	_
	:	1	200											_						1							

			,	1	1	:	!		i	•	:		į	1		1
CAUSES OF DEATH.	Under under	2 3 to 3. to 5.	to 10.	10 to 15. to	15 20 20 30.	30 0. to 40.	40 to 50.	55 ct 660.	to 60	7.08 of	80 to 90.	90 and	Age not stated.	; oo :	SEX.	!
	M. F. M. F. 3	M. F. M. F.	M. F.	. F.	F	F. M. F.	X F	Z.	. F.	M. F.	M. F.	M.		- ≆	F. To	Total.
Gout	 : :	: : :		: :		: : :	: :	 : :	<u></u> :	<u> </u>	<u> </u> :	i :	: :	-	 :	-
Reart Diseases	8 1 1	:	ယ့ 01	1 3 1	च- च-	1 3 14	16 193	<u>91</u> 19	30.293	15 55 15 55		<u>:</u>	-	1281	61 75 -	265 s
Failure	: 01 : -#		: 01	: -		. 51 - 10 - 55 - 55	- 9 - 	: +	: :: - :::	: :=		<u></u> -	: :	* #	* <u>:</u>	c 69
Fatty Degeneration		<u>:</u>	- :- - :	: :			- ? -:		· -	ಬ <u>-</u>		:	: :	:: vc	s. ?	51.
Inflammation.			: - : :	•	: :	 -	: ਜ਼ : ਜ਼	: ?1 : =	- <u>-</u> 	<u>: -</u>	: :	: :		: 53	ıŻ	11.
Valvular Disease	61	:	ن ت	ु। ८१ -	 	3 5 1		ж Б		x	· ·	:	:		<u> </u>	<u>ფ</u> ი
Hæmoptysis		<u>: </u>	: : : :	: : - :	:	: : - :	: : :		: :	<u>: :</u>	: <u>:</u>		: :	- :	-	۱
Hemiplegia	-: : : :	: :	<u>:</u>	<u>-:</u> -:	- <u>:</u>	: - <u>:</u> -	- : -	: : : : : : : : : : : : : : : : : : :		31 3 31 3	:-	:	 : :	יהי	<u>+</u> ر	<u>ت</u> ج
Hemotringe, Cerebration		:: ::	<u> </u>	<u>: :</u>	<u>:</u> : : :_ :	: : : :	 	: - -	- - :		- :		: :	ė .—	. –	<u>:</u> 31
from Lungs.	- - - -		· · · · · · · · · · · · · · · · · · ·	- : - : - :	-	- <u>-</u> -		: :::	?1-		_:-	•		Ġ.	3) F	11
from Stomach	4	: : : :	: :	: :	: :	: :	: : : :			<u>-</u> :	<u>:</u> :		- : :	: +	-	٠.
from Uterus			-	: :		-:-	?₁ ¯; ; ¯		-: :			: :	: :	: **	31 22	91 W
Litie		- <u>:</u>	- :	- : -		-	31 		 	: : =		: -	===	t~ t	t	#1
Herpia pilical	01	: : :-:-	<u>: :</u> :		- - -	<u> </u>	- : -	-			:::::::::::::::::::::::::::::::::::::::		=	· :-	+ -+ -⁻	
Disease	G		: :								:	: :	:- :	- m		- ∵
Hip icide phalus	11 9 4 3.		31 	: :		- : - :-						: :	: :	16	<u> </u>	· E:
Hydrogmia, Cerebrai.				: - : ·		<u>: -:</u>	<u>-</u>	: :		: :	: :	: :	: :			
Hyllerica			i			i					İ			• •	•	ı

TABLE VIII.—CAUSES OF DEATH, 1893.—Continued.

CAUSES OF DEATH.	Under 1.		under 2.	2,3	. 10	to 5.	_	5 to 10.		10 to 15.	5	15 0 20.	-	20.	30 to 40	10.	40 to 50.	_	50 to 60.		60 to 70.	70 to 80.	-	80 to 90.	80	over.	Age not stated	ۇ. ئوت ھ		SEX.	
	M. F.	M	<u>F4</u>	M	E	M	F. N	M. F.	N.	12	×	E.	M	14	M	1	M.	F. M	4. F.	×	Œ	M.	F. M	6.	M.	124	W.	H	W.	P.	Total
leterus Neonatorum	4	:	:	1	:			-	1		:	:			:	:	-:		:	:	:		:	-	:	:	1:		4	:	1
ntion	21 7	:	:					4	:	:		:	:			-	-									Ŀ			66	or.	ŝ
gestion	9 13	0.1	0.1	Н	F		F						1	W,							2					_			500	06	co
lenza	3 4	63			:	31	-		:	-	-	-	9		:	Н	33	4		60	-	4	12	00	8	-		П	34	10	85
trition.	21	:	:	:	:	-:				:	:		:	:	:		:			:	:		•	:	-:	:			CI	1	
nity	:	:	:	:	:		:		:	;	:	:	:	:	;	:	:	G)	0.1		-	0,1	•	cı	.:	:	:	•	10	9	Н
Insolation	:	:	*	:	:	•	-		:	:	•	:	1	:	:			•		4	:	:	:	:	:	:	:	17.	:	H	
mperance	:		:	:	:	:		:		:		:	-	:	Г	Н	01	01	-	•	:	:	:	:	:	Ç	П	:	9	33	•
stinal Obstruction	:	:		;	:				:	:	:	:	:	:	H	:	:	•	:		:	:	:	:	:	:	:	:	H	:	
ssusception	G1	:	:	:	:				:			:		:	:	:	:	-	-	_:	:	:	0.1		:	:	:		4	9	H
gination	+	:	:	:	:	:	-:		7	:	:		:	:		:	:	-	2	-	:	:		:	:	:	:		-		-
dice	0.1 0.1	:		:	:	:	•		:	:	:	:	:	H	:	:	:		:	*	:	:	H	:	:	:	:		OI	4	
ey Disease	1	:	:	:	:	:		:	1	:			:	:	-	П	:	-		03	0.1	9	90	:	:	:	:		12	10	GQ.
Bright's Disease	:	:	:	:	:						01	99	6	x	65	27	8	-	916	820	116	15	9	0.1	1	:	:		20	62	14
rotomy		:		;	:		÷		:		:	:	:	:	:	П	0	Ξ.	:	-	:	:	•	:	:	:	:	:	:	GI	
ngitis	1	:	:	:	33	:			:	:	;	:	:	:	-	:	:		:	:		;		•		:	:		01	4	_
ocythæmia	:	:	1	:	H				:	:	:	:	:	:	:		:				:	:	•	-:	:	:	:	:	1	-	-,
r Disease	:	:	:	:	:				3	:	П	:	:	:	-	:		-	61	01	0.1	Н		:	:	:	3		7	1	14
Live Amyloid Degeneration	:		:	:	:		:		:	:	:	:	:	:	:	:	:		1	1	:	:	:	- 3	:	:	:	:	H	:	
Atrophy			:	:				- 3		:	:	:	:	1	:	H	:			:	:	:	:	:	:	:	:		:	H	
Cirrhosis	:	:	1	:	:	-			:	:	:	:	ೞ	P	10	Н	4	9	5	9	03	61	01	-	:	:	:	:	56	14	4
Hypertrophy	:	:	-	:	:	-			:	:		:	:	:	:	:	:					:	•			:	:	:	П	CI	
Inflammation	:	:	:	:	:	-	:		:	.:	:	:	:	-	:	:	:		-		:	:	•	•	:	:	:		П	Н	
Anton Atavia						1			-	1					-		-	-		-						9			G	-	-

CAIISES OF DEATH	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	PARENTAGE	TAGE.		SEX	
i	M.	M. F.	₩	M. F	Ж Ж	M.	M. F.	M. H.	M. F.	.H.	K.	M.	Am.	For.	K.	Ei	Total.
Tuberculosis of Bowels			:			- :	:	-		_:	- :		63		C/		cc
of Larynx		:	:	: :		_:	:	:	: :	:	: :		 	:	' :	-	~
Pulmonary	: :	:	<u>- :</u>	<u>:</u>	-:	<u>:</u>	:	<u>:</u>	:	<u>:</u>	:	<u></u>	:	<u>.</u> භ	က	:	က
Tumor of Abdomen	:	:	<u>:</u>	=		:	:	:	-:	:	:	:	4	ຕີ	0.1	<u>ئ</u>	7
of Bladder	: :	:	•	<u>:</u>	:	:	:	:	:	:	:	:	-	:	-	- <u>-</u> -	-
of Brain.	<u>:</u>	<u>:</u> :	-	:	<u>:</u>	:	:	:	<u>:</u>	-	: :	:	62	-	01	П	က
of Kidney	: :	<u>:</u>	:	:	:	:	:	:	:	<u>:</u>	:	: :	_	:	_		_
of Leg	: :	<u>:</u> :	<u>:</u>	:	:	:	:	:	:	<u>:</u>	:	:	:	7	_	:	_
of Liver.	<u>:</u>	<u>:</u>	<u>:</u>	:	г	:	:	:	<u>:</u>	<u> </u>	:	:	_	Η	:	C7	ω
of Maxillary (Upper)	÷	<u>:</u>	<u>:</u>	:	:	:	:	:	:	<u>:</u> :	:	<u>:</u>	<u>:</u>	-	-	$\overline{\cdot}$	П
of Neck	: :	<u>:</u>	<u>:</u>	<u>:</u>	-	:	:	:	:	:	:	:	:	<u>-</u>	:	—	7
of Omentum	<u>:</u> :	<u>:</u> <u>:</u>	<u>:</u>	<u>:</u>	:	-	:	:	:	:	:	:		:	:	-	—
of Ovary	<u>:</u> :	:	:	<u>:</u>	:	:	: 22	:	က :	:	: 23	:	07	<u>~</u>	:	6	6
of Thyroid Gland	<u>:</u> :	<u>:</u> :	:	:	<u>:</u>	:	:	:	:	:	:	:	:	.	-		Н.
of Uterus	<u>:</u> :	<u>:</u>	<u>:</u> -:	<u>:</u>	:	:	:	:	:	:	-;	:	ۍ ا	C/1	: '	<u>.</u>	٠ ب
Unspecified	<u>:</u> :	: :	:	<u>:</u>	<u>:</u>	·:	:-	:	<u>:</u>	<u>:</u>	:	:	-	:-	-	:-	
Uræmia	<u>: :</u>	: 01	: <u></u>	: ::	: : : =	: :	: es	: c ₁	: : : =	: : :	: -	: :	:=	- œ	12	1 N	19
Uterine Disease.	: :	:	<u>:</u>	:	:	:	:	:	<u>:</u>	:	:	:	:	H		ī	1
Vomiting	<u>:</u>	<u>:</u> :	:	<u>:</u>	:	:	:	-	:	-	:	<u>:</u>	03	:	:	C)	67
Whooping Cough	:	-		٠		4 1	•	<u>:</u> <u>c</u> 3		1	2	ا		14	œ	15	23
Unknown	30 41	22	 	25	4	3	3	1	2 4	5 4	2 4	4 2	33	35	34	34	89

1893.—Continued.
DEATH,
OF
I.—CAUSES
VIII
TABLE

CAUSES OF DEATH.	Under 1 and 1. 2.	to 3.	to 5.	to 10. t	10 to 15.	15 to 20.	to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	50 to 80.	to 90.	90 and over.	not not stated	5 2	SEX.
	M. F. M. F.	. M. F.	M. F.)	M F. N	M F. A	M. F. 1	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M.	F. Total
Posis of Jaw		:		:	- :	-:	:	:	:		:	1,	: :	:		- 1	 :
of Spine.		· · ·		:	:	:	1 :-	:	:		- ·	:	:	:	:	1.	: 1
or Tibia britis.	1.1		: ::	:-	:::	:	: 70	: 2	:4	13.14	5 6	10 7	:-	: :		· 50	1 50' 1
Vous Prostration		:	:	:				:	:	-			:	:			·
ritis		: :	:		:		:	: :	: :				:	÷	:	es	:
ema Glottidis			:	:		:				•	:		:::				;
Age m Habit		: :	: :		•	: :	1:		::	: :	× :	15.27	10 01	13 22	: :	2 -	∐ ତୀ _
is Media		:		•	:	•	.:	:	<u>-</u>	:		:	:	:	:	1.	:
ritis	1 1 1		: :	:::			: -	: ==	. 9	: 9	13 12	1113	. G	: :1	::	: 33	- ij
plegia					:	:	:	:-	1.0	:-		H -	-	:		 L	ر د رد
pligus Neonatorum	1			-	5 8 8			•	<u>_</u> :	5	3	2	5		:	-	غ
carditis		:	<u>:</u>	<u>:</u>	:	:	:	- -:	<u>:</u>		1.	: :-		:	:	-+ -	- #i -
Periositis, Acute		: :	: :	: ന : ന			6 9	310	: œ : : : : :	: ,0 : ,0	:01	: 71	: :	: : : :	: : : :	_ E	: 64
Tubercular			:::			: :	<u>:</u>	: :	<u>: : : : : : : : : : : : : : : : : : : </u>	- : -	<u>:</u> :	: :	: -	: :	: :	וס וכ	
pitis.	-	: :	:	- <u>:</u>	:	-	-	:		<u> </u>	<u>:</u>	7		: :	:	์ รับ	ı ن ا
enitis		: -		<u>:</u> :		. 0			- 0	: 0	<u>:</u>	:		:	:	= ;	. 0

	.000.						•				-		- -										
	.,	Total.		115	<u>[</u>	77.6	 	s 00			-	 رن	193	- -	r s	°=	— -					7	
	SEX.	E :	:	1 5	l ~ F	364	: "	0		23 5	- ดา 	:	101	- -	— «. 			-			-∵-	'	
		×	1		-	:3		. ಬ	7]) 	31	.	: 7) i	: 1-	:	: _	-	1	-		
- 	Age not stated.	Ŀ	:		:	:::	:	: :	_:_	<u>:</u>	: :	.:	:	:	:	::	<i>:</i>	: ;	:	· :-	:	<u>: -: </u>	
	-	F.	<u> :</u>			<u>: :</u>	<u>:</u>	<u>: :</u>	<u>:</u>	<u>:</u>	:: ::	:	:	- : -	<u>.</u>	<u>:</u> <u>-</u>	<u>:</u> -	\vdots	: :	:	:		
	90 and over.	M.	 	<u>:</u>	:	<u>. 61</u>	<u>;</u> –	 :	-:-	:	<u>:</u> -:	-:-	:	·- <u>:</u>	:		÷		:	÷	:		
	to 90.	E.	:	_	:	£ 53				-ī ` ∵		:	-	:	:	: :	:	:	:	:			
j,-	-	F.		<u>ت</u>	 	36.2	·-: <u>-</u>	•	:	<u>-</u>		<u>:</u> -	$\frac{\cdot}{\cdot}$	·	<u>-</u> -		÷	<u>:-</u> :	· ·	: ,	-		
ļi.	ئ ده 80.	 ≱	:	4	:	:#	-	-	:	:		:	•	:-	- -	: :	: .	: :	: :	:	:		
- i	60 to 70.	F		en :		161	: - -	. –	: '	71 71 -	; -	. :	:		:	<u>:=</u>	<u>:</u>	<u>: :</u>	:	-	<u>:</u> -	61	
		X	: :	9	:	52.4	-:-	 i	: -	?1	i		:-	· :-	:		:	:	· · ·	÷	:		
	to 60	7	-	- # (په	: <u>8</u>	:	: :		<u> </u>		:	:	:	-		_ <u>:</u> _	:	:	:	33		
	40 to 50.	M. F	 :	<u> </u>	_ 	56 40	-	. –	•]:	:	:	:	: -					-			
-	8 9 40.	ß.	<u> </u>	<u></u> =	- 	: 83	: ;=			— `~			GI -	:	<u>:</u>	G1	:	:	:	•	-		
-		×	:	8 Te	÷.	7.15	· :	: :	• ;	_ 4.0		:	ಚ ಚ	:	: _	: :	:	: :	:				
	20 to 30.	M.	! 	7	-:-	: 61 : 61	-:-	: - : : :	· :-,	<u> </u>	· ·	:	C 1	-:	:- <u>-</u>	-	:	:	: : .	:	: -		
	. 25 	<u>F.</u>		9	G1	6 11	:	:	• •	71 -				:	:	:	<u>:</u>		:	- :- -	:		
	10 1 0 15. to	F.	 :	-	:		<u>:</u> -	<u> </u>	- <u>:</u> ,	วัง วัง	' : : :		© □	• • •	:	-	·÷	-	-:	· :	<u>:</u>		
		Σ	<u> </u>	_:	:	· က	:		<u> </u>	31		•	 	<u> </u>	<u>:</u>	=	<u>:</u>	:	-:-	- :- 	:		
	5 to 10.	M. F.	<u> </u>	:	:	. 2	;	: : - =	:	: -	† : • •		23 37	:	:	: :	:	: :	:	:	-:		
-		F.	 :	<u>:</u>	:	=======================================	-:	· : :	:	:	: :	:	21	:	:	: :	:	•	- :	:	:		
	ຶ ຊ	×	[:	:	-:	6,14		- :	:	. :	:-:	:	1 18.	:	:	=		-	:	:			
	50 3.	M. F		- :	<u>.</u>	: <u>†</u>		: :		•		-	13.1	.:	: -		<u>:</u>	:			<u>:</u> :		
i	1 and under 2.	<u>6.</u>	:	:		: 8	:	: :	:	:	: :		13	<u>:</u>	: -	:	· · ·	:	:	:	:	: :	
	r un	F.	-:	:	·-:	7.50	- : <u>,</u> _	:_ : :	<u>:</u>	. :. <u>.</u>	: :	. :	5.17	\vdots	:_		:	: :	: :	- :	: _	: -:	
	Under 1.	N.	-:	:	-:	51.4	-: -	<u>:</u>	-:-	-:	<u>-</u> :	,i	, 0	÷	· •	-		:	+	•	-	=	
			:	:	:				:	:		:	:	:	: :	:	:	: :	:	-:-			
	_		:	:	:			:	:	:	: :	:	:	:	: :	:	:	: :	:	:	: :		
	ATH			:	:				:	:		:	:	:	:	:	:		:	:			
	F DE		:	:	:	:	hao	0 :	:			:	: -	B				:	:	:		:	
	£3 O]		oroic	alis.	:		nori	:	:	:		:	:	rteri		:	<u> </u>	5 ø	:	ses.	seas	ion	
	CAUSES OF DEATH.		Phthisis, Fibroid	mon	. ig	Pneumonia	rrostate Disease Purpura Hemorrhagica	Pyæmia		Rheumausm.	Chronic		13.	9, A	Spluar	pia	000	198	ifida)j9e8	, z	Stout fation	\
\parallel	0	/	lisis	Pul	rodi	Umo	state Jura	mia	ntis	nma A	CEL	eola	latii	rosi	Sp	1000:	74	Di	367 28	78,	le la la la la la la la la la la la la la		ر. د
//		/,	Pbt	Plen	Pleu	Pne	r ros Purr	Pyæ	Racl	Khe		qua	160	Scle	5	Scro	Sep	Spo	Š	lio 5	ה. הה	35.	
										•		_	. •		-								

TABLE VIII.—CAUSES OF DEATH, 1893.—Continued.

×.	Total.		1 3	1		1 4		. 63	4	1		⊣	<u>.</u>				ۍ ا د			9 16			ن د	- 68 - 68
SEX.	Fi	<u> </u>			_:		:	:	:	_	<u>:</u>	:	:	:									-,	-29
	Ä		67	:		က	63	C3	4	:		_	4	-	:		 	:		10		:	י כיי	39
e o se	Ei	:	:			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	<u> </u>
Age not stated	Ħ	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		:	_:_	:	:	:	<u>:</u> :
90 and over.	Fi	<u> :</u>	:	:	:	:	_:	_:	:	:	<u>:</u>	<u>:</u>	<u>:</u>	:	<u>:</u>	:	:	:	<u>:</u>	:	:	:	<u>:</u>	<u>::</u>
	×	:				:	_:	<u>:</u>	\div	<u>:</u>	\div	\vdots	\vdots	<u>:</u>	$\stackrel{:}{\div}$	<u>:</u> -	÷	<u>:</u>	$\frac{\cdot}{\cdot}$	\div	$\frac{\cdot}{\cdot}$	<u>:</u>	÷	<u>: :</u>
8 80.	M. F	<u> </u> .	•	•	•	•	- :	-:	<u>:</u>	<u>:</u>	-	•	$\stackrel{\cdot}{\dashv}$	•	÷	÷	<u>:</u>	÷	•	÷	÷	•	÷	$\frac{\cdot \cdot \cdot}{\cdot \cdot}$
% 80.	E	:	:	-:	:	:	:	:	:	:	:	:	:	:	:	:	<u>:</u>	<u>:</u>	:	:	:	÷	$\frac{\cdot}{\cdot}$: :
_ 5 _	×	Γ_:	:	_:		:	:	Т	:	:	_:	:	:	:	<u>:</u>	:	:	:	:	<u>:</u>	<i>:</i>	\equiv	:	: -
. 70.	<u>F-i</u>	:	_:	:	:		:	_:	:	:	_:	:	<u>:</u>	:	:	:	:	:	:	:	:	<u>:</u>	:	: =
-5	×	<u> :</u>		_:	_	3		:	<u>.</u>	:	:	<u>:</u>	<u>:</u>	<u>:</u>	:	<u> </u>	<u>:</u>	<u>:</u>	:	:		<u>:</u>	<u>:</u>	<u>: :</u>
.o 60.	E4	<u> </u>	_:	-:	:	:	<u>:</u>	<u>:</u>	\vdots	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	\vdots	:	<u>:</u>	: '		<u>:</u>	: '	27 	<u>:</u>	<u>:</u>	: 3
	. X	<u> </u>		_:	-	•	<u>:</u>	<u>:</u>	•	·	·	<u>:</u>	•	•	•		•	<u>:</u>	<u>:</u>	÷	.	<u>:</u>	:	
40 to 50.	M. F	-:	-:	:	·	<u> </u>	=	$\dot{}$	•	÷	<u>:</u>	•	÷	-:-	•	$\dot{=}$	÷	•	-:-	·:-	<u>:</u>	÷	÷	• • • •
40. t	F.	· ·	_ <u>:</u>	Ξ.	- :	_	•	•	<u>:</u>	:	$\frac{\cdot}{\cdot}$	<u>:</u>	•	÷		•	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	÷	:	·
to 30	М.	:	:	:		:	:	:	_	:	:	_	:	÷	:	31	÷	:	:	$\frac{\cdot}{\cdot}$:		: '	- ∞
030.	£4	:	:	:	:	:	:	:	:	Н	:	:	:	:	_	:	:	:	:	:	:	77	:	:40
5 ه	X.		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	10
වී දී	<u> 154</u>	:	:	_:	:	:	:	:	:	:	:	:	:	:		2/	:	;	:	:	:	:	:_	:4
\$	×	<u> :</u>	_:	:	_:	:	:	:	:	:	:	:	_	:	<u>:</u>	:	<u>:</u>	: '	_	:	<u>:</u>	: '	_	<u>. ജ</u>
55.	F4	<u> </u>		_ <u>:</u>	-:	÷	÷	÷	÷	<u>:</u>	÷	÷	÷	÷	÷	÷	÷	÷	$\frac{\cdot}{\cdot}$	<u>:</u>	÷	•	<u>:</u> -	
	F.	•	_:	- <u>:</u>	-:	:	-:	:	:	<u>:</u>	÷	<u>:</u>	•	·	<u>.</u>	-:-	•	: ;	<u>.</u> :-	:	<u>:</u>	•	: -	: :
to 10	Ä.		<u>:</u>	•	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	•	<u>:</u>	<u>:</u>	<u>:</u>	•	•	÷	•	•	÷	•	•	<u>:</u>	÷	•	<u>: </u>
- rcj	<u>F</u>	:	=	<u>:</u>	<u>:</u>	$\frac{\cdot}{\cdot}$:		÷		÷	÷	÷	÷	÷		$\frac{\cdot}{\cdot}$	-:-	÷	÷	÷	÷		: :
5 8	×	:	П	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:=
85 8.	F.	:	:	:	_:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	: 🗆
. 43	Σ	<u>:</u>	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	•	: "	⊣	: :
2.	<u>Fi</u>	:	:	:	:	:	_:	<u>:</u>	:	:	:	•	:	:	<u>:</u>		-	:	:	_	:	-	⊣ 	: ::
er under	Z	:	_:	<u>:</u>	_:	:	<u>:</u>	<u>:</u>	÷	<u>:</u>	<u>:</u>	÷	÷	÷	- <u>:</u> -	:	:	<u>:</u>	37	5	:	:	<u>:</u>	
Under 1.	F.		•	•	-:	<u>:</u>	•	<u>:</u>	- <u>:</u>	•	÷	<u>:</u> -	÷	<u>:</u>	÷	•	.n			<u></u>	· +	•	<u>-</u>	: •
	X	!	- :	- <u>:</u>	<u>:</u>	- <u>:</u>	_:	-:-	·:	·	<u>:</u>	-:-	·	-:-	<u>:</u> -	<u>:</u>		÷			-			:
			:	:	:	:	ïE.	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	: :
			:	:	:	at	ssit	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
HT		:	gue	;	:	hrc	ota	:	:	:	:	:	:	:	:	:	•	:	:	:	:	:	:	: :
DE/		:	pha	, :	:	g J	استا	:	:	:	en.	:	:		:	:	:	:	:	:	:	:	:	:
OF		:	580	Д.	æ	ttin	је o	ing	g.	:	Gre		or:	atio	<u>چ</u>	:.	:	an.	80	:	:	:	•	:
CAUSES OF DEATH.	•	Stomatitis	D	tur	thr	Cal	ıniö	WD.	ıgi	ium	by Paris Green	son	jot.	Ęoc Eoc	cifie	copilis	oita	alli	teri	moething		m	:	Trichinosis Trichinosis
AUS	,	tis.	e 01	\mathbf{R} ec	Ure	by	$C_{y_{z}}$	Dr	Haı	ō O	Par	Po:	Spc	Suf	spe	:	ge	OUE	sen	i.	:	0818	0	Trichinosis
5	/	atij	tur	of	of o	de	ģ	o O	by.	рà	þ	þ.	hy	ρğ	Ünk	ilis	S C	1 6	Me	hip	800	OU		ž š
			၌	_	_	.≅	_		_	_	_	_	_	_	_	day	4	phe		peti	ota	Pro	90	Tick a

CAUSES OF DEATH.	Under 1.	1 and u nder 2.	1 to 8.	3 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	to 70.	to 80.	to 90.		90 and over.	Age not stated		SEX.	
,	M.	M.	M. F.	M.	M. F.	M.	M. F.	M F	Æ.	M. F.	M. F.	¥. ₹	M	M.	. X	F.	F	Ä.	Ei Ei	Total.
Brain Diseases, Inflammation	5	-	<u> </u>	: 	1 1	: :	-	 	i :	 :	1	: :	 :		:		:	11		18
Softening								7			1	<u>01</u>	10	:	C1	_:	:		9	13
Bronchitis, Acute	60 47	22 1	=	_	4 3			3 4	ы П	အ	11 9	_	1111		5	_		140	123	263
Chronic	-	:	:	-	:	:	:		4	+ 1	ಬ 4	5.0	<u></u>	7	: ფ		:	77	96	50
Calculus	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:	:	:	:	-:	:	:	=	<u>:</u>	<u>:</u>	:	:	:	<u>01</u>	:	31
Biliary	<u>:</u>	<u>:</u>	<u>:</u> :	<u>:</u>	<u>:</u>	:	:	:		C7 :	: '	<u>:</u>	: :	:	:	:	:	:	<u>01.0</u>	O1 (
Cancer of Abdomen.	:	:	:	:	:	:	:	:	:	- :	- T	:	<u>:</u>	:	:	÷	:	:	SV (O) (
Bladder	<u>:</u>	:	<u>:</u>	; :	:	:	:	-	•	:	$\overline{\cdot}$: '		:	<u>:</u>	<u>:</u>	:	:	<u>01</u> 0	91 C
Dasset	:	:	:	:	:	:	:	:	:		: 0	:		:	:	:	:	<u>:</u> _	3 5	ئ ت
Dieaston	<u>:</u>	:	:	<u>:</u>	<u>:</u>	:	:	:	٠ :	; -	o :	· :	:-	•	:	:	:	• 10	<u>.</u>	, u
F uce	<u>:</u>	:	:	:	<u>:</u>	:	:	:	:	- c	•	: -	. [- -	N F	:	:	:		. 1	ງ ດ ວ
Mavillary (Trange)	:	:	:	<u>:</u>	:-	:	:	:	:	О	ე - ⋈	ना १३ - -	+ -	-	:		:	77	cı	, cc
Mesentery	<u>:</u>	<u>:</u>	: :	: :	:	: :	:	:	: -	:	:	:	<u>.</u>	:	: · –	:	:) ()
Mouth	: :	:		:	:	:	:	•			: -		-	:	: :	:		. C1	· :	O 01
Neck	: : : :	· ·		: : : :		: :	: :			1	:	:	:	:	:	:	:	_	H	G1
Ovaries	:	:	:	:	:	:	_ <u>:</u>	_ <u>:</u>	-:	-:	:	<u>:</u>	•	:	:	:	:	:	П	_
Pancreas	<u>:</u> :	:	<u>:</u> :	:	<u>:</u>	:		:	•	:	=	:	:	:	<u>:</u>	:	:		:	
Prostate	<u>:</u> <u>:</u>	:	<u>:</u>	:	:	<u>:</u> :	:	:	:	:	:	<u>:</u>	:	:	<u>:</u>	:	:	-	: '	٦,
Yylorus	<u>:</u>	:	<u>:</u> :	:	:	: :	:	:	: •	: -	:	: -	; -	:	:	<u>:</u>	\vdots	: 0	- L	ح د
Kectum	<u>:</u>	:	<u>:</u>	:	<u>:</u>	<u>:</u>	$\frac{\vdots}{\vdots}$: -	:	- c	× =	 	7 7	:	<u>:</u>	<u>:</u>	<u>:</u>	7 2	- 10	; [
Testicle.	:	: :	:	: :	•	:	:	•	: :		# : # :	+	H :	: -	: :	<u>:-</u>	: :	1	3 :	; —
(hroat	:	:			:	:		:	:	:	:	<u>:</u> :		<u>:</u>	:	<u>:</u>	:	_	П	67
Longue	<u>:</u>	<u>:</u>	:	<u>:</u>	:	:	:	:	:	:	:;	<u>61</u>	:	:	:	:	:	က	•	က္
Uterus	<u>:</u>	 	-: -:	:	<u>:</u>	<u>:</u>	<u>:</u> -		<u>.</u>	12	: <u> </u>	∞ -:	- -:	 	:	<u>:</u> :	:	:	42	42

TABLE VIII.—CAUSES OF DEATH, 1893.—Continued.

M. F. M. F	CAUSES OF DEATH.	Under 1.	- B		2 to 3.	3 to 5.	to 10	10 to 1	- 2	200	20 to 30.	30 to 40.	40 to 50		50 0 60.	60 to 70.	70 to 80.			90 and over.	Age not stated	g t e	5 0	SEX.	
11								l			, —							X.	!		×		<u> </u>		Total.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Empl.		:	-:	:	<u> </u>	:	:	$\left -\frac{\cdot}{\cdot} \right $		-	: :		<u> </u>		<u> </u>	· :	:	<u> .</u> :	1:	<u> </u>	<u> </u>	 	<u> </u>	
14. 9 24.1 24.1 24.1 24.2 31. 3. 3. 1 31. 3. 3. 1 31. 3. 3. 1 32. 1 33. 1 34. 3. 1 35. 1 36. 1 37. 1 38. 1 39. 1 30. 1 31. 1 32. 1 33. 1 34. 3. 1 35. 2 37. 1 38. 2 39. 1 39. 2 39. 2 39. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	End sema		-:	:	:	<u>:</u> :	:	_:			-:	-	_	- 67			:	:			:		4		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Tadocarditis		_:	:	:	:	63	:	-:	:		_	:	: آبر:	_	3	:					=	1 - 1	- 10	1 (5:
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Tutentis	14		-		:			<u>:</u> :	:	:	-	П	2.	:	1	-	_	•	:	:	-	31.	ò	52
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Gastro.		-	33	:	-		:	<u>:</u>	:		· :	:		<u>ु</u>	Ç.J	_:	규 :::	· :		:	=		36	63
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Entero-Colitis	 ∞ 		က	:	:		:	<u>:</u> :	:	:	- <u>:</u>	Ė	:	- :	<u>eı</u>	=	-:	<u>:</u>		:	-		1	35
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Epulepsy	:	=	:	:	<u>:</u>	:	:	:	<u>.</u>	-:	_	:	1 1	:	<u>:</u>	-:	_:	=	:	:	= :		6.	13
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Erysipelas.	-		· :	:	: :	:	:	<u>:</u>	-	7			1 1	01		_	:	-	_:	:	:	-	5	23
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Exhaustion	က် :	:	:	_	:	:	:	<u>:</u> :	<u>:</u>	:	:	<u>01</u>		_	C.1	ä	_	<u>01</u>	:	:	:	00	œ	16
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Fever, Gastric	- <u>`</u>	:	:	:	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u> :	_	:	-	F	. :	_	:	:	:	- :	:	:	-:	_	<u>01</u>	æ
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Intermittent		-:	:	:	-	:	-	:	<u>:</u>	:	<u>:</u>	:		=	:	<u>:</u>	:	=	:	:	=	_	20	9
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Malaria	:	:	·	:	:	:	<u>:</u>	<u>:</u> :	<u>:</u>	:	:	:	: :	:	:	:	-:	<u>:</u>	<u>:</u>	:	<u>:</u>	:	က	က
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Typho	:	-:-	:	:	<u>:</u>	<u>:</u>	:	-	÷	:	<u>:</u>	÷	:	- <u>:</u>	:	<u>:</u>	:	- :-	:	:	:	:	-	Н
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Remittent	:	:	:	<u>:</u>	: :	•	:		:	-	·	•	· .	:	•	<u>:</u>	-:	<u>:</u>	:	:	:	ಣ	Н	4
22	Typhoid	- : - : :	:	:	:	-:-				<u>~</u>	3	0		1 7	က		_		<u>:</u>	<u>:</u>	:	:	65	20	115
2222	Unspecified	- <u>:</u> - <u>:</u>	:	:	- -	<u>:</u>	:	:	<u>:</u>		<u>:</u>	- <u>:</u>	÷		:	<u>·</u>	<u>:</u>	:	:	-:	:	= :	:	-	Н
2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	Call Stones.	-	:		:	<u>:</u>	÷	:	<u>:</u> :	÷	:	<u>:</u>	<u>:</u>	-:	:	က	:	:	:	:	:		_	ñ	4
2 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Gangrene of Foot	······································	:	:	:	<u>:</u> :	<u>:</u>	:	$\frac{\cdot}{\cdot}$	÷	:	<u>:</u>	Ė	:-	<u>c1</u>	:	_	:	:	<u>:</u>	:	:	G)	က်	Ü
2 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Leg		:	<u>:</u>	:	<u>:</u> :	<u>:</u>	:	:	$\dot{\Xi}$	-:	<u>:</u>	<u>:</u>	_	÷	<u>:</u>	:	:	Ø	-:	:	:	_	Ğì	33
2	Senile	:	:	<u>:</u>	:	:	:	:	: :	: :	<u>:</u>	<u>:</u>	<u>:</u>	- :	:	:	:		:	:	:	:			4
	Unspecified	$\frac{}{}$:	•	<u>:</u>		<u>:</u>	:	: :	<u>:</u>	<u>:</u>	<u>:</u>	-	:	:	1 1	- :	:	- <u>:</u>	:	:	:	07	က	5
	Castritis, Acute		:	:	:	1 1	<u>:</u>	:	_	_	:	<u>01</u>	ω	1.2	4			:	:	-:	:	:		14	30
	Chronic	- <u>:</u> -:-	:	:	:	<u>:</u>	:	:	- <u>:</u> -	<u>:</u>	:	-	:	Ξ.	C 3	1 2		:	ი	<u>:</u>	:	:	5	=	16
	itre	<u>-</u> :	<u>:</u>	:	<u>:</u>	:	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:	<u>:</u> :	:	:	:	<u>:</u>	<u>:</u>	:	:	:	:		-	_	_

																				ŀ	l	I	I		
CAUSES OF DEATH.	Under 1.	1 and under 2.	1 to 2 8	 	i	5 to 10.	to 15	15 to 20		20 to 30.	30 to 40.	40 to 50.	50 to 60.	— — -	60 to 70.	70 to 80.	-	86 86	90 and over.		Age not stated.		SEX.		
	Æ.	A	Ħ	F.	E.	M.	X F	Z	F.	F.	<u>Fi</u>	Ä.	į	F. X	<u>F</u> ;	M.	×	压.	M. F	. W	Fi	Ä	ß.	Total.	
Coxitis, Acute	<u> </u>	<u> </u>		: :	.	<u> :</u>	:		:	<u> :</u> :	:	<u> :</u> :	:	· :		<u>·</u> :	<u> :</u>		<u> :</u> :	<u> :</u>	:	:	1	1	
Cronp	11		67	4	9	<u>4</u>		<u>:</u>		<u>:</u>	:	<u>:</u>	:	<u>:</u>	<u>:</u>	· :	$\dot{\cdot}$:	<u>:</u>	<u>:</u>	:	29	21	50	
Membraneous	<u>:</u>	10		4	4	3 7	63	<u>:</u>	-:	<u>:</u>	:	<u>:</u>	:	<u>:</u>	:	:	\div	:	<u>:</u>	<u>:</u>	:	24	22	46	
Cyanosis	7 3	:	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:	<u>:</u>	-:	:	:	<u>:</u>	:	<u>:</u> -	:	:	_:-	:	<u>:</u>	<u>.</u>	:	_	က	10	
Cystitis	<u>:</u>	<u>:</u>	÷	-	_	<u>:</u>	-	<u>:</u>	:	· :	:	<u>01</u>	4	<u>:</u>	2 1	<u>∞</u>	_	Н	:	<u>:</u>	:		က	22	
Debility, General	•	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:	_	:	:	_	:	01	<u>01</u>	2	က	9	က	_	:	:	11	19		
Infantile	34	<u>01</u>	:	<u>:</u>	Ė	:	:	<u>:</u>	:	<u>:</u>	<u>:</u>	:	:	<u>:</u>	<u>:</u>	:	\vdots	:	<u>:</u>	:	:	65	52	_	
Premature Birth	49 43	:	<u>:</u>	<u>:</u>	<u>:</u>	:	<u>:</u>	$\frac{\cdot}{\cdot}$:	<u>:</u>	:	<u>:</u> :	:	<u>:</u>	• •	:	<u>:</u> ;	•	<u>:</u> ,	<u>:</u>	:	43	42		
Senile	:	:	<u>:</u> :	<u>:</u>	Ė	<u>:</u>	:	:	:	<u>:</u>	:	<u>:</u>	:	-:-	3	37		2/	_	<u>:</u>	:	သ	ဘ	14	
Delirium Tremens	:	:	<u>:</u>	<u>:</u>	<u>:</u>	:	:	:	:	<u>:</u>	:	•	:	<u>:</u>	:	:	÷	:	- <u>÷</u>	<u>:</u>	:	_	:	_	
Dementia	:	:	÷	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:	:	<u>:</u>	- -	<u>01</u>	_	<u>:</u>	<u>.</u>	:	:	F	<u>:</u>	<u>:</u>	:	က	00	II	
Agitata	:	<u>:</u>	:	:	<u>:</u>	<u>:</u>	:	<u>:</u>	:	.	_:-		:	÷			•	:	:	$\frac{\cdot}{\cdot}$:	_	က	4	
Senile	•	:	<u>:</u>	<u>:</u>	:	:	:	:	-:-	:	:	<u>:</u>	:	.		:	<u>.</u>	_	-:-	<u>:</u>	=	က	က	9	
Dentition	9 9	<u>6,1</u>	<u>:</u>	:	<u>:</u>	:	:	$\frac{\cdot}{\cdot}$:		•	:	•	:	:	•	:	:	:	:	:	x	က	Ξ	
Diabetes	:	:	÷	<u>:</u>	:		:	:	-	-	(1)	7	07	က	$\frac{1}{2}$	07	ہ ج	:	<u>:</u>	<u>:</u>	:	10	_	53	
Mellitus	• (•	<u>:</u>	<u>:</u>	:	:	÷	<u>.</u>	:		 	:		÷		: '	•	•	<u>:</u>	<u>:'</u>	:	7		17	
Diarrhœa, Acute	3/1	4,	<u>.</u>	<u>:</u>	:	<u>:</u>	<u>:</u>	_	:	2/1		: :	·-	:	6 4	_	ر م	2/	<u>:</u>	<u>-</u>	:	51	45	96	
Chronic	20 -	:	<u>:</u>	<u>:</u> :	<u>:</u>	<u>:</u>	:	$\dot{\Xi}$:	<u>:</u>	_	<u>:</u> :	2)	:	<u>:</u>	:	- -	:	<u>:</u>	<u>:</u>	:	2 -	7	7 -	
Difficult Land	: 6	: 6	.0	3.7		.6	· ·	: :-	:-	· : -	:	<u>:</u> :	:	<u>.</u>	:	:	<u>:</u> _	:	:	:	:	1 20	. 6	111	
Dipusay	•	<u> </u>	•	<u> </u>	<u> </u>	1	1 :	1		1 01	<u> </u>	. 67	: =		$\frac{3}{10}$. 02	· 4	C23	::	<u>:</u>			88	39	
Drok neptery	4 6	-	22	1 2	:	67	-:	_: -:		-	:	=	Ξ	-:	4 5	:	4	_	<u>:</u>	<u>:</u>	_:	18	23	41	
Dy Chronic	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:	Ė	:	:	-	<u>:</u> :	:	<u>:</u>	- :-	· :	:	:	<u>:</u>	<u>:</u>	:	:	_	⊢ (
Appensia.	: -	: -	<u>:</u>	<u>:</u> -	÷	<u>:</u>	÷	÷	:	: -	: -	<u>:</u> :	:	<u>:</u>	-	:	<u>:</u>	:	:	<u>:</u>	:	:	ب م	n c	
Uyan Jasa	<u>-</u> ه	-	:	- -	\vdots	<u>:</u>	:	Ė	:	· 	-	:	:0	:	: -	<u>:</u>	<u>:</u> -	:_	· :	<u>:</u>	•	ט גכ	5 4	n 0	
The policy of th	<u>-</u>	<u>-</u>			-	-				-			-	-	-	-	-		:		:	٥	Ŧ		

CAUSES OF DEATH.	Under 1.		and nder 2.	5 63	. 3	10°	5 to 10.	10 to 15.		15 to 20.	to 30.		30 to 40.	-	40	50 to 60.	-	60 to 70.	70 to 80.		to 80	<u> </u>	90 and over.	A ge not stated	e ste		SEX.
,	M. F.	×	5	M. F	. M	E.	M. F.	M.	E	M.	M	F.	M F.	W.	E	M. F.	N.	154	M.	F.	M. F.	. M	54	×	E	М.	F. Total
1cterus Neonatorum	1 1	13	:		:	:				-	:	:	:				-					:	:	:	:	4	
nition	7 16											1 8	_						_							00	O.
i de de la constante de la con	10	•	+			: -		:	:		:	:		1	:			: 0	:	:		:	:	:	:	100	00
Upper State of the state of the	0 0	10	10	4	: 0	4 -		:	: -		. 0	:					. 0	-	_		. 0	: 0	: -	:	: -	0.40	2 1
nt-1.						4	:	:	4	7	0	:		0	#	7	_	-	#	-	_	0	-	:	4	40	10
acrition.	71	:	:		:	:	:	:	:	-	:	:		:	:			:	:	:	•	:	:	:	:	23	-
anity	:	:	:	:	:	:	:		:	:	;	:	:	:	0.1	67	1	-	0)	:		:	:	:	:	0	9
olation	:	:	:	:	:	7	-	:	:	:	:	:	:		:		:	:	:	:	-	-	:	:	:	1	Н
emperance	:	:	:	:	:	:	÷	•	:	-	7	:	-	03	0.1	1	:	ः		:		:	;	-	:	9	9
estinal Obstruction	:	:	:		:		:	:	:	:	:	:	; H		:	:	:	:	:	:		:	:	1:	:	П	:
Intussusception	c)	:	:	:	:	i	-:	:		+		:	:	:	-		:	:	:	0.1	H	:	:	:	:	4	9
agination		:	:	:	:		:	:	:	:	:	:	:	:	:	:	-	:	:	:	•	:	:	:	:	F	:
ndice	61	:	:	:	:	•	:	:	:		:	-	:	:	:	:	:	:	:	-		:	:	:	:	G1	4
ney Disease	1	:	÷	:	:	;	:	:	:	•	:	:			H		01		9	00		:	:	:	:	15	10
Bright's Disease		:	:	:	:	•	:	1	-	01	3 9	œ	3 13	00	=	918	820	16	15	9	03	2	:	:	:	20	62
arotomy		:	:	:	:	:	:	:	:	1		:	•	:	-	•	:	:	:	•			:	:	:	:	01
vngitis	H	:	:	:	.:		:	:	:	1	:	:	-	:	:		:	:	÷				:	:	:	C)	4
cocythæmia		:	:	:	1	:	:	:	:		:	÷		:	:	*			:				:	:	:	Н	Н
of Disease		:	:	:	:	:	:	:	:	-	:	:	:		-	0.1	0.1	C3	Н	-		:	:	:	:	-	
Amyloid Degeneration		:	:	•		:	:	:	:	1	:	:	:	:	:	-		Ġ	:	*	•	:	:	-:	:	-	:
A trophy	:		:	:	:	:	:	:	:	•	:	:		*	:	•	:	:	:	:	:		:	:	:		Н
Cirrhosis		:	:	:		:	:	:	:		÷	П	5	4	9	10	69	c)	01	01	-	:	:	:	:	56	14
Hypertrophy	:		П	:	:	:	:	:	:	:	:	;	:	:			1 1	;	:			:	:	:	:	-	CJ.
Inflammation			:	:		:		:	:			7	:	:	;	-	:	:	1	-:			:	:	:	-	H
A towing														7													

Gout Diseases S 1 2 3 2 1 4 4 7 3 4 1 1 3 3 3 4 4 4 4 4 4 4	CAUSES OF DEATH.	Under un	1 and under t	to 3.	3 to 5.	5 to 10.	10 to 15.	15 10 20.	to 30.	 to 40.	to 50.			60 to 70.	70 10 80.	to 90.	90 and		Age not stated.	Ø	SEX.
8 1 1		F.	E	E.			man a		0.00	٠	- :	-	-:-	' <u>-</u> -	- 1		-	-		200	
## ## ## ## ## ## ## ## ## ## ## ## ##	Gout			1					:	_: _:	i - :		<u>:</u>	 :	1 :			:	١ =	-	1
# 5	Heart Diseases	8 1		:	٥٩	co 03	<u>ц</u>	-	4 7	_	_			65	32.27	7.1	0	-	_		
4 2 4 2 2 3 4 6 4 4 310 4 6 5. 2 3 4 6 4 4 310 4 6 5. 2 3 4 6 4 4 310 4 6 5. 2 3 5 5 5 5 5 5 7 1 3 3 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Dilatation			:	- 4	:	:			-		1	- :	33	-:		_			4	
2	Failure	2		:	=,	c1		-	[FI]	بن ين	7	6.4	₩.	3 10	4 6	0	1	:		34	55
20. 1. 1. 2. 2. 1. 1. 1. 2. 2. 1. 1. 2. 2. 1. 1. 2. 2. 1. 1. 2. 2. 1. 1. 2. 2. 2. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	Fatty Degeneration				-	:		, p.	*	<u>-</u>		-			60	H		:		9	6
29. 29. 1. 1. 2 4. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20	Hypertrophy	*		:	- ,	:		Let	1			31 31	:	:	-	-			<u>:</u>	5	GI (
2 1 1 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1	Inflammation			**		7.5	- 0	æ.	29 S		→ 1		οı ζ				. 1	:	:	_	00.0
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Valvular Disease			:		23	× -	>1	20	0 0 r	0		- -	ລ -	_	+	0	:	:	~	Ø +
2	Hæmatemesis			:			- :	:	.4.7	_	4.7		<u>:</u>	:	:	:				-	
2 5 1 1 2 3 1 2 2 1 1 2 3 1 2	Hæmoptysis.						:	<u>:</u>	_	:	•	,	:	: '		<u>:</u> ,				: *	4,
1 1 <td>Hemiplegia</td> <td>•</td> <td></td> <td>:</td> <td>:</td> <td></td> <td></td> <td>: -</td> <td></td> <td></td> <td>٠</td> <td>_,</td> <td></td> <td>- , - ;</td> <td></td> <td>÷</td> <td></td> <td></td> <td></td> <td>0</td> <td>41</td>	Hemiplegia	•		:	:			: -			٠	_,		- , - ;		÷				0	41
1 1 <td>Hemorrhage, Cerebral</td> <td>4</td> <td></td> <td>:</td> <td>:</td> <td></td> <td></td> <td>: :</td> <td></td> <td></td> <td>14. 1</td> <td>1</td> <td>331</td> <td> </td> <td></td> <td>:</td> <td>_</td> <td></td> <td></td> <td>9</td> <td>`</td>	Hemorrhage, Cerebral	4		:	:			: :			14. 1	1	331	 		:	_			9	`
4 1 1 1 1 1 1 2 2 1 <t< td=""><td>from Bowels</td><td></td><td></td><td>*</td><td>:</td><td></td><td></td><td>-<u>:</u>-</td><td>,</td><td></td><td>-</td><td></td><td></td><td></td><td></td><td>÷</td><td></td><td></td><td></td><td>-</td><td>-</td></t<>	from Bowels			*	:			- <u>:</u> -	,		-					÷				-	-
2 1 1 1 2 2 1 1 1 2 2 1 <t< td=""><td>from Lungs.</td><td>1100</td><td>· :_</td><td>1</td><td>:</td><td>1</td><td></td><td>-<u>:</u>-</td><td>1</td><td>_</td><td>-</td><td>1.3</td><td></td><td>03</td><td>-</td><td>-:</td><td></td><td>:</td><td>:</td><td>ā</td><td>31</td></t<>	from Lungs.	1100	· :_	1	:	1		- <u>:</u> -	1	_	-	1.3		03	-	-:		:	:	ā	31
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	from Stomach	100	:		:			:			4				_	:		_:	:		-
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	from Umbilicus	4 1	-:	:	<u>:</u>	:					*			-	- 1	:		<u>:</u>	:	=	-
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	from Uterus	(30)	· :	3	:	٠.		- : - : : :			147	01				:_		. :	:		31
$egin{array}{cccccccccccccccccccccccccccccccccccc$	Unspecified	:- 	_: _:	1	•	:		:		_	_		-	1	ì			_:	:	ا ئن	က ၊
$egin{array}{cccccccccccccccccccccccccccccccccccc$	Hepatitis	- -	:	:	:	:	:	÷-	:-	_	o t		-	.O. O	21	_	_	,	:	· L	
11 9 4 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Hernia	·	<u>: : - : - : - : - : - : - : : - :</u>					-	-		-	7	_	13	-	•		-		,	# -
11 9 4 3. 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Disease		- :				: :					: :	1		1	: :	_:	-		Т	
11 9 4 3 1 1 2 1	Hip icide.	67	:		:		:	- :				:					-:			6.5	
Hyperectomy.	Home phalus.	ā.		-			-:		<u>:</u>			:	•	:	- <u>:</u>	:	:	-			10
43 P _e rectomy	Hydremia, Cerebral	: :	:		:	_ <u>:</u> :	٠ :	_ <u>:</u>	<u>:</u> :		٠	1	- <u>:</u>	:	:	:	:	:			П
	Hylerectomy	<u>:</u> <u>:</u>	<u>:</u>	:	:	_ :	:	- <u>:</u>	- <u>:</u> - <u>:</u>	-	×		<u>:</u>	:	- : :	:	<u>:</u>	- <u>:</u>	<u>-</u> :		П

- :
ප
na
:=
ם
8
Υ
ı,
တ္
86
, 1893.
. •
TH
Η
Ą
DEA
Œ.
Q.
_
Ñ
SES
5
۲
\vec{c}
ĭ
ı.
III.
Ξ
>
H
BL
A
\vdash

	_	TABLE VII	VIII.—CAUSES	LUSES	OF	DEATH,	TH,	1893	Ž Į	1893.—Continued.	ed.							
CAUSES OF DEATH.	Under 1 and 1. 2.	er to 3.	3 to 5.	5 to 10. tc	10 to 15. to	15 to 20. to	to 30.	80 to 40.	to 40	50 to 60.	60 to 70	70 to 80.	8 5 80	90 and over.	Age not stated		SEX	
/2	F. M.	F. M. F.	M. F. M	I F. M	F. M	F. M	F. M.	Fi	M. F.	M. F.	M.	M.	M.	M.	M. F	¥	ř.	Total.
Necrosis of Jaw.				:		: "		:	:	:	<u>:</u> :		:		<u>.</u>		:	
of Tibia			· · · · ·			1 . 10	: : ::		: : +	1314							1 50	108
Nervous Prostration			•	: :			:		:	:	<u></u> :	<u>:</u>	:			· : -		-
Obstipation.	: : : :-	: :	<u> </u>	: : : :	<u>:</u> :-		::-		: :	1 (5)	: - <u>:</u> -	. હા :	: :	: : : :	: :	4 က	: : -	4 es -
Old Age		<u>:</u>		<u>: -:</u>	<u>:</u>	3,25	1:		::		<u>:</u> ∝ :+	15 27	1 0 2	13.2	: :	:27	111	183
Opium raguit Otitis Media			<u> </u>	<u>: :</u> : :	<u>:</u> :-			: :	: :'	: ;		: :			: :		1 :'	o ⊷ ,
Ovaritis		: - : : :	<u>:</u> :	: : : : : :	<u>: :</u>		<u>:-</u>	:01	· 20	: ອ :	13 12	1413	:15		: :	. 33.	T 97	99
paraplegia		: :	: : : : :	<u>: - :</u>	<u>:</u>		-		. GI	:-	. 61 . 61	 	: :	-:: -::-::-::-::-::-::-::-::-:-:-:-:-	: :	- 1-	31 X	15
Penphigus Neonatorum		: :	::	:::	<u>: :</u>	· ! · :	<u>:</u>	:=	-: -:	:-	: -	: : : :	: -	: :	: : : <u>:</u>		: +	
Periostitis Osteo	:	: :	···	· 63	: <u>*</u> ;	: m	. 6	3.10.	: œ : œ	: 01 : ,0	: 0	: 61 : H	: :	: : ::::::::::::::::::::::::::::::::::	: : : :	31	_ <u>:</u> ∓	7.7
Pell Tubercular		: :	<u>: :</u>	-:	- <u>-</u> <u>-</u> -	::	: :		-:- :	- : -	·: - <u>:</u>	: : : :	: =	: : 	: :	ດາ ດາ :		က က
Periolis. Phichitis				: :		<u>:</u> :	<u> </u>	- ! !		- :	<u>: : : : : : : : : : : : : : : : : : : </u>	- :		: :	-	=; =;	? <u>`</u>	₩ ~
Phrinisis			=	-	61	2 8 18	18 13	9 7 1	8 0	<u>ස</u>				_:		#	1 3	87
\																		

CAUSES OF DEATH.	Under 1 and 1. ander	-	to 3.	to 55		5 to 10.	10 to 15.		15 to 20.	to 30.		30 to 40.		40 to 50.	50 to 60.	-	60 to 70.	to 80.		80 to 90.	90 and over.	- 40	not not stated.		SEX.	
	M. F. M.	F. M	F.	M. I	F. M.	E	×	E. M	I. F.	M	F. M	F.	M	54	M F	W	B	M. F	. M.	E	M. F	M	F	м,	5	Total.
Phthisis, Fibroid		1 :	1 :	:	1 :		1	1	1 :	:		1 :		:	1	:	1		1 :	1 :	1 :	I	:	-	:	
Pulmonalis	-:-	:			- :	:	:		-	27	00	19		4		6 3	:	4	:	-	_		_	20	5	F
Lieurisy		-	-:	:	:	:	:			:	:	3 1	10	П	0.1	-	1	- :	-				:	14	1-	O1
Cleurodinia					:	:				:	÷			:		:	-	:	:		:	:			T	
r neumonia	147 20	31	9 7	141	117	00	60	10	611	55	27.4	5 23	356	40	635	241	613	34 36	624	53	GI	I			364	L-
rostate Disease		:	.:				:	•	:	:		:	:	:	:	-	Ç	1	:	:	1			33	:	60
urpura Hemorrhagica	1	:			:		1	:				-	I		:	-	:	:	1	1	:		_	G)	60	
ila		:	-:	:	Ξ.	:	-		:	:	:	-	Ž.	П		::	7	1	:	1				00	5	
Rachitis	::		1			:	:	:	:			:		:		:	:	:	:	1				-		
Rheumatism		:		-:	:	:	Ç1	-		Г	-	-	-	:		63	Ġ1		:	7			=		67	9
Acute	1	:	:		Ξ.	1	:		-	co		63		H		-			:	:	:			00	9	
Chronic		:	:	1	- :	:	:		:	:	:	1		:		:	Н		:	:	:	13	-:	Н	C)	
Onbeola	:			:					:		:	:	:	:		:	:	:	1	:	:	1.3	_:	0.1	٠	
latina	5 5.17	13.1	314	20	21 22	37	5	11	20	QI	33	0.1		:	:	:	:	•	:	:	:	14		861	0.7	193
Jerosis, Arterial.	:::::		:	:	:	1		•	:	:		:		1	:	;	-	:	:	:	:		:	100	П	
Spinal		:	:		:	:	:	:	:	:	:	:		:	-		:	_	1	:	:	-	:	0.1	=	
	1	1	1	:	GI.		:	:	:	-	1,	-:	:	:	:		:	-:	:	:	:	1.00	:	9	က	
Scrotting min	1,	:	:	-		:	H	:	:	H	1,	GI T	1	:	-		7	1	-	:	:		:	1	+	
		:				:	:	:	:	:	1			•		:	:		:	:	:		:		Н	
choch Disease, Eczema	1	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		:	1.	=	_
oriasis		:	:		:	:		:	:	:		:		:	:	-			-:	:	:		:	H	:	
gifida	1 1		:								:	2	:		:		8	Ŧ				. :	:	4	H	
njøeases	-	:	:	: :	:		:	<u>:</u>	:	:	Ξ.	:		1	:		-	:	:	:	:	:	•	:	က	
Diseases	-	:	<u>:</u>	: :	:			:	:	:	:			01	:		:	•	1:		:	:	:	Η	7	
Spinach mation	1	: <u>-</u>	<u>:</u>	<u>:</u>	-:	:	_:	- <u>:</u>	:	:	•	:	_:		:		:	:	:		:	:	•		П	
Tow ration	:	.:	:	-	-:	:	_:	•	:	:	-:	Ξ.	_	:		01		- :	:		:		-		_	

Ę

Necrosis of Jaw of Spine. Of Spine. Nephritis. Nervous Prostration. Neuritis Obstipation. CEdema Glottidis Old Age Opium Habit	<u>x</u>	M	M F. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	W	F. M.	F 5 W.	F	1		-	M. F.	M. F.	M. F.			
			iii-iiiii			: : : : : : : : : : : : : : : : : : :		F. M	E.	M. F.	-			M. F.	₩.	F. Total
						:: • : : : : : :	:		:	:	1	:	:	:		 :
			iritilii			:40 : : : H		:	:	:	:	:	:	:	1.	•
Vous Prostration. Pritis. Hillis. Hipation. Age Age And Habit				<u> </u>		о : :: н		:	•	-	:	:				_
ritis. ttipation. Age Age um Habit						: : : H	7	41	3 14	6.	10 7	1	:	:	20	50.
utipation						: :- :	:		-		:	:		:	: '	_
Age um Habit						. F	:	:	:	:	:	:			_ - •	:
and Habit						1	:			:	:	:	:			: -
um Habit	:	:	:	:					:	. *	15.57	10 54	13 99		: E	==
ie Media						:	:	:	-	:	1	:	:	:	ı.	31
			•		:	**	-:	:	:	:	:	:		:	-	:
Titis			:			:		i				: 1	•		· : i	- :
alysis 1	1	:		:		1 4	9	21	6 3	13 15	1413	6.	?1	:	:: ::	
aplegia			1	:		: *	:								<u>, </u>	31.0
egië.		:				-	:	n	7	1	1 3	:				oc ·
ppligus Inconatorum			:				: -		: -	-		: -	:			· ¬
oatitis Osteo				1	-										, 	· :
	:	:	60	1 1 5	5.3 6	3, 9, 3	10 6	00	5	1 2					E	1 3
Tubercular 1			11	:			-:	:				:	:		<u>ين</u>	-
ityphlitis		:	1					:	1	:	:	1			ંડા	-
epitis		:			1			:	1	:	1 1	:	:		cī,	ر 1
repitus		: -		: 0	.0	0.10		:0	. 0	:-	:	::	:	:	·-	· · · ·

CAUSES OF DEATH.	Under 1.	r under 2.		20 to 3.	3 5.	5 to 10.	10 to 15.	15 5. to 20.	20 20. to 30.		30 to 40.	40 to 50.	50 to 60.		0.05	70 to 80.	80 to 90.	90 and over.		Age not stated.		SEX	
	M.	¥.	F.	<u>æ</u>	M. F.	M. F.	M.	Ä.	F. M.	F.	<u></u>	M. F.	M F.	×	F	E.	M. F.	×	F.	F.	Ä.	ß.	Total.
Phthisis, Fibroid	. :	:	:	<u> </u>	<u> :</u>	: :	: :		:	 :	:	: :	: -	<u> </u>	:	:	<u>'</u> :		<u> </u>	1 :			-
Pulmonalis	:		:	F	:	-	:	#	627	<u>~</u>	6.14	12 4	4	e 9	• •	. 4		:	<u> </u>		70	45	115
Pleurisy	:	:	1		:		:	:	:	:	3	5	.; 01	Ξ	1	:	-	:	-:		14	2	21
Pleurodinia			:	_:	-:	·	<u>:</u>	•		:	:	:		:	$\overline{}$	•	:		<u>:</u>	-:	:	7	_
Freumonia	5147	20	13 14	<u></u>	4 11	17 8	က	5 61	11 22	274	5 23	56 40	63 52	41	613	4 36	24.23	67 1	÷	:	412	364	$\frac{5}{2}$
Purpura Hemorrhagica	: -	:_	<u>:</u> :	Ė	:	<u>:</u>	:	:	:	<u>:</u>	: -	: -	$\frac{\cdot}{\cdot}$:	:-	<u>:</u>	_	<u>:</u>	:	က္င		eo re
Pyæmia							: =		:	· ·				•	: -	:		: :	: :	:	1 cc	2 7.0	o oc
Rachitis	:	:	-		:	:	:		:	:	:	:	:	:	•				:		_		· —
Rheumatism	_ <u>:</u>	:	:	<u>:</u>	:	: :	63	:	2	1	4	:	$\frac{1}{2}$	67	63	-		_:	:	:	11	12	23
Acute	:	:	_: :	:	:	Ξ	:	-	ന :	-:	3	:		_	:	:		:	:	:	∞	9	14
Chronic	:	:	<u>:</u> :	<u>:</u>	-:	_ <u>:</u>	:	<u>:</u>	:	:		:	:	:	П	:	:	:	<u>:</u>	:	_	C)	က
Rubeola	-	:	•	•	:		:	•	:		•	<u>:</u>	<u>:</u>	:	<u>:</u>	:	<u>:</u>	:	· :	:	0.1	•	C)
Scarlatina	5	517	13 13	141	<u>2</u>	22 37	5 11	7	1 22	က	<u>01</u>	:	:	:	:	:	<u>:</u>	:	:	:	98	107	193
Sclerosis, Arterial.	: :	:	:	$\frac{\cdot}{\cdot}$:	:	:	<u>:</u>	:	<u>:</u>	:	<u>:</u> :	: 1	:	÷	: '	:	:	<u>:</u>	:	:	Η,	(
offul a	: 0	:	: -		:		:	<u>:</u>	: "	: :	:	:	-	:	:	7	:-	:	<u>:</u>	:	20 0		m c
Screenia	N F	: :	- -	:::	: :	<u>:</u> :	:-	::			: 67	: :	-	:::	: =	-	: :	: :	:::	: :	0 [ა 4	ື =
zerock.	:	:	<u>:</u>	=	-:	: :	:	<u>:</u>	:	_	- <u>:</u>	:	_ <u>:</u> _ <u>:</u>	:	:	:	:	:	:	:	:	1	
Zkin Disease, Eczema	:	<u>:</u>	:	<u>:</u>	:	<u>:</u> :	:	<u>:</u>	:	<u>:</u>	:	: :	<u>:</u>	: '	<u>:</u>	:	<u>:</u>	:	:	:	_:_	1	-
Biffda	ः : च	:_	<u>:</u> :	<u>:</u> -	<u>:</u>	<u>:</u> :	:	<u>:</u> :	:	<u>:</u>	:	<u>:</u> :	$\frac{\cdot}{\cdot}$	-	:	:	<u>:</u>	<u>:</u>	:	÷	-	: -	⊣ να
Spinal Diseases	_										: :	: :			: -	: :		: :	: :		٠:	4 65	on co
Spinach Diseases	-	:	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:	<u>:</u>	:	:		:	<u>:</u> :	:	:	-		:	:	:	1	7	ŭ
floation	: :	:::	: :		-	: :	:		: :	:	:-	: -		:07	:	:	:		:	-			 +
																				:	5	•	1

1893.—Continued.
DEATH,
OF
VIII.—CAUSES
TABLE

CAUSES OF DEATH.	Under	1 and under 2.	· 	50 % 3.	3 to 5.		20.	10 to 15.	ž	15 20.	20 to 30.	30 to 40.		40 to 50,	to 6	50 0	60 to 70.	2	70 80.	to 90.	30	90 and over,	00	Age not tated.		SEX.
	M. F.	M. I	F. M	F.	M. F	F. M.	Fe.	M. F.	. M.	E-	M. F.	M.	F.	M. F.	M.	F.	M. F.	M.	F. A	M. F.	×	<u>G</u>	M	154	M.	F. Total.
Stomatitis	1	:		<u> </u>		:		:		:	:		:	:	:	:	:	:			:	:	:	1	H	:
cture of Œsophagus		:			1	:			:	:	:	:	:		Н	:	:		:		:	:	:	:	0.1	1
of Rectum	:	:		:	:	:	•	:	:	:	:	:	-	:	:	:	:	:	:	•	:	:	:	:	:	П
of Urethra	:	:	•		:	:	:		:	:	:		:	:	:	:	:	:	:	•	:	:	;	:	_	:
side by Cutting Throat	:	:	:	:	:	:	:	:	:		:	;	П	1	:	:	31	:	:	•	:	:	:	:	co	1
by Cyanide of Potassium	:	:		:	:	:	:	:	:	:	:		:	:	:	:	1 ::	:	:		:	:	;	:		:
by Drowning	:	:	:		:	:	:	:	:	:	:	:	:	1	:	:	:	Н	:	•	:	:	:	:	CJ.	:
by Hanging	:	:	:		1	:	:	:	:	:	:	_	:	:	-	:	C3	:	:		:	:	:	:	4	:
by Opium	:	:	:	:	:	:	:	:	:	:	-	:	:	:	:	:	:	:	:		:	:	:	:	:	1
by Paris Green	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	H	:	:	:	. :	Н	:
by Poison.	:	:		÷	:	:	:	:	:	:	:	T .	:	-:	:	:	:	:	:	•		:	:	:	_	:
by Shooting		:	:	:	:	:	:	:	7	:	:	ė	:	:	-	:			:	i.		:	:	•	4	:
by Suffocation	:	:	:	:	:	:	•	:	:	:	:	6	:	:	П	:	:		:	•		:	:	•	Н	;
Unspecified		:	:		:	:	3	:	:	÷	:	_	:		:	:	:	:	:	-:			;	:	:	-
hills	:	:	:		:	:	:	:	:	o)	:	G1	:	1:	П	:	:	:	:			:	:	:	10	0.1
Jyr Congenital	3.	:	-		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	•	:	:	:	:	က	9
bes Dorsalis		:	:	:	:		:	:	:	:	:	:	:	:	:	1	:	:	:		:	:		:	:	П
Mesenterica	1 2	1	:	:	:	:	1	•	۲.	:	:	:	:	:	:	:	:	:	:	•	:	:		:	Ç1	က
hipg	9 5	Н		:	:	:	:	:	:	:	:	:	:	:	•	:	:	:	:	:	:	:	3	:	10	9
suus	*	:	:	:	:	:	:	:	:	:	:	:	:	:	03	П	;	•	:		:	:		:	7	-
mbosis		:	:		:	:	:	•	:	:	.: G1	.:	:	:	:	:	:	:	-	•	:	:	-	:	:	က
Throughlits	1 1	:	H	1	:	:	H	:	-	:	:	:	:	:	:	:		:	-:		:	:	:	:	60	co
Tons inosis.	:	:	:	:	:	:	:	:		:	:	7	:	:	:	:	-:	:	:	:	:	:	. :	:	H	:
Trick soulogie	9	33		-	F			-	6	1	01	or.	:	C	-	c	-	-							30	56

CAUSES OF DEATH.	Under 1.	1 and under	ler	5 50	2		to 10.	- 3	10	15 to 20.	_	20 to 30.	2 2	30	5 6	50. t	50 to 60.	9 3	60 . 70.	70 to 80.	4	90.	8°	0 and over.	Age not stated	Age not tated.		SEX.	
	M.	. K	F.	M. F.	. M.	F.	M. F	. K	Fi	M.	F. M	E I	M.	E !	M.	F.	M. F.	M.	E	M.	F. M	E	M.	#	M.	E	M.	Fi	Total
Tuberculosis of Bowels	<u> </u>	:		:			:	1	. :	;		:		-	:	:		:	:	:					1	:	01	-	133
of Larynx	:		:		:	i	:	-		:	-		:	:	:	:	:	;	:		-	:	:	:	:	:	:	П	
Pulmonary	:	:	-	_ •	:	:	-		_						-	:	:	•	:	:		:	:	;	:	:	60	:	00
Tumor of Abdomen	:	:	;	-:	:	:	:	. :	:	:		:		:	-		03	П	H	:		C1	:	:	:	:	0.1	10	
of Bladder	:	•	:	•	:	:	:	:	:	;		:	:	:	:	:	:	:	:	H	:	4	:	:	:	:	_	:	1
of Brain	:	:	:	:	:	:	:	-	:	:		:	:	Н	:		:	:	:	:		:	:	:	:	:	0.1	Н	
of Kidney	:	:	:	:	٦.	:	:	:	:	:		:	:	:	:	:	:	:	:	:		:	:	:	:	:	H	:	
of Leg	:	:	:	-:	:	:	:	:	:	:		:	:	:	:	:	:	Н	:	:		:	:	:	:	:	H	:	
of Liver	:	:	:	:	:	:	:	:	:	:		-	:	Н	:	:	7	:	:	:	•	-:	:	:	:		:	G)	
of Maxillary (Upper)	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-		:	:		:		-:	:	:	:	:	П	:	
of Neck	:	;	:	:	:	:	:	:	:	:		:	:	:	:	•		:	:		•	:	:	:	:	:	:	1	
of Omentum	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1	:	:	:	:	:	:	H	
of Ovary	:	:	:	:	:	:	:	:	:	:	:	:	:	C.1	:	→	4	:	Н	:	-	:	:	:	1	:	:	6	
of Thyroid Gland	:	:	:	:	:	:	:	:	:	:		:	:	:	:	:	1	;	:	:	•	:	:	:	:	:	H	:	
of Uterus	:	:	:	:	•	:	:	:	:	:		-	:	0.1	:	H	-	:	:	:	:	:	:	:	1	:	:	10	
of Sacrum	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	:	:		:	:	:	:	:	Н	:	
Unspecified	:	:	:	:		H	:	:	:		:	:	:	:	:	•	:	:	:	:		:	:	:	:	:	:	H	
ешіа	:	:	:	:	:	:	:	:	:	F	:	1	:	6.0	4	•	.	4	:	0.1	•	:	:	:	ः	:	12	<u></u>	13
Ularine Disease	:	:	:	:	:	i	:	:	:	:	:	:	:	H	:	*	:	:	:	:	•	:	:	:	:	:	:	Н	
Titing	:	Ç	:	:	•	:	:		:	:	-		:	٦	:		:	:	:	:		:	:	:	:	:	:	C)	
Volumping Cough	4 8	Н	O1	Н	3 1	H	H	1	:		:	:		:	:	:	:	:	:	:		:	:	:	. ;	:	00	15	63
Who own	1018	г		-	63	:	0.1	:	-	H		4	CO	CO	4	:	2	C1	10	4	22		:	:		:	34	34	9

Ratio of Mortality in the State, and in each Division, ascribed to each Cause and Class of Canses. TABLE IX.—CLASSIFICATION AND PERCENTAGE, 1893.

	Bristol County.	100.00 99.56 .44	17.54 15.35 54.82 7.90 4.39		16.28 .44 .87
	Kent County.	98.96 1.04	30.62 14.71 37.06 10.73 5.88		29.41 .52 .69
PERCENTAGE OF DEATHS IN EACH DIVISION.	Newport County Towns.	94.44 5.56	18.75 9.03 43.06 18.05 11.11		16.67
K EACH]	Newport City.	100 00 100 00 100 00 98.72 100 00 94.44 1.28 5.56	21.08 15.95 45.68 113.51 3.78		17.57 54 2.97
BATHS II	Providence County Towns.	100 00 98.72 1.28	23.85 16.03 45.81 9.11 5.20		22.20 .43 1.22
GE OF D	Гаміискеі.	100.00 97.83 2.17	27.05 12.69 41.91 13.34 5.01		26.55
FRCENTA	Providence City.	99.55 45	21.11 16.68 49.06 7.90 5.25		19.68 .35 1 05 .03
- E	Woonsocket.	00 00 99.08 .91	25.34 19.86 35.85 4.11		8.53 88.83 88.83
	Washington County.	100.00 99.67 33	17.91 16.94 51.47 8.79 4.89		14.98 1.30 1.63
- Io	Percentage in the Wh State.	99.09	22.89 16.04 46.13 9.74 5.20		21.39 .39 1.10
	CAUSES OF DEATH.	All Causes	CLASSES. I. Zymotic Diseases II. Constitutional Diseases. III. Local Diseases IV. Developmental Diseases. V. Violence and Otherwise.	ORDERS. Class I.	Miasmatic. Enthetic. Dietic. Parasitic.
	Whole State.	7,440	1,708 1,198 3,432 725 387		1,591 29 82 82
z	Washington County	802	55 52 158 15 15		46
VISION	Woonsocket.	138 434 4	87 157 165 18		100
NUMBER OF DEATHS IN EACH DIV OF THE STATE.	Providence City.	3,141 3,127 14	663 524 541 248 165		618 11 33
IN EA	Pawincket.	635 599 614 586 21 13	162 76 251 80 80		363 159 20 3
HE S.	Providence County Towns.	1,635	390 262 749 149 85		363 7 20
DEA OF 1	Newport City.	870 1	78 50 50 14		12,25
R OF	Newport ('o. Towns.	144.370 136.370 8	27 13 62 16 16		4 :00
MBE	Kent County.	578 572 6	220 85 62 85 85		170
N.	Bristol County.	2228	125 52 125 52 10		62 L 23

	-																		
	7.46		16.67	12.28	6.14 0.14	4.			1.76	. 25. 15.00	%.03		3.95		.44			4.82	1.32
	$\frac{4.15}{10.56}$		11.76	88	10. es \$2. 25		. 35		5.03	20.00	3		3.63	. 35	1.90			14.17	1 90
	4.86		9.72	15.38	6.94				6.25	4.17	0.84	_	5.55	·· : :	5.55			5 56	::
	6.22 9.73		14.05	15.14	6.05 49	22.	Š		1.63	. e. r	1 .0	•	3.51		.27			9.73	. 15 15 15
•	$\frac{3.98}{12.05}$		14.25	15.85	4. 8. 10. 9. 10. 10.	81.8			3.61	2.81	\$1.9	-	3.12	12	1.90	•	. 20	9.83	
	4.01 8.68		9.02	16.53	5.01	33	99		3.17	6.51 	0.00		2.17	 .50	2.31			7.51	8.89
	3.82 12.86			17.54			<u> </u>		3.89	1.05	۶. Io		4.01	36	8 .		90	5.88	88
-	5.48 14.38		12.79			:			11.19	1.60	3		2.51	.46	1 14			13.93	1.14
	6.84 10.10			16.29		•			1.30	. 4 88. 8	1.60		3.91		86			5.21	
	4.37		11.97	15.64	5.07	22.	0.00		4.05	2 46 2 46			3.55	8	1.33		0	8.11	.67
CLASS II.	325. Diathetic	Class III.	891 Dis. of Nervous System	Dis. of	377 Dis. of Urinary Organs	Dis. of	5 Dis. of Integumentary System 2 Dis. of Org. of Hearing and Sight.	CLAMS IV.	301 Developmental Dis. of Children	Dis. of	Developmental Dis. 01	CLASS V.	264 Accident and Negligence	21 Suicide	99. Otherwise	CLASS I.—ZYMOTIC.	Order One.—Miasmatic Diseases.		50 Croup (Pseudo Membranous)
	. 21. - 31. - 8		32 8	Η,					4 4 8	15.	- 		12		ත			16	_ -
	68 3		56 15			•	: : - :		49	<u> </u>	-		11 1	જ	ب			:E°	<u>ت.</u> :
	120									3 68 5	5	_		15	25		c	183. 183.	35-
	22		25	888	85 25 25	ं दरं द	Q		19	26° 20° 20° 20° 20°	}		13	က	#			45	र दर
	65 197		233	251	4 83	თ ₹	F :		59	35.	3		51	CS.			-	161	18 8
	23.		25	56	. 4 <u>.</u>		i ; :		. 60	13. 26.			13	:	- -	-		. 98 -	− က
	24 7 23 61 6 36		2	3	9	:			ō-	. . .	-		σö :	-	20			· ∞	: :
	24		8 3	12.	33 67	ဘ	: ই		23	9 ==	2		5	33	Ξ			· 82 5	<u> </u>
	138		88 0	30 7	4.85	= -	- : :		4.	ဆိ ဇ	•		6	: :	_			Έ,	3 4



FORTY FIRST REGISTRATION REPORT RHODE ISLAND

1893.

TABLE VIII. -CAUSES OF DEATH, 1893. -Continued.

SEX.	I. F. Total.	### ### ### ### ### #### #### ########
9 7 7	F. M	
Age not stated	M.	
90 and over.	M. F.	
80 to 90.	E.	::: -::::::::::::::::::::::::::::::::::
	F. M	: : : : : : : : : : : : : : : : : : :
70 to 80,	M.	L : :5 : : : : : : : : : : : : : : : : :
60 to 70.	M. F.	: : :
50 to 60.	E.	:::# ::::::::::::::::::::::::::::::::::
40 o 50. tc	F. M.	: : :4 : : : : : : : : : : : : : : : :
4	M.	0; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
30 to 40.	M. F.	
20 to 30.	E.	
	F. M	
15 to 20.	M.	::::::::::::::::::::::::::::::::::::::
10 to 15.	M F.	
5 to 10.	H	::: = :::::::::::::::::::::::::::::::::
-	F. M	
to 5.	M.	::::m:::::::::::::::::::::::::::::::::
to 3.	M. F	
under 2.	E-	
	F. M	
Under 1.	M.	: : : : : : : : : : : : : : : : : : :
CAUSES OF DEATH.		Necrosis of Jaw of Spine. of Tibia Nephritis. Nervous Prostration. Nervous Prostration. Cedema Glottidis Old Age Opium Habit Otitis Media Ovaritis Paralysis Paralysis Paralysis Paralysis

0. to 70. to 80. 90 and Age not not 1. to 70. to 80. to 90. over. stated.	E. M. F. M. F. M. F. M. F. M. E.	: :	1 1 2 1	1	52 41 61 34 36 24 23 2 1 4					1	1. 1										I	: : : : : : : : : : : : : : : : : : : :
40 50 0. to 50. to 60	F. M. F. M		# -	:	23 56 40 63 5		1.1		1 1 1		** ** * *				:	2 1 1					1	
20 30 to 40	F. M. F. M.		27 8 16	: :	1 22 27 45 5	** ** ** *	:		2 1 1 4	3	1	4)	7 9 7 1		: : : : : : : : : : : : : : : : : : : :	1 1 1	1				: :	
10 15 to 15. to 20.	M. F. M. F		+	: :	3 5 61		: : :	:	*	. 1	* * * * * * * * * * * * * * * * * * * *	2.3	11 0	: : :	: :: ::	: :				*		
3 5 to 5, to 10.	L. F. M. F.		*		41117 8			:			** ** ** *	: 5	8 21 22 37		: 0	: : :		** ** ** *	-	:	: :	
2) 0g	F. M. F. M	-	1 1 1		314 61						: : :	1	5 15 14 1				:			:		:
Urder trander	P. M. P				51 47 20 1		1					. 1	THE			: :		1		· · · · ·	: :	1
			Pigurisy	Plearodinia	Weumonia	Diregne			12 Authorite College	Acule	Chronic	Rabeola	Scarlatina	Selerosis, Attental.	Spluar	Scrofulia	Septie	Shoce Disease, Eczema	Skin psorlasis	of Olseases	Spinal Diseases.	Spinachammation

TABLE VIII.—CAUSES OF DEATH, 1893.—Continued.

CAUSES OF DEATH.	Under 1.		r and under 2.	. 50 %		3 10 5.	\$	10.	5 2		15 to 20.	 	8°.	50 90 40		⁶ €	2 2	25°	60 to 70.	· -	80.	5 8		90 and over.	<u> </u>	not ated.		SEX.	. •
	M.	. M	ᄄ	Ä	E.	M.	×	Fi	نج	F.	<u>F</u>	×	Ei	M.	F.	<u>F</u>	Ä	<u>F4</u>	M. F.	Ä.	Ē.	<u>K</u>	F.	Fi	×	Fi.	Ä	Æ	Total
atitis	l	_	<u> </u>				:		i	<u> </u>				i —	<u> </u> 	<u> </u>			<u> </u>	 		<u>:</u> —	<u> </u>	<u> </u>					
ure of (Esonbagus	•	<u>:</u>	:	:	<u>.</u> –		:	:	:	<u>:</u>	<u>:</u>	:	:	<u>·</u> :	•	<u>:</u>	: -	:	<u>:</u>	:	:	<u>:</u>	<u>.</u> –	<u>:</u>	:	:	10	: -	1 61
of Rectum		-	: :				_	•	: :		-	: :		:	-	:-:	-	: :	:	-		:	•	:	:	:	1	-	J
of Urethra.			_			- :					_				· ·			: ;	<u> </u>			•	•				-	1	
de by Cutting Throat		:	:		:	•	:	:	:	:	:	:	:	:				: :	· ·								1 63	: ¬	7
by Cyanide of Potassium	:		:	:	<u>:</u>	<u>:</u>	<u>:</u>	:	:	<u>:</u>	<u>:</u>	:	:	- <u>:</u>	•	:	:	:	-	•	•	:		:			01	:	63
oy Drowning	:		:		:	•	<u>:</u>	:	:	-:	_:	_:	:	:		:	:	:	:		_:	_:	-	_:	:		0.3	:	67
y Hanging	: _:	<u>:</u>	:	:	_:	•	<u>:</u>	:	:	<u>:</u>	<u>:</u>	:	:	-	:	<u>:</u>	7	:	C.J	<u>:</u>	:	<u>:</u>	•	_:	:	:	4	:	4
y Opium.	:	:	:		:	•	<u>:</u>	-:	:		<u>:</u>	:	П	:	•	_ :	_:	:	:	<u>:</u>	:	_ <u>:</u>		_:	:	:	:	Η	
y Paris Green	:	:	:	:	- <u>:</u>	:	:	<u>:</u>	:	<u>:</u>	<u>:</u>	:	<u>:</u>	<u>:</u>	<u>:</u>	- :	:	:	<u>:</u>	<u>:</u>	_:	=		<u>:</u>	:	:	Η	:	r-1
y Poison.	<u>:</u>	<u>:</u>	•	:	:	•	<u>:</u>	:	:	:	<u>:</u>	:	:	.	-:	:	:	:	-:	_:		<u>:</u>	-:	:	:	:	_	:	
y Shooting	_ <u>:</u>	_:	:		:	•	<u>:</u>	:	:	-:	:	:	:	:	•		_	:	:	_ :	:	=	-:	_:	:	:	4	:	4
y Suffocation	<u>:</u> _:	<u>:</u>	:	-:	-:	•	<u>:</u>	:	:	:	<u>:</u>	:	:	:	:	\vdots	_	:	:	_:	-:	<u>:</u>	_:	<u>:</u>	:		Π	:	
Inspecified	: _:	_ <u>:</u>	:	:	<u>-</u> :	•	:	:	:	:	·	:	Ξ	:	:	_:	_:	:	•	:	:	-:	_:	_: -:	:	:	:	Н	
ganhilis	:	<u>:</u>	:	:	-:	•	<u>:</u>	:	:	<u>:</u>	<u>.</u>	:	:	<u>01</u>	•	_:	_	-:	-	_:	:	<u>:</u>	_ <u>:</u>	<u>-:</u>	:	:	,C	03	
Congenital	က	5.		:	- :	•	:	:	:	<u>:</u>	<u>:</u>	:	:	:	•	:	:	:	_ <u>:</u>	_: -:	:	<u>:</u>	- :	_:	<u>:</u>	:	က	9	<u></u>
Dorsalis	_: _:	<u>:</u>	:		:	•	_:	_:	:	<u>:</u>	<u>:</u>	:	-:	:	-:	_:	:	H	-:	_:	:	:	-	:		:	:	T	
1 Mesenterica	7	<u>~;</u>	:	:	<u>-:</u>	<u>·</u>	<u>:</u>	-	:	<u>:</u>	:	:	_:	:	•	_:	:	:	<u>-:</u>	_:	:	:	<u>:</u>	<u>:</u>	_:	:	67	က	20
Ling.	<u>.</u>	5 1	1	:		•	<u>:</u>	:	;	<u>:</u>	<u>:</u>	:	:	:	:	_ <u>:</u>	:	<u>:</u>	<u>:</u>	:	:	<u>:</u>	•	<u>:</u>	:	:	10	9	16
Teen a	₩		_:	•	:	•		:	:	:	<u>:</u>	:	-:	:	-:	_:	<u>0</u> 3	Н	=	-:	:	_:		_:	_ :	:	7	Н	
nbosis		_:	:	-	:			:				:	0	-:	_		_ :	-:		. :	_							ಞ	ന
Thraillitis	-			H	:		:	_	•	-		:	:	:	:	:	:	:		:		:	•	:	:		က်	က	_
inosis.	_ <u>:</u>	<u>:</u>	:	:	<u>:</u>	•	<u>:</u>	:	:	-:	<u>:</u>	:	:	-	<u>:</u>	:	:	:	<u>:</u>	_:	:	:	•	<u>:</u>	:	:	_	:	
Tricalosis	9	33		_	_	_	_			Ġ.	3 4	1	۲.	O.	3	0	_	C		_							30	00	89

CAUSES OF DEATH.	Under 1.		nnder 2.	\$ 5	00.00	5 2	eo *:5	5 5	10.	to 1	10	15 to 20.	-	20 to 30		30	\$ 3	20.	50 to 60.	.00	to 70.	-	70 to 80.	+	0.00	90 and	-	not stated.	Ġ.	30	SEX.	
	M. F.	M.	E.	M.	1	M,	Ei,	W.	Ei.	W.	E.	M. I	F.	M. F	W.	Fi	M.	E	М.	F.	M. I	F. M	f. F.	M	F.	W	Ei I	M. F	F.	М. 1	ъ.	Total
Tuberculosis of Bowels	1	:	:	- :		:		:	:	-		:	-		:	-		:	:		:		:	:	:					63	7	
of Larynx	:	:	:	:	:	;	:	:	:	:	:	-			:	:		:	:	:	:	:		:		:	:	:	-:	:	Ĥ	
Pulmonary	:	:		:	:	:	:	:		:	:	:			-	:	:	:	:	:	i		:	- ;	:	:				60		
Tumor of Abdomen	-:	:		:	.:	:	:	:	:	:	:	:			:	:	Н	:	:	01	-	1	:	:	CJ	:	:	÷		01	io	
of Bladder		•	:	:	:	;	:	:	:	:	:	:	:	•	:	:	:	1	:	:	:		:	:	:	:		:		-		
of Brain		:	:	:	:	:	:	:	:	-	:	:	:		:		:	:	H	:	÷		:	:	:	:				GI	Н	
of Kidney	:	1	:	:	.:	7	:	:	:	:	:	:		:	:	2	:	:	:	:	i	-:	÷	1	:	1		:				
Leg		:	:	:	:	;	:	:	:	•	:	:		:	:	:	:	:	:	:	7	:	:	:	:	:	:	:		1		
Liver		:	:	:		:	:	:	:	:	:	:	:	•	1	-	:	:	:	н	:	•	:	:	:	:	:	:		:	Ġ1	
Maxillary (Upper)		:	:	:			:	:	:	:	:	:			:	:	г	:	:	:	:	•	:	:	:	:	:	:	-	-		
Neck	:	:	:	:	:	:	:	:	:	:	:	:	:		:	1	:		:	H	:	:	:	:	:	:	:	:		-:	-	
Omentum		:	:	:	:	:	:	:	:	:	:	:	•		:	:	:	:	:	_	:	•	_	:	:	:	:	:		:	H	
Ovary	-	:	:	:	:	:	:	:	:	:	:	:			:	C3	:	-	:	4	:	-	_	:	:	:	:	:	-	1	6	
Thyroid Gland	:	:	:	:	:	:	:	:	:	:	:	:	-	:	:	•	:	:	H		:		:	:	:	:	;	:	-	H	-	
. Uterus	:	:	:	_:	:	:	;	:	:	:	:	:				0.1	:	H	:	-			:		:	:		:		-:	20	
Sacrum		:	:	:	:	:	:	:	:	:	i	:	•		:	:	:	ţ	:	:	-		:	:	:	1	:	:		Н	•	
or pecified	:	:	:	:	:	:	-	:		:	÷		-:		:	:	1	:	1	:		:	:	:	:	:	:	:		:	F	
		:	:	:		;	:	:	:	:	:	1		-	1	3	4	:	:	9	4		63	:	:	:	:	:		12	1	
Tremia Disease			:	:	_:	:	:	:	:	:	:	:			:	_	:	:	:	:	:		:		:		:	:		:	Н	
Uterine	:	:				:	:	:	:	:	:	:	1.			1		:	;	:			:		:	:	:	:	-		C)	
Cough	4	1	0.1		3	T	-	Н	7	:	:	:	-:			:	:	:	:	:	:		:		:	:	:	:		00	20	61
Volument	1018	1	_		23		:	Ç.	-	:	H	-	-	4	6	6	4		C	-	GI		4	1	_				=	37	37	

Table IX.—CLASSIFICATION AND PERCENTAGE, 1893.

Ratio of Mortality in the State, and in each Division, ascribed to each Cause and Class of Causes.

	. Augustina	99.56 99.56 .44		17.54 15.35 54.82 7.90 4.39			16.28 .44 .87
	Bristol County.	-					
	Kent County.	100 00 98.96 1.04		30.62 14.71 38.06 10.73 5.88			29.41 .52 .69
IVISION.	Newport County Towns.	00.00 94.44 5.56		18.75 9.03 43.06 18.05 11.11			16.67
RACH I	Newport City.	00.00		21.08 15.95 45.68 13.51 8.78			17.57 54 2.97
PERCENTAGE OF DEATHS IN EACH DIVISION	Providence County Towns.	0 100 00 100 00 10 8 98.72 100.00 7 1.28		23.85 16.03 45.81 9.11 5.20		_	22.20 .43 1.22
GE OF D	Pawincket.	97.83 97.83 2.17		27.05 12.69 41.91 13.34 5.01			26.55
RCENTA	Providence City.	00.00 100.00 99.55 97.83 .45 2.17		21.11 16.68 49.06 7.90 5.25			19.68
£	Woonsocket.	99.09		25.34 19.86 35.85 14.84 4.11			24.88 .23 .23
	Washington County.	99.67		17.91 16.94 51.47 8.79 4.89			14.98 1.30 1.63
oje	Percentage in the Wh State.	100.00 99.09 99.67 99.83		22.89 16.04 46.13 9.74 5.20		_	21.39 .39 1.10
	CAUSES OF DEATH.	All Causes	CLASSES.	I. ZYMOTIC DISEASES II. CONSTITUTIONAL DISEASES. III. LOCAL DISEASES IV. DEVELOPMENTAL DISEASES. V. VIOLENCE AND OTHERWISE.	ORDERS.	CLASS I.	Miasmatic Enthetic Dietic Possettio
	Whole State.	7,440 7,372 68		55 1,708 52 1,193 158 3,432 27 725 15 387			1,591 29 82 82
 					_		946
1810	Washington County.	307 306 1					4
Div	Woonsocket.	434 434 44 454		111 87 65 65 18			109
5	Providence City. Woonsocket. Washington County.	434 434 44 454		663 111 524 87 1,541 157 248 65 165 18			618 109 4 11 1 33 1
IN EACH STATE.	Pawincket. Providence City. Woonsocket. Washington County.	599 3,141 438 586 3,127 434 13 14 4		162 663 111 76 524 87 251 1,541 157 80 248 65 30 165 18			159 618 11 3 33
ATHS IN EACH THE STATE.	Providence County Towns. Pawincket. Providence City. Woonsocket.	, 635 599 3,141 438 , 614 586 3,127 434 , 21 13 14 4		390 162 668 111 262 76 524 87 749 251 1,541 157 149 80 248 65 85 30 165 18			363 159 618 7 · · · 11 20 3 33
F DEATHS IN EACH OF THE STATE.	Newport City. Providence County Towns. Pawincket. Providence City. Woonsocket.	370 1,635 599 3,141 438 370 1,614 586 3,127 434 21 13 14 4		78 390 162 663 111 59 262 76 524 87 169 749 251 1,541 157 50 149 80 248 65 14 85 30 165 18	-	-	65 363 159 618 2 7 11 20 3 33
ER OF DEATHS IN EACH OF THE STATE.	Newport City. Newport City. Providence County Towns. Providence City. Providence City. Woonsocket.	144 370 1,635 599 3,141 438 136 370 1,614 586 3,127 434 8 21 13 14 4		27 78 390 162 668 111 13 59 262 76 524 87 62 169 749 251 1,541 157 26 50 149 80 248 65 16 14 85 30 165 18			24 65 363 159 618 2 7 11 8 11 20 3 33
CMBER OF DEATHS IN EACH DIVISION OF THE STATE.	Kent County. Mewport Co. Towns. Yewport City. Providence County Towns. Providence City. Providence City.	370 1,635 599 3,141 438 370 1,614 586 3,127 434 21 13 14 4		78 390 162 663 111 59 262 76 524 87 169 749 251 1,541 157 50 149 80 248 65 14 85 30 165 18		-	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

	_												
	7.46 7.89		16.67 8.77	6.14 10.03	.44	44.		1.76 3.51 9.63	8	3.95	7.		4.82 1.32
	4.15		7.44	8 9 8 8 8 8 10 8	.52	.35		5.02 69 2.77	 i	3.63	1.90		14.17
	4.86		9.72	6.94 4.17	:			6.25		5.55	5.55		5.56
	6.22 9.73		14.05	13.14 4.05 6.49	22.52			1.63 45.7 48.51		3.51			9.73
	3.98 12.05	-	14.25 7.84	6. 4. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	.18 .53	90		3.61 .55 2.81 2.81		3.12	1.90	٠	9.85
	4.01 8.68		9.02 6.51	5.01 4.18	£ £		•	6.51 86.51	3	2.17	50 2.34		7.51 .83
	3.82 12.86		10.95	6.78 5.64	≋ <u>G</u>	88		3.89 1.05		4.01	38,36		0. 88. 88. 88. 88. 88.
	5.48		12.79 3.42	3.65 2.97				11.19 .45 1.60		2.51	46 1 14	-	13.93
	6.84 10.10		9.77	6.84 7.82	: :	: 88		1.30 1.30 8.89 8.89		3.91	86 		5.21
	4.37		7.19	5.70	19	0.03		4.05 .67 2.46 2.56	· — · — ·	3.55	1.83		.04 8.11 47
CLASS II.	325 Diathetic	CLASS III.	891 Dis. of Nervous System	Dis. of Dis. of	Dis. of Dis. of	ಕ್ಕ	CLASS IV.	301 Developmental Dis. of Children 50 Developmental Dis. of Women 183 Developmental Dis. of Old Age 191 Developmental Dis. of Nutrition	CLASS V.	264 Accident and Negligence.	21 Suicide. 99 Otherwise	CLASS I.—ZYMOTIC.	Order One.—Miasmatic Diseases. S Carbuncle
			32 8 30 5 50 1	Ť		• ==		4454		12 2			
	24 21 63 31			3 9 8 3 8 8 3 8 8	::	: - :		<u>6</u> 35-5-	-	11 1			61 16 3 1 5
	120 2			213 1	<u>0</u> 9			25.00 20.00			. 25.		188.2 7.2 6:
	22			25 8 8 8 8 8				8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		13	.eo <u>∓</u>		. 12 03 03
	65 197		233 120 251	47.89	ლ 4	- :		59 46 35			31.2		161 9 9
	23.		20 20 20 20	25 42		: :		8 2 2 2 3		13	: : =		. 99 - co
	6		10%	9	<u> </u>	÷		0190		_∞	 : : ∞_		· ∞ · ·
	24 61		88			•				31	:°° =		:834.
	18		8883	₹ 1 8		::		4 :00 2	,	6			: 12 20

TABLE VIII.—CAUSES OF DEATH, 1893.—Continued.

	Under 1.	nand under 2.	1 to 35.	50 os	to 10.	10 to 15.	15 to 20.	40 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Age not stated.	SEX	и
	M. F.	M. F.	M. F	M. F.	M F.	M F.	M. F.	. M. F.	M. F.	M. F	. M. F	. M. F.	M. F.	M. F.	M. F.	M. F.	M. F	. Total.
Necrosis of Jaw				:	:	:	;		:	:		:	1	:	-:	:	1	
of Spine	:		:	:	:	:	:	1:	:	:		C.	:	:			1	
of Tibia			:	:	:	:	:		:		•	•		:		:::	:	_
phritis	1 1	•	:	: :	1		:	5	_	7	4 13 14	4 9 9	10 7	1 1	1		58	50. 10
rvous Prostration	:		:	:	:		:		:	:		1		:				1
uritis	:	:		:	:	:	:	:	1	:	:		10	•	*			
Obstipation	1	:		:	:		:	:	:	:	::	:	:	:	:	:		. ,
lema Glottidis	:	:	:	:	•		:		:	:	:	. T	8 15 97	10 54	13 99		70.11	1 1
nm Habit								-					:			: :		1 01
is Media							:	:	:	ï			:	:		:	1	
Tritis	:	:	:	:	:	:	:	:	•		1	:	:		-:		::	_
alysis	1	H	. 1	1	1				4 61	9	6, 3	31312	21413	6.	รา :	:	53	107
aplegia	:	:			:			:			1		1		•		-	31
esis		:	-:	:		:		:	1	01	1 1	1 2	1 3				(-	×
phigus Neonatorum	-	:		:	:					-			1				1	
carditis	:				:					1 1.		1 1		1 1		:	+	+
jostitis Osteo		:		:		1			-	:	:	i	::::			:	-	
tonitis, Acute	31	1.		:	3	2 1 1	5.5	3 6 9	3 3 10	9	8	5 1 5	1 2				31	13
Tubercular		:		:	1			1 :			:						n1	1
ityphlitis	:			:	-		: :	:				1		1	:		71	_
Pitis	:			:	:	:	1.					1	1 1	:	:		31	GI
Phrenitis	:			-	•		: 0					:	:	:			-	10 01

SEX.	M. F. Total.	1 1	70 45 115	14 7 21	7	12:30± 7/6	- e	<u></u>		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1 2		86107 193	-	- o		# -			1 5) GT	1 7	
Age not stated.	M.	 : ·				-	<u>-</u>		-	=	= : - :	<u>:</u>		:	- 	:	<u>:</u> -	: :	-			=	:	<u>:</u>
90 and over s	M. F.		:	:		<u>.</u>	-				<u>:</u>	 :	- <u>:</u> -	-: -:-	<u>:</u> :	<u>:</u> :-	<u>:-</u>	<u>:</u> :			-		:	: :-
80 to 90.	M. F.		=	:	٠	3 + 3 - 3 -	:			-	:		$\overline{\cdot}$:	<u>:</u>	: :	:	: -	: -	: :		- : :		:	:-
70 to 80.	M F.	: :	4 3	:	_; ; _; ;	04 00 1 00 1	-	- -		-	- :	-:	<u>:</u>	:	: '	-	:-	:	:	_ : :				:
60 to 70.	M. F.	: :	် က		; ; ;	10 1 1 0 1	: -	-	-	0.1 0.1			:	:		:	: -	:	: :	-		-		:
to 60.	M F.	1	4	:	. : :	ാ	:	: -		CI	:	:		:	:	<u>:</u>	: :-	-				-	_:	:
40 to 50.	M F.		12 4	5.1		0.00	: -	, ,	-	-		:	:	:-	:	:_	: -	:		_			C)	: '
30 to 40.	M. F.		16,14	<u>ო</u>		·1	-	-	-	-	61 63	:	:	C1	:	:		i -	: :				-	: '
20 20 30	M.	<u>:</u> :	27 8	<u>:</u>		11	:				: അ	:	:	ය ලෝ	- <u>:</u> -	: -	 	- -	-		:		:	- <u>:</u>
to 20.	M. F.	: 	9 7	: ::		0	:-			G1	-	: :	:	<u>01</u>	:	<u>:</u>	:	<u>:</u>			: :		:	:
10 to 15.	M.	 -	_:	-	·	o	: :	: -		C1	<u>:</u>	: :	•	5 11	<u>:</u>	<u>:</u>	: : -	:	: :	:				- :-
to 10.	M. F.		:	:	. [: -	: : : -			1 1	:	:	22 37	:	: c	:	:			:		:	-
	M. F.		<u>:</u>	<u>:</u>		11+10	<u>. </u>			_ 	:			1831	<u>:</u>	:	<u>:</u>	<u>:</u>			-	-	<u>:</u>	- <u>:</u> -
- 50,33	M. F.		<u>:</u>	<u>:</u>	·-	# - 			_	: : ' :		•	_	31314	: :	: 	:	_						<u>:</u>
r 1 and r under 2.	M.		_: _:	- 		<u></u>	<u>:</u> : :			_			•	5 17 18	<u>:</u> :-			<u>:</u> _		_				- <u>:</u>
Under 1.	M.	:	- <u>:</u>			10 –		:			:	<u>:</u> -:		, CO		: c	- 1 -	: 	:	_	+		_	· -
		:		:	•	:	•				:	:	:	:	:	:		·			:	:	:	:
D EATH.				:	:	•	igica.	0	•	: :	:	:	:		:	•		:	ema.		•		:	:
CAUSES OF DEATH.		Flithisis, Fibroid	alis.	:	:	Prostate Disease	morrh	Pyæmia	Rachitis	Rheumatism			:		rteriai	:			e, Ecz	18.		38es	seases	Spirach mmation
CAUS		sis, Fi	nomin,	8y	Jonia	tte Dis	ra He	ia	tis	natism	cute.	hronic	el	tina.	918, A	puat.	non in	<i>B</i>	eas	rias	aifida	Vise ₂	1 7 D	action in
		^b tbi _k	P	en ri	Jen J	Osts	ırpu	æm	chit	enn	¥	၁	bec	ırla	lero	x	<u> 1</u> 01	otic	ock.	П	74	8 u :	7 is	, <u>g</u>

TABLE VIII.—CAUSES OF DEATH, 1893.—Continued.

, ,	Total.		9
SEX.	F.		
	M.		39
8.48 8.48	F.		: : :
Age not stated	M		: : :
90 and over.	F.	:::::::::::::::::::::::::::::::::::::	: : : :
	Ä		: : :
8 8	<u>F4</u>	: : : : : : : : : : : : : : : : : : :	
	F.	· · · · · · · · · · · · · · · · · · ·	: : : :
to 80.	M.	 	: : : :
- 02.0	E.		: : : =
5 2	M.	: : :	
50 00.	편.	: : : : : : : : : : : : : : : : : : :	: : : 01
	M.	: : : : : : : : : : : : : : : : : :	: : : :
50.	F4	<u> </u>	
_ _	. W		
30 to 40.	M.		· · · · · · · · · · · · · · · · · · ·
	F.		<u>ور: : ب</u>
20 to 30.	Ä		10: : :
15 20.	Fi	: : : : : : : : : : : : : : : : : : :	: : 4
to 1	¥	::::::::::::::::::::::::::::::::::::	<u> </u>
10 to 15.	<u>Fi</u>		
	- I	· · · · · · · · · · · · · · · · · · ·	: <u></u> ::
to 10.	M.		
	Fi.		: : :
to 3	×	: - : : : : : : : : : : : : : : : : : :	:::=
3.	E4		: : : -
. 2	ž		
1 and under 2.	면.		
	F. M		
Under 1.			
	11.		• • • •
H.		s s sissi	
'ATE		aggue.	
DE		of 1	
OF		Essering in property in the second se	
CAUSES OF DEATH.	•	cture eth ceth ceth ceth ceth ceth ceth ceth	318
CAU		Stricture of Esophagus of Rectum of Urethra. Suicide by Cutting Throat by Cyanide of Potassium. by Drowning by Hanging. by Opium. by Paris Green by Poison. by Suffocation. Tabes Dorsalis. Teething.	Throllitis Tonsillitis Trichinosis
	/	epat con con con con con con con con con con	is it of
	/,	Strip Strip Sypl	클틸필,

CAUSES OF DEATH.	Under 1.		1 and under 2.		% O 80 80	8 Q	3	5 0 10.	to 1	10	15 to 20		% o 30.	30 to 4	0	to 46		to 60		00 00.		% o 80.	8 5	86.	90 and over.		Age not stated		SEX.	.	1
	Ä.	zi	<u>Fi</u>	× I	Fi	K	F.	Ei	×	Ei	M.	M	Fi	K	E.	, K	Fi	. N	<u> </u>	Fi	×	Fi	≱	E	×	E	W	Fi	<u>6</u>	Total	ايتا
Tuberculosis of Bowels	=	:	:	:	:	:	:	:	H	:	:	:	:	:	H	:	:	<u>:</u>	_ <u>:</u>	:	:	:	:	:	:	•	:				က
of Larynx	<u>:</u>	<u>:</u>	<u>:</u>	:	:	:	•	<u>:</u>	:	:	<u>:</u>	:	<u>:</u>	:	÷	÷	÷	·	-	:	:	_	:	:	÷	$\frac{\cdot}{\cdot}$	÷	<u>:</u>	_		_
Pulmonary	:	:	:	\equiv	:	<u>:</u>	•	•	:	:	:	<u> </u>	:	-	<u>:</u>	•	÷	· `	: '	: '	:	:	:	:		÷	·	-	:	• 1	ကျေး
Tumor of Abdomen	:-	:	:	:	:	:	:	<u>:</u>	:	:	:	:	:	÷	:	÷	÷	.	<u> </u>	<u> </u>	: [\equiv	:	2)		÷	<u>:</u>			0	<u> </u>
of Brain.	<u>: .</u>	: :	<u>::</u>	: :	: :	: :	• •	<u>: :</u>	: =	: :	<u>. :</u>	: :	: :	::	: -i	$\frac{\cdot \cdot \cdot}{\cdot \cdot \cdot}$: .	· -	<u>: :</u>	<u>: :</u>	→ :	: :	::	: :	: :	• •	· ·		: [ر دی
of Kidney	<u>:</u>	:	:	:	:	- i	<u>:</u>	<u>:</u>	:	:	:	:	:	$\frac{\cdot}{\cdot}$	<u>:</u>	<u>:</u>	÷	·	÷	<u>:</u>	:	:	:	:		÷	·		:		_
of Leg	- <u>:</u> -	:	:	:	:	$\frac{\cdot}{\cdot}$	÷	<u>:</u>	:	:	<u>:</u>	$\frac{\cdot}{\cdot}$:	:	:	÷	÷	•	-	<u>:</u>	:	:	:	:	:	÷	•	-	:		,
of Liver		:	:	:	:	<u>:</u>	<u>:</u> -	<u>:</u>	:	:	<u>:</u> :	:	:	:		:-	.		<u>:</u> -	<u>:</u>	:	:	:	:	-:-	÷	<u>:</u>	:	<u>.</u>		01 F
of Neck		: :	<u>:</u>	: :	::	:	:	<u>: :</u>	: :	: :	<u>. :</u>	: :	: :	: :	:	· ·	: -:	• •	: : 	<u>:</u>	: :	: :	: :	: :		: :	• •	<u>:</u>			
of Omentum	: :	<u>:</u>	<u>:</u>	:	:	<u>:</u>	<u>:</u>	<u>:</u>	:	:	:	:	:	:		$\frac{\cdot}{\cdot}$	÷	•		:	:	_	:	:	<u>:</u>	÷	÷	<u>:</u>	_	_	_
of Ovary	<u>:</u>	:	<u>:</u> _	:	:	<u>:</u> -	<u>:</u>	<u>:</u>	:	:	:	:	:	:	<u>01</u>	:	⇌	•-	4		:	_	:	:		÷	÷	<u>:</u>	ი - <u>-</u>		o -
of Uterus	: :	: :	: :	: :	::	:	<u></u>	<u>: :</u>	: :	: :	: :	: :	:⊣	: :	्ञ	: :		•	<u>: :</u>	<u>: :</u>	: :	::	: :	: :	: :	: :	: :	<u>:</u>	:	• 30	٠. ت
of Sacrum	:	<u>:</u>	<u>:</u>	:	:	<u>:</u>	·	<u>:</u>	_:	:	<u>:</u> :	:	:	$\frac{\cdot}{\cdot}$		÷	÷	•	-	<u>:</u>	:	:	:	:	÷	•	•	-	:	_	_
Unspecified	:	<u>:</u>	<u>:</u>	:	:	:	÷	:	:	-	:-	: -	:-	:	<u>:</u>	$\dot{\overline{\cdot}}$	÷	÷	• • •	:	:0	:	:	:	· :	÷	÷	:-	. c		, -
Uræmia Uræmipe Disease.	<u>: :</u>	::	<u>:</u> :	::	::	: :	: :	<u>: :</u>	: :	: :	· ·	→ : • :	- :	::	5 	: :	: :	• •	• :	: :	٠: ١	: :	: :	: :	: :	: :	: :	<u>-</u> :			ب ف
Uter iting	-:	: '	:	: '	:	÷,		: '	:	:	:	:	:	:	=	÷	÷	÷	<u>:</u>	:	:	:		:	:	•	÷	$\frac{\cdot}{\cdot}$			01 S
Whooping Cough	4 10 18	<u> </u>	27 —		10 CI	==		$\frac{1}{2}$: :	: =	: -	:4	::	:07	:01	: 4	: .	• 67	$\frac{\cdot}{2}$	<u>∵~</u>	: 4	: 32	:=	: =	::	: :	\vdots	 3.48 	8 15 4 34		e 23
To Re																															ı

Table IX.—CLASSIFICATION AND PERCENTAGE, 1893.

Ratio of Mortality in the State, and in each Division, ascribed to each Cause and Class of Causes.

	Bristol County.	100 00 100 00 1 98.96 99.56 1.04 .44		17.54 15.35 54.82 7.90 4.39		16.23 .44 .87
	Kent County.	100 00 98.96 1.04		30.62 14.71 38.06 10.73 5.88		29.41
PERCENTAGE OF DEATHS IN EACH DIVISION	Newport County Towns.	100.00 94.44 5.56		18.75 9.03 43.06 18.05 11.11		16.67
N KACH]	Newport City.	100 00 100 00 100 00 98.72 100 00 94.44 1.28 556		21.08 15.95 45.68 13.51 3.78		17.57 .54 2.97
EATHS II	Providence County Towns,	98.72 98.72 1.28		23.85 16.03 45.81 9.11 5.20		32.20 .43 1.22
BE OF D	Pawincket	97 88 97 88 2.17		27.05 12.69 41.91 13.84 5.01		26.55
RCENTAG	Providence City.	99,55		21.11 16.68 49.06 7.90 5.25		19.68 1.05 .03
P	Woonsocket.	99.09		25.34 19.86 35.85 14.84 4.11		24.88 .23 .23
	Washington County.	99.67		17.91 16.94 51.47 8.79 4.89		14.98 1.30 1.63
ole	Percentage in the WI State.	100.00 99.09 .91		22.89 16.04 46.13 9.74 5.20		21.39 .39 1.10
	CAUSES OF DEATH.	All Causes	CLASSES.	I. Zymotic Diseases II. Constitutional Diseases. III. Local Diseases IV. Developmental Diseases. V. Violence and Otherwise.	ORDERS. Clars I.	Miasmatic. Enthetic. Dietic. Parasitic.
	Whole State.	7,440 7,372 68		1,708 1,193 3,432 725 387		1,591 29 82 1
NO	Washington County	438 307 434 306 4 1.		1 7 7 158 5 8 15 8 15		946
Division	Providence City.	3,141 43 8,127 43 14		668 111 524 87 541 157 1 248 65 165 16		618 109 11 1 33 1
EACH TE.	Pawtncket.	8 9 8 E		162 76 251 1, 80 30		159
NUMBER OF DEATHS IN EACH OF THE STATE.	Providence County Towns,	1,635 599 1,614 586 21, 13		390 16 262 7 749 28 149 85		363 18 7
DEA	Newport City.	144 370 136 370 8		78 169 50 14 14		12,28
ER 01	Newport (%. Towns.			25 13 16 16 16		¥ ::
, CMBI	Kent County.	1		40 177 35 85 125 220 18 62 10 84		0.62
~ /	Bristol County.	222		48822		& T X

	7.46	16.67 8.77 12.28 10.08 10.09 144	1.76 3.51 2.63	3.95 .44	4.82 1.32 1.76
	4.15	11.76 7.44.7 88.83 3.81 .53	5.02 69 2.77 2.25	3.63 1.90	14.17 .69 1.90
	4.86	9.72 6.94 15.28 1.094 4.17	6.25 .69 4.17 6.94	5.55	5.56
	6.22 9.73	14.05 5.41 15.14 4.05 6.49 8.7	1.63 .54 3.51 7.84	3.51 	9.73 72.
• •	3.98 12.05	14.25 7.34 15.35 8.53 8.85 8.85 .06	3.61 .55 2.81 2.14	3.12 06 1.90	.06 9.85 .55 1.10
	8.68	9.02 6.51 16.53 1.05 6.01 4.13 83 83	3.17 .33 6.51 3.33	2.17 .50 2.34	7.7. 33. 88.
-	3.82 12.86	10.95 7.58 17.54 6.78 6.78 5.64 1.9	8.83 .83 1.05 8.13	4.0.4 90.88 80.89	0. 38 88 88 88 88 88 88
	5.48 14.38	12.79 9.69 9.69 9.69 7.99 7.99 7.99	11.19 .45 1.60 1.60	2.51 	13.93 .68 1.14
	6.84 10.10	10.42 9.77 16.29 7.82 7.82	1.30 1.30 1.30 1.30	3.91 98	
	4.37	11.97 7.19 15.64 5.70 5.07 19 07	2.56 2.56	3.55 .04 .28 1.33	.04 8 11 67
CLASS II.	325 Diathetic. 868 Tubercular. Crass III	891 Dis. of Nerv 535 Dis. of Circu 1,164 Dis. of Resp 377 Dis. of Ulfre 20 Dis. of Repr 5 Dis. of Repr 5 Dis. of Orge 5 Dis. of Orge 5 Dis. of Orge 5 Dis. of Orge	301 Developmental Dis. of Children 50 Developmental Dis. of Women 183 Developmental Dis. of Old Age 191 Developmental Dis. of Nutrition CLASS V.	264 Accident and Negligence. 3 Homicide	Order One.—Miasmatic Diseases. 3 Carbuncle
	31	88 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4454	∯ : : eo	19 :
_	24 63	1 56 3 15 3 15 3 15 7 13 7 13 1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	22 22 22 22	11 :0:0	
	120 404	344 238 551 213 213 177 10 6	122 26 33 67	126 12 25 25	183 123 7
_	52	466688 6666888 · ·	28 20 20	£ : £	ं स्टे छ छ
	65 197	233 120 251 74 63 63 1	94 94 35	51 2 31	161 9
	23	808 80 40 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	90 80 80	£ :: 1	36
	6.3	40000 · · · ·	9 190	- α · · α · · · α	· ∞ · · ·
_	24 61	868 110 85	28 4 1 13 13	≅ : <u>°°</u> =	:824-17
	18	88 80 80 80 80 80 80 80 80 80 80 80 80 8	4 .00.20	6	:1224

TABLE IX.—CLASSIFICATION AND PERCENTAGE, 1893.—Continued.

			•
	Bristol County.	1.33 .44 .87 .1.76 .3.07	
	Kent County.	2.08 1.90 35 35 35 35 1.7 1.21 1.21 1.90 1.90 1.90	
IVISION.	Mewport County Towns.	2, 2, 2, 2, 2, 2, 2, 2, 3, 3, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	
PERCENTAGE OF DEATHS IN EACH DIVISION.	Newport City.	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	
EATHS D	Providence County Towns.	1.23 1.84 1.85 1.15 1.16 1.04 1.04 1.05 1.05 1.05 1.05 1.05 1.05 1.05 1.05	
ев от Д	Pawtucket.	8.01 5.51 5.50 8.33 8.33 8.33 8.17 1.17 1.17	
ERCENTA	Providence City.	1.43 2.07 67 67 .06 .08 .08 .16 .16 .10 2.04 .10 .20 .10 .20 .10 .20 .20 .20 .20 .20 .20 .20 .20 .20 .2	
e.	Woonsocket.	2.28 91 968 968 11.38 1.38 1.38 1.38 1.38	
	Washington County.		
ole	Percentage in the Wh State.	11.5 7.7 7.7 7.7 7.7 7.7 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	10.01.6
	CAUSES OF DEATH.	Diarrheaa. Diphtheria. Diphtheria. Dysentery Erysipelas. Fever, Gastric. Fever, Intermittent Fever, Malarial. Fever, Typhoid. Fever, Typhoid. Influenza (Epidemic) Measles. Metria (Puerperal Fever). Perussis. Tonsillitis.	Order Tvoo.—Enthetic Diseases Goorrhæa. Malignant Pustule Septificamia.
	Whole State,	117 423 81 81 100 100 100 77 88 88 100 100 100 100 100 100 100 100 1	
	Washington County.	w :4∞ H : H : F : 10 w : w : H	H :00 H
DIVISION	Woonsocket.	G484 : : : : : : : : : : : : : : : : : :	::=
OH DIV	Providence City.	266 12 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	. ← cs o
TATE	Pawtucket.	88888 : 88 : 81 : 82 : 41	341
CARER OF DEATHS IN FACH OF THE STATE.	Providence County Towns.	20 00 00 00 00 00 00 00 00 00 00 00 00 0	
OF	Newbort City.	ww : : : : : : : : : : : : : : : : : :	: :03
R OI	Newport Co. Towns.	одн : : : од : од : нодн	111
MB	Kent County.	517666 :: : : : : : : : : : : : : : : : :	:: 100
1	Bristol County.	ж н ж 4 . р н . н	i : T

	:		<u>4</u> 4		1.32 87 2.19	2,19	7.89	4.82
. 17	:		1.04		8 3 8		9.55	3.46
1.39	<u>.</u>		.69	69. :	ණ . ද		.1.1.	2.78
1.35	:	•	.81	25.25	4.4.6	27	.27 7.84 .27	4.05
.43			3. 25	25	78. 78.	.87	.49 9.91 .25 .06 .18 1.16	3.00
.33			.17	50	.67 .50 .50	1.00	.33 6.68 .17 .17 1.17	3.34
70 08 08 08 08 08	<u></u>		.95	89. 89.	19. 19. 19. 19. 19. 19. 19. 19. 19. 19		.51 10.44 .10 .19 .51	4.04
	:		.46	6	. 23 . 23 . 17		.23 13.01 .46 .23 .46	2.51
£ :8: :8:			2.60	1 98 98 98	89 89 89	: : : : : : : : : : : : : : : : : : : :	8.73	6.18
.58 .04 .04 .07	.01		8: 6:	8.8.	16.72.83	284	9.72 9.72 17 10 29 .99	3.71
43 Alcoholism. 1 Delirium Tremens. 30 Inanition. 5 Purpura and Scurvy.	Order Four.—Parasitic Diseases. Worms, etc	CLASS II.—CONSTITUTIONAL.	ΦÕ	27 Cancer of Breast	41 Cancer of Stomach	1 Gout. 17 Mortification (Gangrene). 40 Rheumatism.	Order Two.—Tubercular Diseases 31 Hydrocephalus. 722 Phthisis (Pulmonalis). 13 Scrofula. 8 Tabes Mesenterica. 22 Tubercular Meningitis. 72 Tuberculosis.	CLASS III.—LOCAL. Order One.—Diseases of the Nervous System. 5 Cerebritis.
os ⊢ os	_ :		:×	ಯ 4	30 	::=	121:3	19
: : :			¢5 :	₹ :	20 -1	: : 50	- 50 s : - ss	# :
8 - 8 - H	H		30	===	90 4	450	328 328 328 6 6 16 35	127
∞ :	:		 30	 60	4000	:: : •	80¢ :±85	. 30
2	:						8 4 1 19 19	
٠: ٩: ١	:		00 00	- 00	cs cs -	: 120	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	15
∞								4 .
∞ :⊣ : :	-:						का गुटुका : का	
: : : cs :			-		00 03 10	:::0		: 7

4

Table IX.—CLASSIFICATION AND PERCENTAGE, 1893.—Continued.

1	Bristol County.	24. 44. 70. 70. 70. 70. 70. 70. 70.	
	Kent County.	2,08 1 90 35 35 1 12 1 12 1 12 1 12 1 13 1 13 1 13 1 13	.17
DIVIBION.	Newport County Towns.	2.08 2.78 69 1.39 1.39	; - ; · ; - ; · ; · ; · ; · ; · ; · ; ·
N BACH]	Newport City.	2.48 2.48 2.27 2.27 2.27 2.27 2.27	
PERCENTAGE OF DEATHS IN EACH DIVISION.	Providence County Towns.	1.23 1.84 1.85 1.12 1.13 1.04 1.06 0.06 0.06 0.06 0.06 0.06 0.06 0.06	
	Pawtucket	3.01 5.51 5.51 5.50 5.50 5.50 5.71 7.11 1.17	
	Providence City.	1.43 2.07 67 67 67 67 67 67 67 67 67 67 67 67 67	: :00: :00: :00:
	Woonsocket.	2.28 98-99 11.09 11.38 11.38 11.14 11.14	
	Washington County.	25. 33 33 35. 36 36 36 36 36 36 36 36 36 36 36 36 36	ස ස : කිසු
CAUSES OF DEATH, Percentage in the Whole State.		1.57 1.1.6 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	.01 15
		Diarrhœa. Diphtheria. Diphtheria. Dyspentery Erysipelas. Fever, Gastric. Fever, Malarial Fever, Typhoid. Fever, Typhoid. Fever, Unspecified Influenza (Epidemic) Mensles. Metria (Puerperal Fever). Pertussis. Tonsillitis.	Order Tvo.—Enthetic Diseases. Gonorrhæa
Whole State,		117 157 423 81 81 100 100 100 7 7 7 88 198 86 100 100 100 100 100 100 100 100 100 10	1111
,	Washington County.	w : 4 os ⊢ : ⊢ : 10 m : os : ⊢	H :05 H
DEATHS IN EACH DIVISION OF THE STATE.	Woonsocket,	0484::: 8 :884-8 :0	::":
	Providence City.		; . H 63 00
	Pawincket.	888 888 888 888 881 881 881 881 881 881	1111
	Providence County Towns.	20 30 66 68 71 117 118 118 118 118 118 118 118 118	. 65 10
P DE	Newport City.	∞ c	: ; 03
ER O	Newport Co. Towns.	æ4⊢ : : : : : : : : : : : : : : : : : : :	1111
NUMBER OF	Kent County.	311 8 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	:: = = =
	Bristol County.	жня : : : : а :р : : : : : : : : : : : : :	::

1 6 11 1 8 1 1 9 1 1 1 1 1 1 1	1000.]	CLASSIFICA	IION AND IE	ichii iadh.	10
S 2 5 7 2 22 2 48 Alcoholism 2 1 1 1 1 1 1 1 1 1		44	1.32 87 2.19 2.19	7.89	4.82
S 2 5 7 2 2 43 Alcoholism 58 65 65 70 83 44 185	.17	1.04		9.51	3.46
S 2 5 7 2 2 2 4 Alcoholism	1.39				:
S 2 5 7 9 22 2 43 Alcaholism 35 65 70 38 41 11 16 11 1 18 1 18 10 10 10	1.85	•		• •	
1 6 11 1 1 2 1 1 1 2 1 1	: :	. 65.	28. 29. 29. 19. 19. 19.	.49 9.91 .25 .06 .18 1.16	
1 1 2 2 3 43 Alcololism 3 5 7 2 2 3 43 Alcololism 3 5 7 3 5 7 3 5 7 3 5 5 7 3 5 5 7 5 5 5 5 5 5 5					:
S 2 5 7 2 22 2 48 Alcoholism 58 65 65 65 7 2 1 1 1 1 1 1 1 1 1					4.04 .03
S 2 5 7 2 22 24 Alcoholism 1 6 11 1 8 1 1 2 3 Delivium Tremens 10 10 10 10 10 10 10 1		<u> </u>	: : :	.	:
S 2 5 7 2 22 2 48 Alcoholism 1 1 1 1 1 1 1 1 1			::	<u> </u>	<u> </u>
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	.01 .04 .04 .04 .07	6.69	8 8 16 17 18 19 18 19	.42 9.72 117 .10 .29	
7	2 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 23 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	2 1 1 4 6 1 11 4 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 1 8 2 16 1 1 31 8 2 2	15 49 20 127 11 19 276 1 3 1 5 5

	:
٥	
2	•
1893 — Continued	
۲)
ا ~	:
ă	5
4	
V	•
£	į
Ġ	
2	2
AND DEPOSITATE	1
_	`
Z	4
<	¢
Z	4
ב	י
<	d
ì	2
1	
ŭ	
<u>,</u>	
NOTE A SECTION AT A	ا
Ь	
É	-
;	

	Bristol County.	.87 1.76 .87	4.89 44 3.51	8.77	1.32 1.76
	Kent County.	2.94 2.42 2.42	. 1.38 	7.44	1.38
IVISION.	Newport County Towns.	2.78	2.08	6.94	
EACH D	Newport City.	1.89 5.14	1.08 .27 .54	.54.	
ATHS IN	Providence County Towns.	2.08 2.08 2.69 2.09		.12	3.73
E OF DE	Pawtucket.	2.34 2.00 .33		50	8.18 8.38
PERCENTAGE OF DEATHS IN EACH DIVISION	Providence City.	2.39	1.40	.18	8. 18. 80.
PR	Моопвоскет.	38.88 1.88 1.88 1.88	2.97		.46 4 34 .91
ļ	Washington County.	1.30	8. 8. 8. 		1.62
roje	Percentave in the WI State.	2.03 2.45 2.45	1.76 1.01 1.01	.05 .23 6.90	8. 83 70.
	CAUSES OF DEATH.	Chorea. Convulsions. Encephalitis.	lusanity Paralysis. Tetanus. Bruin Disenses. Nerve Disenses.	Order Tvo.—Diseases of the Circu-latory System. A neurism. Pericarditis. Heart Diseases.	Order Three.—Diseases of the Respiratory Organs. 17 Asthma. 263 Bronchitis, Acute
	Whole State.	4 151	13. w	17 17 514	17 263 52
N	Washington County.		:4-co	1 29	:40 :
IVISI	<u></u> Woonsocket.	3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	23.24 ± 3.25 ± 3	83 4 83 : : 13	8 11 19 4
CH I	Providence City.	:		283	6 101 25
IN E.	Pawtucket.	- :43°	·4 ·6 ·	98 7	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
NUMBER OF DEATHS IN EACH DIVISION OF THE STATE.	Providence County Towns.	1 4 4 T	w_4 '01_	11	977
F DE	Newport City.	197	:4-00	.62.35	17.0
R 0	Newport Co. Towns.	4.65	· & & & · · · · · · · · · · · · · · · ·	48 10	
· 🖼	Kent County.		~ ~ ~ ~ ~ ·		:~-

1895.]	CLASSIFICATION AND	PERCENTAGE.	91
78. 7.89 44.	44 : :444 8: : : : : : : : : : : : : : :		
7.27			.52
13.89			
42.7. 48.7. 18.		1.08 2.43 2.97	78.
.31 9.79 .37	: 2 : : : : : : : : : : : : : : : : : :		.08
.67 6.85 .17	71		.17
.29 12.48 44.	1.36 1.36 1.36 2.26 2.26 2.26 1.15 2.27 2.26 2.26 2.26 2.26 2.26 2.26 2.26	01.0.06 1.0.09 1.0.09 1.0.00	.16
7.08			
14.01	: : : : : : : : : : : : : : : : : : :		: :
.29 10.43 .36	200-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	80.05.05.05.05.05.05.05.05.05.05.05.05.05	15.
Pleurisy Preumonia Lung Diseases	Order Four.—Diseases of the Digestive Organs. A scites. B Entertis. R Entertis. H Repatitis. H Repatitis. Intestines, Stricture of Items. Intussusception. Janualice. H Peritonitis. R Bovel Diseases. Manach Diseases.	ANNAHOCA O	Oraer Sal.—Discuses of the Generative Organs. Female. Ovarian Dropsy
22 776 72	88 1411 1010 1412 172 172 172 173 174 175 175 175 175 175 175 175 175 175 175	6 4 4 4 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1	9 (
1	iss inss innss 4-sen	::	- 11
: 25 :	14 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	::===40	
9 392 14	కుటి⊥స్వదని చెబ్బొప్	119 129 139 14	10 10
4 11 1	+ 0 : 1 : 1 : 0 : 0 c a c a c a c a c a c a c a c a c a c	::	
160	: 3 : 5 ± 5 4 ± ± 8 € 5 € 5	2000414	a
ගතුත	·H ·4H ·H · · · · · · · · · · · · · · ·	9	Η.
20	Hos in : . : . : . :	:	::
: 53 :	:w :w : :ччччфф	: '83 10 to . 55	- 40
1 20 10	L::LL@:::: 004:	· ' cs cs 20 10 ↔	-

ed.
tinu
Son
Ĭ
1893
GE E
$\mathbf{I}\mathbf{A}$
)EN
Š
PE
AND PERCENTAGE
7
Z
Ě
\mathbb{C}^{A}
SIF.
ASSIFICATION
:
Z
ABLE
2

	•					
	Bristol County.	: :4	:	:		44
	Kent County.		88.	:		2.08 1.21 1.35 1.04
PERCENTAGE OF DEATHS IN EACH DIVISION	Newport County Towns.		:	:		4.17
N EACH	Newport City.		:	:		1.08
EATHS I	Providence County Towns.		90.			25. 1.04 1.04 1.05
GR OF D	Pawtucket.		:			.33
ERCENTA	Providence City.	.10 .08 .09	.03	.03	-	865.1. 12.88
a.	Моопвоскет.		. 23.			9.36
	Washington County.	1 2 4	-	66.		6.65
roje	Percentage in the WI State.	0.09	.07	60.		28 1.158 207 207 38
	CAUSES OF DEATH.	Order Seren.—Osseous and Locomolory System. Bones, Diseases of. Joint Diseases. Vertebræ, Diseases of.	Order Eight.—Integumentury System. tem. Skin Diseases	Order Wine.—Organs of Special Sense. Eye and Ear. Otitis.	CLASS IV.—DEVELOPMENTAL.	Order One.—Developmental Diseases of Children. Cyanosis. Debility, Infantile. Innutrition. Spina Bifda. Teething.
	Whole State.	E 24 E	ī	ે જ		21 117 85 22 23 27
×	Washington County.	* * *	*	Н		თთ
Division	Woonsocket.		-	- 4		
	Providence City.	00 ¹¹ 05	-	-		22 23 44 10 10
TATE	Pawincket.	_ :	:	:		-1000
DEATHS IN EACH OF THE STATE.	Providence County Towns.	०३ ,०३				48514
DEA OF T	Newport City.	::-	:	:		::4=;=
CMBER OF	Newport Co, Towns.	111		:		:9 :
EMBE.	Kent County.	1.11	. 05			122 - 32 - 3
<i>=</i> /	Bristol County.		• • •			· ++ · · • • • • • • • • • • • • • • • •

1893	.]	CL	ASSIFICA?	rion	AND PER	RCEN'	rage.	•		ł
::	:	3.51	1.32 1.32		444	78.	8.	:	:	:4
	8	2.77	1 38 86.		ස්සිස	89 8	1.38		86.	1.04
-69: ::	69.	4 17	6.25	-	. 4.86	::		:	:	5.55
	7 č.	3.51	2.97 4.87		1.08	72.	1.89	:	:	28.
3.	.55	2.81	.92		છું. જું છું	88.	.61	90.	.12	.61
	89.	6.51	.67		· 60	71.00.02	8.58	:	.50	2.17
8 23	88	1.05	1.27		442	8.8.6	1 23	9.	88.	8. 5.4
	.46	1.60	.46		.91	:	.46	:	.46	19.
	1.30	4.89	1.30		86.9	86 :	1.30	:	•	.83
0.00	.87	2.46	1.13		8. 8. 8. 8. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.		61.66	3	.28	.91
5 Hemorrhage (Umbilical)	Order Treo.—Developmental Diseases of Women. Childbirth	Order Three.—Developmental Discass of Old People.	Order Four.—Diseases of Nutrition. Adolescent and Adult. Atrophy Debility.	CLASS VVIOLENT DEATHS.	Order One.—Accident or Negli- gence. Burns and Scalds. Drowning Falls.			Order Tvo.—Homicide.	Order Three.—Suicide.	Order Four.—Various. Unclassified.
210	20	183	84 107		85 74 75	25 14 8	7.7	co	21	31
: :	4	15	:4,		: 00 03		:4	:	:	Ø ⊢
: :	65		6310		4-1:	:: 7	:25	:	CS	- 14
4	26	60	40		14 16			63	13	17
:	¢5	68	16		:03 :	00 00	1 00	1	00	181
:	6	46	15		414	4-5	1000	1	CS	10
: :	65	13	22		H# :	- :		:	;	H :
								-		• 00
:"	4	16 6	91		83 44 85 : p. :	::	2 00		30	.00

Table X .- Causes of Deaths Registered in Rhode Island,

Class.	CAUSES OF DEATH.	1853.	1854.	1855.	1856.	1857.	1858.	1859.
	ALL CAUSES	1,291	1,806	1,970	2,225	2,510	2,793	2,447
	SPECIFIED CAUSES	1,176	1,655	1,782	1,919	2,222	2,483	2,184
I.	[CLASSES.] ZYMOTIC DISEASES	348	596	457	567	570	716	515
11.		349	453	479	447	573	620	598
ш.	LOCAL DISEASES	276	329	434	475	563	614	564
ıv.	DEVELOPMENTAL DISEASES	140	221	338	369	434	446	421
v.	VIOLENT DEATHS	63	56	74	61	82	87	89
I.	[ORDERS.] 1. MIASMATIC DISEASES	331 2 14 1	580 11 5	441 2 8 6	548 3 15 1	537 29 4	676 4 26 10	472 12 28 5
11,	1. DIATHETIC DISEASES	67 282	58 395	68 411	88 359	106 467	112 508	96 502
m.	DISEASES OF— 1. NERVOUS SYSTEM. 2. ORGANS OF CIRCULATION. 3. RESPIRATORY ORGANS. 4. DIGESTIVE ORGANS. 5. URINARY ORGANS. 6. ORGANS OF GENERATION. 7. ORGANS OF LOCOMOTION. 8. INTEGUMENTARY SYSTEM. 9. ORGANS OF SPECIAL SENSE. EYE AND EAR	130 29 67 34 6 5 3	161 40 73 43 4 4 1 3	182 65 108 57 13 3 2 9	185 43 151 67 10 5 7	221 67 164 68 26 2 6 9	223 67 198 93 17 7 6 3	217 64 161 88 23
ıv.	DEVELOPMENTAL DISEASES OF— 1. CHILDREN. 2. WOMEN. 3. OLD PEOPLE. 4. DISEASES OF NUTRITION.	54 10 58 18	119 7 67 28	198 9 84 47	221 14 76 58	249 13 119 53	253 24 114 55	247 14 117 45
v.	1. ACCIDENT OR NEGLIGENCE	57	53	57	56	73	73	79
	2. BATTLE 3. HOMICIDE 4. SUICIDE	3	3	9 8	1 4	1 8	13	1 9
	Causes ill-defined	15	20	19	14	30	14	22
	Causes not stated	100	131	169	292	258	296	241

¹ Stillborns included in this table.

for each of the Forty years, 1853 to 1893.

==-	· - · ₁		- = 7		====		==-							
1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.
						_								
2,853	3,073	2,714	3,318	3,498	3,582	8,142	3,052	8,124	3,602	3,472	8,567	4,449	4,631	4,506
2,628	2,853	2,505	3,081	2,255	3,835	2,938	2,827	2,788	3,251	3,276	3,275	3,986	4,344	4,297
1										•	 ·	l		
644	771	599	1,068	1,158	1,244	76 8	595	602	878	793	730	1,117	1,238	1,242
698	729	702	713	687	774	725	748	718	814	834	808	868	879	786
715	788	674	748	816	717	808	837	786	848	885	975	1,167	1,242	1,283
436	457	423	427	478	497	505	525	567	589	627	i	688	829	836
135	108	107	125	116	108	132	122	115	122	137	127	146	156	150
607 2	724 5	565 4	1,019 6	5	1,224	750 6	569 6	582 3	853 2	6	6	1,083	1,215 4	1,203
29 6	8 <u>4</u> 8	24 6	36 7	31 9	10 8	7 5	11 9	11 6			19 11	23 1	1 <u>4</u> 5	25 3
131	126	122	141	123	189	132	123	130	144	167	151	187	198	155
567 _{\(}		580		564	635	593	625			667	657	681	681	631
1			Į											
245 73	287 108	231 118	272 99	294 124	281 99	293 117	816 115				365 146	423 190	450 193	418 217
215 136	224 101	175 112	217	236	208 86	239	214 120	235	239 97	235	269	318 136	322 154	849 172
29	27 9	25 1	35 3		26		43 1	46	46			77	85 3	85 3
5 11	15 17	8 9		7 12	5 8	5	22				5 16		18 17	15 24
•••••	•••••	·····		 .	•• · · · ·		¦ !		ļ	j		¦•••••	•••••	•••••
255	244	210	205	220	280	261	270	298	293	339	311	850	462	490
18	19	23	21	23	18	24	26	22	27	28	34	36	29	44 223
116 52		143 47			152 47									79
119	: · 93	91	104	106	90	119	102	97	105	105	108	126	145	128
4	, 	7	8	2	1			1	2	•••••		2		4
12											19	18		
87	18	21	20	34	40	83	30	48	 51	59	43	87	70	57
188	202	188	217	209	207	171	195	288	800	137	249	376	217	152

Table X .- Causes of Deaths Registered in Rhode Island,

Class.	CAUSES OF DEATH,	1875.	1876.	1877.	1878.	1879.	1880.	1881.
	ALL CAUSES	4,563	4,340	4,692	4,689	4,688	5,021	5,280
	SPECIFIED CAUSES	4,300	4,095	1,444	4,430	4,386	4,742	4,878
I.	ZYMOTIC DISEASES	1,028	990	1,338	1,234	1,158	1,300	1,190
11.	CONSTITUTIONAL DISEASES	940	968	997	986	975	930	1,069
III.	LOCAL DISEASES	1,404	1,303	1,254	1,371	1,465	1,613	1,660
v.	DEVELOPMENTAL DISEASES	757	681	693	680	661	742	777
v.	VIOLENT DEATHS	171	153	162	159	127	157	182
1.	[ORDERS.] 1. MIASMATIC DISEASES. 2. ENTHETIC DISEASES. 3. DIETIC DISEASES. 4. PARASITIC DISEASES.	992 11 18 7	946 12 27 5	1,296 17 17 8	1,202 10 16 6	1,128 12 16 2	1,269 10 21	1,151 8 29 2
11.	1. DIATHETIC DISEASES	193 747	199 769	231 766	185 801	221 754	205 725	239 830
ш.	DISEASES OF— 1. NERVOUS SYSTEM. 2. ORGANS OF CIRCULATION. 3. RESPIRATORY ORGANS. 4. DIGESTIVE ORGANS. 5. URINARY ORGANS. 6. ORGANS OF GENERATION. 7. ORGANS OF LOCOMOTION. 8. INTEGUMENTARY SYSTEM. 9. ORGANS OF SPECIAL SENSE. EYE AND EAR	441 191 495 159 85 1 16 16	437 168 429 148 69 2 27 23	463 187 822 153 98 4 15 12	481 172 430 165 92 1 10 20	424 208 418 165 113 20 17	551 237 508 169 119 7 15 7	591 271 464 187 110 3 11 23
IV.	DEVELOPMENTAL DISEASES OF— 1. CHILDREN	416 35 216 90	332 30 241 78	362 29 213 89	368 26 222 64	326 36 220 79	326 36 273 107	410 38 247 82
v.	1. Accident of Negligence	142	131	137	135	113	146	155
	2. BATTLE. 3. HOMICIDE. 4. SUICIDE.	3 26	4 18	3 22	3 21	1 13	10	4 23
	Causes ill-defined	56	32	56	49	48	46	55

¹ Stillborns included in this table.

for each of the Forty-one years, 1853 to 1893.

1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	Total Percentag years, 185	e for 40
5,327	5,635	5,413	5,660	6,142	6,616	6,889	6,588	7,230	6,892	7,739	7,852	170,929	100,00
5,011	5,827	5,352	5,544	6,052	6,562	6,815	6,500	7,142	6,823	7,677	7,753	162,140	94.86
1,170	1,077	1,145	1,074	1,311	1,764	1,644	1,374	1,755	1,523	1,842	1,703	41,130	24.06
1,051	1,136	1,119	1,194	1,226	1,084	1,214	1,165	1,281	1,174	1,220	1,193	84,731	20.32
1,756	2,024	1,961	2,205	2,857	2,498	2,663	2,635	2,784	2,801	3,098	3,432	53,396	31.24
819	905	906	870	945	992	1,078	1,083	1,051	1,051	1,185	1,137	26,764	15.69
215	185	221	201	213	224	216	243	271	274	332	288	6,119	3.58
1,119 17 32 2	1,012 21 42 2	1,075 30 38 2	1,008 19 47	1,251 23 35 2	1,684 33 46 1	1,563 40 40 1	1,273 25 74 2	1,660 33 61 1		1,755 28 59	1,591 29 82 1	39,359 474 1,127 170	23.03 .28 .65
213 838	260 876	253 866	296 898	262 964	264 820	307 907	312 853	299 982		305 915	- 1	7,291 27,440	4.27 16.05
602 262 481 245 118 6 25 17	333	650 293 517 250 178 14 32 27	642 354 670 253 215 14 34 23	727 333 696 319 222 12 26 22	779 411 721 310 220 14 23 20	805 442 792 329 244 10 15 26	697 467 805 356 272 10 18 10	772 413 909 335 300 8 25 22	879 342 300 15 20	509	891 535 1,164 424 377 20 14 5	17,497 8,069 15,751 6,698 4,038 222 556 565	10.24 4.72 9.21 3.92 2.36 .12 .32
408 22 283 106	44	448 39 293 126	453 28 267 122	31 276	539 29 278 146	596 33 290 159	598 27 227 231	587 26 198 240	626 23 185 217	641 47 256 241	713 50 183 191	14,223 1,057 7,927 3,557	8.33 .62 4.64 2.08
178	157	197	178	194	206	190	216	250	233	309	264	5,853	3.15
6		2	8		2	5	3		1	4	3	14 105	.01
31	25	22	20	17	16	21	24	. 19	40	19	21	647	.38
45	22	19	57	39	35	46	49	45	35	34	81	1,550	.90
271	186	42	59	51	19	28	89	43	34	28	68	7,239	4.24

TABLE X.—Continued.

		1						
Class.	CAUSES OF DEATH.	1853.	1854.	1855.	1856.	1857.	1858.	1859.
1.	ORDER I.							
	1. Small Pox ¹	14	11 15	5 3	9 2		1 75	5 3
	3. Scarlet Fever	108	46	71		147	234	71
	4 Dinhtharia	· • · • • ·	•••••	•• •••	••••	•••••	6	20
	5. Cerebro Spinal Meningitis 6. Quinsy ²			••••				
	7. Croup	27		48	62	70	69	58
	8. Whooping Cough. 9. Typhoid Fevers	2 25		4 63	19 53	9 76	13 42	46 70
	10. Ervainelaa	3	: 8	15	12	14	20	15
	11. Metria (Puerperal Fever)	2	2	6	10 1	8	7	11
	13. Influenza	2	1	4		15	6	1 2
	14 Diarrhma	18 88		51	84	52	42	49
	15. Dysentery 16. Cholera Infantum 17. Cholera ⁴ .	39		71 91	51 77	65 70	61	53 61
	17. Cholera4	7	191	7	6		2	. 6
	18. Intermittent Fever	· · · · i		······2	1 3	2		1
	19. Remittent Fever			2	٥	2	4	1
	Order 2.							
	1. Syphilis	1		1	2		8	5
	2. Gonorrhœa	····i	••••	•••••	1	•••••		i
	3. Hydrophobia				••••			
	5. Malignant Pustule			1	• • • • • •		1	6
	6. Septicæmia		•••••	• • • • • •	••••	• • • • • •	•••••	• • • • • •
	ORDER 3.							
	1. Inanition		1		1			
	2. Puerpera and Scurvy	· ··· _R	5	1 4	1 5	10	5 13	1 7
	3. Alcoholism, Delirium Tremens	8	5	8	8	15	8	15
							·	
	ORDER 4. 1. Thrush	1	4	5	1	3	9	3
	2. Worms		ī	1	· · · · · · · ·	i	ĭ	2
II.	ORDER 1.							
11.	1. Gout							
	2. Dropsy	45	31	32	50	48	44	41
	3. Anæmia	2 13	18	27	26	6 37	12 44	2 43
	5. Noma (Canker)	1			••••		1	
	6. Mortification	4 2	2 1	8 2	4	. 8	7	3
	ORDER 2.	6	5	8	7	11	11	8
	1. Scrofula		i			. 4	6	2
	8. Phthisis (Consumption)	243	349	345	305	400	426	436
	4. Hydrocephalus (Tubercular Meningitis) 5. Tuberculosis	33	40	58	47	52	65	56
			1					
III.	1 Canhalitia	28	19	26	19	25	42	20
	2. Apoplexy	22	25	33	39	42		์ 51
	3. Paralysis	12	6	20	9	21	21	28
	2. Apoplexy. 3. Paralysis. 4. Insanity. 5. Chorea.	4	6	8	14	16 1		16 2
	6. Epilepsy	4		8	6	8	9	6
	7. Tetanus	29	8 68	3 53	. 4 64	6 57		50
	8. Convulsions	31	34	31	30	45		41
	10. Nerve Diseases	•••••		•••••	٠٠٠٠٠		ļī	•••••
	ORDER 2.				I	1		
	1. Pericarditis		2	1	. 1	2	1	1
	2. Anenrism	1		1			1	1
	3. Heart Diseases, etc	28	38	63	41	65	66	62

Jincludes 8 cases of Chicken Pox. 2 Includes Mumps. 3 Includes Bilious, Typhus and Continued

Causes of Deaths Registered in Rhode Island.

3 6 0.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874
9 8 64 67	5 11 57 140	7 12 47 81	86 91	12 26 266 160 2	22 16 255 82 5	2 15 28 64 1	1 12 14 81 4	2 20 93 20 3	3 19 286 33 1	6 26 75 33 3	57	25 24 54 48 23	28 68 287 45 62	46
57 46 67 26 9	58 45 94 14 7	76 15 84 11	97 24 128 14 14		94 56 283 21 13	53 28 152 16 7	50 12 126 25 8	30 26 86 25 12	41 48 106 14 10 2	53 39 157 21 16		66 27 190 23 9	68 32 172 39 17	1
2 41 49 151 7	3 44 96 134	3	6 62	5 93 110 183 9	1 76 188 145 14		1 39	2 45 52 154 10	50 74 151 11 2	47 55 213 11	45 48 172 13	1 100 83 391 18	1 64 36 285 13	2
	Ů				•				•		•	•	-	
		3 1	2	5	2	5	5 i				6	9	3	
••••		•••••	3		•••••				2		•••••	·····i	i	••••
:	•••••	•••••		•••••	•••••	1					•••••			
3 10 16	4 4 26	 2 5 17	4 7 25	4 4 23	 3 7	3 4	1 5 5	1 4 6	2 9 9	8 3 14	2 7 10	6 17	4 10	••••
8 3	4 4	4 2	3	8 1	5 3	2 3	8	4 2	3	4 2	11	i	5	
56 5	48 3	46 4	52 12	45 4	 61 8	49°	49 2	49	 53 4	61 2	 56 6		60 3	••••
44	58 1	61	62	61 1	55	64 2	58	60	66	80	66 1	95	106 1	
10 16	10 6	7 4	8 7	5	12 8	4 10	7 7	6 11	17 17	7 17	9 13	5 7 21	11 17	
9 1 505 52	14 3 523 63	14 8 513 50	13 512 47	14 3 498 49	12 7 547 63 6	5 2 526 56 4	9 2 563 41 10	8 2 517 57 9	11 10 555 76 18	19 4 577 51 16	22 5 585 71 24	9 5 600 44 23	20 7 584 52 18	5
41 51 32		36 43 36 7	54 62 31 10	49 54 42 15	39 55 45 20	46 56 36 18	52 72 52 14	40 57 54 13	54 69 48 14	42 64 66 18	44 77 79 16	57 58 67 26	109 67 67 19	
		ا ا	6	•••••	7			1	5 2	4	10	13	i	••••
70 31	5 70 48	6 55	71	78 54	6 73 36	83 52	3 68 48	63 88	2 79 48	5 85 55	5 83 51	116 78	97	
8	2				1						2	<u>.</u>	2	
69	1 105	111	99	1 123	98	1 116	114	116	128	3 117	144	189		2

TABLE X.—Continued.

	TABLE A.—C	OHUIL	iucu.					
Class.	CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.
ī.	Order 1.							
	1. Small Pox ¹	4 2	1		1 81	1		3
	3. Scarlet Fever	185			86		468	87 138
	4. Diphtheria	33	159	492	435	259	152	216
	5. Cerebro Spinal Meningitis	13	7	8	11 8	10	20	18 2
	7. Croup	96	102	95	93			
	7. Croup 8. Whooping Cough	81	48		54			
	9. Typhoid Fevers	150 21	123 18		136 17	101 25		
	111. Metria (Puerperal Fever)	18	18	17	17	9	15	22
	12. Carbuncle	1 6	1	3		1 1		3
	14. Diarrhœa	70	72			53	70	
	14. Diarrhœa	36						
	16. Cholera Infantum	318						240 18
	18. Intermittent Fever			ľ			۱ 	1
	19. Remittent Fever ⁵		• • • • • •	ļ	1	2	4	9
	•	Ì			ļ	1	İ	1
	ORDER 2.			l		!		
	1. Syphilis	8				10	10	
	2. Gonorrhœa	1			3			2
	4. Glanders			1		••••		
	5. Malignant Pustule		•••••	2		;		1
	6. Septicæmia	1			3	i 22		1
	0							
	ORDER 3.		1			١		2
	2. Puerpera and Scurvy	1	5		1			3
	3. Alcoholism, Delirium Tremens	13	6 15					10 14
	/ Intemperance	10	10	1 .	12	12	1	14
	Order 4.					!		
	1. Thrush	5	4	8	4			1
	2. Worms	2	1	•••••	2	1	••••	1
II.								
	1. Gout	•••••	66	63			37	*****
	2. Dropsy	56 4	2		38 2			
	4. Cancer	95		135	119	125	125	145
	5. Noma (Canker)	10		8	j 1		9	14
	7. Rheumatism	26						
						1		
	Order 2.				!		1	
	1. Scrofula	21	18		13			
	2. Tabes Mesenterica	657	660					
	4. Hydrocephalus (Tubercular Meningitis)	57	68	55	70	57	46	56
	5. Tuberculosis	8	18	25	27	36	12	39
	_						i	i
III.	ORDER 1.	66	80		0.		88	107
	1. Cephalitis	67		81 109	81 102	79 137		146
	3. Paralysis	99	70,	72	86	83	96	101
	4. Insanity 5. Chorea	32	19	12 1	22	. 17	19 3	32
	6. Epilepsy	20	12	19	8	13	14	18
	7. Tetanus	5	2	5	8	6	3,	8
	8. Convulsions	100 52	89 70	83 81	112 62	104 85	133 76	102 82
	10. Nerve Diseases	•••••		•••••	•••••	•••••		•••••
į			i		1	. !		
	ORDER 2.				,			
	1. Pericarditis	4	•••••	4	6	····i	2	·····2
	3. Heart Diseases, etc	187	166	183	166	207	235	269
		1	'	!				

Includes 8 cases of Chicken Pox. 2 Includes Mumps. 3 Includes Bilious, Typhus and Continued

Causes of Deaths Registered in Rhode Island.

1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	Total Percentag years, 185	e for 40
2 6 45 101 28 77 71 214 30 28 1 1 90 68 325 24 8	34 95 26 3 71 9 239 28 16 3 130 54 242	12 4 2 113 40 325	99 16 194 42 105 36 19 1 2 84 36 279		8 113 21 116 32 25 3	207 191 222 49 44 224 31 18 	184 9 7 7 80 77 135 28 17 4 88 71 427 26 38	1 92 16 211 17 10 83 70 107 22 19 95 86 87 168 95 87 88 168 95 87 168 95 88 168 168 168 168 168 168 168 168 168	33 102 16 67 77 149 26 12 177 84 159 159 159	28 67 89 18 68 925 133 25 30 4 128 71 633 334	23 129 31 7 3 85 117 42 603 35	219 964 5,856 4,553 428 69 2,934 1,430 4,892 878 542 44 776 2,748 2,898 9,341 809 337 52	.12 .56 3.13 2.66 .25 .04 1.71 .84 2.87 .52 .31 .02 .46 1.61 1.70 5.46 .48 .26
16 1	18	14	¹	12 1	18 1 1	, 2 1	13 1 2	15 4	8 3 1	14	16 1 1	269 18 20 1	.15 .01 .61
••••	3		10	10				14	12			135	.08
1 4 7 20	3 8	1 3	3	20 3 3 9	1	5 2	30 7 6 31	31 5 4 21	3	22 1 7 29	5	232 100 231 564	.13 .06 .13 .33
2	2	2	•••••• ••••••	2	1	i	2	1	2		i	128 42	.08 .02
50 4 132 6 21	47 7 169 1 9 27	156 5	44 6 193	1 47 15 159 6 34	1 39 16 159 15 84	47 13 193	21	46 19 165 4 20 45	20 177 1 15	16 181	1 39 23 205 17 40	5 1,905 270 3,954 33 380 744	1.12 .15 2.31 .02 .22 .43
14 4 744 49 27	22 5 766 54 29		18 7 783 47 43	23 19 827 54 41	21 € 710 54 29	50	17 11 727 58 40	11 11 852 72 36	740 66		13 8 722 53 72	550 237 23,718 2,205 730	.32 .13 13.87 1.80 .43
95 154 111 23 14 8 110 87	91 157 118 29 1 18 8 126 86		185 104 35 23 4	104 230 107 49 2 14 8 121 92	112 206 122 64 1 17 7 159 91	211 156 43 2 16		172 242 99 30 23 4 156 46	116 21 1 27 3 187	167 238 124 27 25 6 162 79	39 4 12	2,860 4,166 2,791 832 16, 468 199, 3,796 2,369	1.66 2.43 1.63 .50 .01 .27 .11 2.21 1.38
250	17 8 808	3 290	10 4 344	21 2 310	29 5 377		29 7 431	27 8 378	5	19 3 487		221 95 7,758	.13 .06 4.54

Fevers. 4 Includes Cholera Morbus, 5 Includes Yellow Fever.

4

TABLE X.—Continued.

				=	- <u>:</u>			
Class.	CAUSES OF DEATH.	1853.	1854.	1855.	1856.	1857.	1858.	1859.
ш.	URDER 8.							
	2. Laryngitis	2	1	i	5	2	5	4
	3. Bronchitis	. 2	. 8	4	5	7	18	9
i	4. Pleurisv	7	10		13	10	12	18
	5. Pneumonia	48	54	79	120	141	166	125
	6. Asthma	1	2 ,	. 2.	8	2	2	2
į	7. Lung Diseases, etc	7	3	5	5	2	•••••	3
	ORDER 4.	1	3	3	8		1	4
	1. Gastritis 2. Enteritis	11	11	13:	14		23	21
	3. Peritonitis	*4			17	5	10	13
	4. Ascites							
	5. Ulceration of Intestines							••••
	6. Hernia	1	2	2			5	1
	7. Ilieus	2	8	10	10	9	6	6
	8. Intussusception		····· i	••••••	•••••		•••••	1
	9. Stricture of Intestines	•••••	•••••	1,	•••••	2		•••••
	10. Fistula.	5		******	•••••	······· ·	1	
	11. Stomach Diseases 12. Pancreas Diseases	. 0	5	• •	11	. 7	8	8
	12. Functeds Diseases				•••••	i • • • • • •		6
	18. Hepatitis 14. Jaundice	3	2	2				8
	15. Lirer Diseases, etc	. 4		6	7	18	31	20
	16. Spleen Diseases, etc	• • • • •	2					
	17. Bowel Diseases, etc	4	4.	. 3		2	4	5
	ORDER 5. 1. Nephritis (Bright's Disease, etc.)	i	1 1 1 1	2 8 1 5 2			3 2 2 8 2	8 3 1 4
	ORDER 6. 1. Ovarian Dropsy	5	4	2 1	3 2	<u>2</u>	4 3	•••••
	ORDER 7.	:	i				1	
i	1. Arthritis	8	· i	2	7	6	6	9
	2. 000.0 2.000.00,000.00					_		
	ORDER 8.	-	!			l .		_
	1. Phlegmon	2		7	4	8	2	1
	2. Ulcer		1 1	2	1 2	2	····i	•••••
	3. Skin Diseases, etc		•	-	•	*	1	•
	Order 9.				•••••			
IV.	ORDER 1.		ļ '	'				
IV.	1. Stillborn	41	. 78	124	183	185	177	177
	2. Infantile Debility, Premature Birth, etc	2		34	17	17	33	25
	3. Cvanosis.		ĩ	i,	i	l		
	3. Cyanosis	2					2	
	5. Other Malformations.	ī	7	11	5	12		14
	6. Teething	8	20	28	15	35		81
	7. Hemorrhage, Umbilical	•••••				• • • • • •		•••••
		I		1		i		
	0					1		
	ORDER 2.		!					
	1. Paramenia	10	7	9	14	13	24	14
	a. Odikuviitu	0	i 'i	ำ			[~*	
,								

Causes of Deaths Registered in Rhode Island.

				· ====	_=						-			_
1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.
8 18 20 162 3 4	21 18 21 163 8 12	1 7 17 147 3	1 17 14 174 8 8	201	1 10 16 175 3	20 193	1 19 16 172 4 2	18 191 5	4 20 19 190 3 3	12 182 8	24 24 18 218 4 3	2 26 12 229 4 40	4 29 14 234 7 84	3 40 10 250 10 36
11 23 14	24 7	4 30 14	8 27 5	11 27 19	6 20 13	2 30 13	9 34 11	7 19 9	9 25 6	10 29 8	36 11	16 15 24	10 24 17	8 87 20
16 1 1	9	4 7		2 5 1	5 7 1	1 9 1	6 11 2		4 8 1	6 5 1	7 13	2 3 1	4 5 2 1	6
9	17	8	12	4	2	4	8	7	2	8	14	13	15	33
9 7 31 12	31 4	82 2	2 34 1 2	!	4 3 20 1 4	7 6 87	5 3 80 1	4 4 28	։ 6 Ց		35 1	2 2 31 27	2 43 2 29	4 36 1 26
1					i	8	17	16	18	15	24	87	39	42
8 1 2	8	2 1 4	4	6	6 2	6 2	1 3	11 3	6 3		5 4	7 5	8 2	5
1 15	1 15 3	17	22 1	16 4	18 2	8 5	15 7	3 8 5	14 14 4	2 16 6	19 8	18 8	4 27 5	24 10
1	2 7	1	8	1	4	i	i	2		1	•••••	5	•••••3	8
	15	8	9	7	5	₅	6	12	11	15	5	i1	18	15
7 3 1	11	4 3 2	₂	9 1 2	7	8 2 3	15 3 4	10 2 2	4	9 2	11 2 3	10 1 1	10 5 2	18 3 3
•	••	•••••			•••••		•••••			•••••	•••••		•••••	•••••
167 42	146 45	35	111 47	138 46	177 62	172 54	163 60	212 47	220 34	234 57	223 53	202 100	228 169	277 154
15 31	3 10 40		13 34	8 28	10 31	12 23	17 30	16 23	15 24	14 34	15 20	17 31	15 50	17 42
13	19	1 22	21	2 21	18	24	26	22	27	28	34	36	 29	44

1

TABLE X.—Continued.

Class.	CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.
- 111.	Order 3.						·	
	1. Epistaxis							
	2. Laryngitis	4	8	2	2	2	8	6
	3. Bronchitis	58	57	78	80	67	94	86
	4. Pleurisy	10	9	5	8	13	17	9
	5. Pneumonia 6. Asthma	400 10	339 7	226 8	317 8	311	364	327
j	7. Lung Diseases, etc	13	14	8	15	13 12	11 14	16 20
	Order 4.							
	1. Gastritis	28	13	22	14	17	18	27
	2. Enteritis	29	36	39	40	34	33	44
	3. Peritonitis	28	24	17	22	24	24	27
	4. Ascites	• • • • • •	• • • • • •	• • • • • •	• • • • • •		· • • • • • •	•••••
	5. Ulceration of Intestines	•••••	•••••	• • • • • • •	· · · · · <u>·</u>			
	6. Hernia	1	7:	5	7	12	8	10
	7. Illeus.	•••••	•	8	12 3	9 2	9	10 5
	8. Intussusception 9. Stricture of Intestines	i					• • • • • •	
	10. Fistula							
	11. Stomach Diseases	13	10	7	13	13	10	12
	11. Stomach Diseases						•••••	
	13. Hepatitis		5	6	5	5	6	8
	14. Jaundice	4	1	7	4	3	3	3
	15. Liver Diseases, etc	43	39	39	40	44	49	35
	16. Spleen Diseases, etc	1	!	2	1	•••••		•••••
	17. Bowel Diseases, etc	11	5	1	4	2	9	6
1	ORDER 5.							
	1. Nephritis (Bright's Diseases, etc.)	40	38	46	54	61	56	54
	2. Ischuria	••••				:		
	3. Diabetes.	11 2	5	9	4	15	15	16
	4. Calculus (Gravel, etc.)	Z	1.	9	1	1	•••••	1
	5. Cystitis 6. Prostate Disease	3	4	2	· · · · · · · · · · · · · · · · · · ·	4	4	···· ₁
	7. Kidney Diseases, etc.	25	12	21	27	20	35	25
	8. Bladder Diseases, etc.	4	9	11:		12	ÿ	13
i	9. Disease of Testicles	••••••	· · · · · · ·	•••••	•••••	••••	•••••	•••••
	Order 6.				1			
	1. Ovarian Dropsy		•••••			·		
	2. Uterine Diseuses, etc	1	2 i	4	1	•••••	7	3
	Order 7.							
	1. Arthritis			•••••	• • • • • • •			
	2. Joint Diseases, etc	16	27	15	10	20	15	11
	ORDER 8.	!			_			
	1. Phlegmon	9	18	7	13	14	. 5	17
	2. Ulcer	3	3	2	2	3	·····	3 3
	3. Skin Diseases, etc	4	2	3	Đ	3	2 !	3
!	ORDER 9.						i	i
	1. Eye and Ear	•••••		•••••	• • • • • •	••••		·•••
ıv.	Order 1.					i		
	1. Stillborn	246	224	242	248	216	192	264
	2. Infantile Debility, Premature Birth, etc	135	75	67	72	69	93	92
	3. Cvanosis	•••••	•••••		•••••	•••••	8	•••••
	4. Spina Bifida	15	•••••	28	32		13	
	5. Other Malformations	15 20	11 22	26 27	32 16	19 22	13 25	26 28
	6. Teething	•••••	• • • •					
	0					. ;		
	ORDER 2.						'	
	1. Paramenia 2. Childbirth	35	30	29	26	35	36	38

Causes of Deaths Registered in Rhode Island.

1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	Total Percentag years, 186	e for 40
7 101 8 344 9 12	5 111 13 400 14 34	11 118 5 863 10	9 168 7 465 21	9 174 12 481 15 5	1 8 176 15 488 20 13	2 7 228 18 508 18	260 23 483 16 17	1 5 275 18 569 23 18	1 3 247 26 568 28 6	12 308 34 655 12 10		164 3,026 570 11,222 354 410	.10 1.77 .83 6.57 .21
30 75 30 	35 47 40 1 4 7 11	76 40 2 1	29 64 35 10 17 4	30 85 59 2 1 15 13	34 43 66 5 13 15	22 3	42; 78; 63; 71; 10; 30; 2;	63 2 16 20	25 71 68 8 7 16: 18	53 73 62 8 4 22 21 2	47 68 74 5 15 16	658 1,524 1,007 24 26 269 395 56	.88 .88 .59 .01 .01 .17 .23
14	16	16	22	1 29	34 	24	33 ₁	35	32	14 1	17	18 6 551	.82
8 8 50 6	7 6 88	10 5 40 2 7	6 9 47	9 2 60 1 10	9 12 65 1 10	1	7 11 68	9 15 56 14	7 19 55	15 13 61 	14 10 72 71	184: 204 1,454 19 302	.11 .12 .84 .01
13 3 44 14	93 2 15 1 8 7 86 11	90 25 7 4 39 13	143 21 1 12 4 25	8	130 22 1 17 7 39 4	192 13 1 10 4 21 8	176 32 5 18 1 34 6	213 1 27 2 36 2 16 3	229 26 26 2 15 8 16 2	38	258 40 4 22 3 44 6	2,240 13 437 69 183 101 789 205	1.81 .01 .26 .04 .11 .05 .47
6	6 20	12 2	8	8 4	5 9	5 5	4 6	4	8 7	6	9 11	77 145	.04 •08
25	26	32	34	26	1 22	15	1 17	2 23	1 19	2 15	5 9	7 549	.32
14 2 1	18 1		21 2	13 6 3	15 1 4	19 7	7 3	13 2 7	6 4 3	5 1 4	5	391 70 104	.23 .04 .06
• • • • •	•••••	••····································	••••		•••••	•••••		•••••	·••••	•••••	2		••••••
253 101	253 137 17		271 132 6	293 157 11	211 10	4	329 195 11 4	296 225 14 6	272 251 23 8	848 245 19 1	412 224 21 5	8,543 3,761 140 30	4.99 2.20 .08
21 38	19 30	22 21	15 29	15 26	18 24	16 35	15 44	19 27	20 52	15 18	19 27 5	604 1,145	.35. .67
22	2 42		2 26	31	1 28		27	26	1 22	2 45	 50	16 1,041	.01

TABLE X.—Continued.

Class.	CAUSES OF DEATH.	1853.	1854.	1855.	1856.	1857.	1858.	1859.
IV.	Order 3.	58	67	84	76	119	114	117
	ORDER 4. 1. Atrophy and Debility	18	28 !	47	58	53	55	43
v.	ORDER 1. (ACCIDENTS OR NEGLIGENCE.) 1. Fractures and Contusions. 2. Burns and Scalds. 3. Drowning 4. Falls. 5. Poison.	1 9 13	9 15	14 18		20	24	
	0. Suffocation and Strangulation 7. Otherwise ORDER 2.	81	2		7	8		ī
	ORDER 3.	3	ļ 	9	1	1	1	1
	ORDER 4. 1. Suicide	3	3	 	4	8	13	9
	Causes ill-defined	15	20	19	14	30	14	22
	Causes not stated	100	181	169	292	258	296	241

Causes of Deaths Registered in Rhode Island.

1860.	1861.	1862.	1868.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1878.	1874.
116	132	143	161	193	152	178	188	206	217	204	232	223	254	22
52	62	47	40	42	47	42	41	41	52	56	58	69	84	7:
24 32 7 1	29 9 8		10 21 1 1 1 71	26 8 1	16 20 20 1 51	27 17 6	8 16 23 14 2	16 20	24	12 30 19 4	12 12 24 25 2		14 36 15 5 4	8
		7	8	2					 		 	 		
4	. 8	1	5	2		- 1	5		2	5	 	2	3	
12	12	8	13	6	12	11	15	18	15	27	19	18	8	1
87	18	21	20	84 1	40	88	80	48	51	59	43	87	70	t
188	202	188	217	209	207	171	195	288	300	187	249	376	217	1

TABLE X.—Continued.

Class.	CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.
ıv.	ORDER 3.	216	241	213	222	220	273	247
	ORDER 4. 1. Atrophy and Debility	90	78	89	64	79	107	82
v.	ORDER I. (ACCIDENTS OR NEGLIGENCE.) 1. Fractures and Contusions	12 17 35 20 6 5	12 87 12 4 9	18 30 14 9 5	11 44 13 6	22 16 7	21 33 14 5	16 29 19 9
	ORDER 2.	1	.			.		•••••
	ORDER 3.	3	4	3	8	1	1	4
	ORDER 4.	26	18	22	21	13	10	23
	Causes III-defined	56	32	56	49	48	46	55
	Causes not stated	207	213	192	210	254	233	847

Causes of Deaths Registered in Rhode Island.

1882.	1888.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892.	1893.	Total a Percentage years, 1853	for 40
283	275	298	267	276	278	290	227	198	185	256	183	7,927	4.6-
106	130	126	122	136	146	159	281	240	217	241	181	3,557	2.08
16 17 40 31 7 8 59	16 18 27 21 10 12 58	16 20 41 31 8 11 70	25 9 10	20 23 58 19 6 10 58	7 14	83 27 46 18 12 8 46	48 20 52 31 7 9	20 71 82 11	59 18 52 21 16 17 50	89 21 48 33 23 26 69	25 26 47 25 14 14 173	614 633 1,282 546 241 210 1,827	.30 .37 .76 .38 .14 .11
		·•••••	•••••				•••••	••••	•• • • • •	•••••		14	.01
6	3	2	3	2	2	5	8	2	1	4	3	105	.00
31	25	22	20	17	16	21	24	19	40	19	21	647	.38
45	22	19	57	39	35	46	49	45	85	34	31	1,550	.90
27 1	186	42	59	51	19	28	89	43	34	28	68	7,239	4.24

TABLE XI.—OCCUPATIONS AND AGES OF DECEDENTS.

Showing the number and occupations of decedents for the year 1893, and for a period of forty-one years and seven months, 1852 to 1893 inclusive. Ages under Twenty excluded.

		1	STATE OF	RHODE lsL	AND.	
		1893.		41 Yea June 1, 1	rs and 7 Mon: 352, to Dec. 31	ths, , 1893.
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.
Î.						
TILLERS OF THE SOIL.						
Farmers	151 3 14	10,517 228 698	76.00	6,022 25 248	401,442 1,271 14,540	50.84
Total	168	11,443	68,11	6,295	417,253	66.28
и.						
PROFESSIONAL AND PERSONAL.						
Actors	2	75	37.50	12	413	34.42
Architects	2	147	73.50	10	608	60.80
Army Officers				5	255	51.00
Artists	1	55	55.00	29	1,409	48,59
Chemists				4	239	2.26.3
Athletes				1	25	25.00
Authors				7	477	
Ball Players	2	65		2		32.50
Civil Engineers	1		85.00	38	1,908	
Clergymen	10		60.30	211	13,356	
Dentists	4		45.75	32	1,701	
Designers	1	36	36.00	13	653	
Draughtsmen	2	52	96.00	8	271	1.0 57 57
Electricians			26.00	42	101	
Gentlemen				3	2,792 136	45.33
Inspectors	2	114	57.00	11	689	
Journalists (Editors and	4	114	01.00	11	000	02.00
Reporters)	4	170	44.75	31	1,409	45 45
Judges and Justices	2		59.50	15	981	
Lawyers	2		58.00	150	8,265	
	Y		50.00	1	46	46.00

TABLE XI.—OCCUPATIONS AND AGES.—Continued.

			STATE OF	RHODE ISLA	ND.				
		1893.	1	41 Year June 1, 185	41 Years and 7 Months, June 1, 1852, to Dec. 31, 1893.				
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.			
Musicians	3	182	60,67	60	2,885	48.08			
Naval Officers				16	765	47.81			
Nurses	1	59	59.00	13	681	52.38			
Photographers and Litho-	1		1.74	100					
graphers	2	120	60.00	24	1,098	45.75			
Physicians	14	848	60.57.	274	16,306	59.51			
Professors and Teachers.	2	93	46.50	125	6,087	48.70			
Public Officers	4	315	78.75	73	4,376				
Publishers	3	152	50.67	3	152	50.67			
Sheriffs, Constables and	117	155	13/18/8						
Policemen	6	289	48.17	104	5,801	55.78			
Sculptors			10.11	2	80	40.00			
Stenographers	Char.		1.75	2	52	26.00			
Students	4	105	26.25	68	1,542	22.68			
Telephone and Telegraph	4	100	20.20	0.0	1,012	22.00			
Operators	1	26	26.00	18	533	29.61			
Theatrical Managers	î	33	7 2 2 2 3	1	33	33.00			
Veterinary Surgeons		99	50.00	4	198				
Weighers, Gaugers, etc				5	345	69.00			
Total	76	4,051	53.30	1,421	76,733	54.00			
· III.									
OPTIONAL ACTIVITY.					- 1				
Agents and Canvassers	14	734	52.43	193	9,997	51.79			
Auctioneers				6	274				
Bankers and Brokers .	4	217	54.25	115	6,801	59.14			
Bank Officers	1	37	37.00	62	3,965	63.95			
Bar Tenders	4		And the second second	27	1,031	38.18			
Bill-posters				2	118	59,00			
Booksellers			100.01	3	213	71.00			
Bottlers	2	70	35.00	5	175	35.00			
Butchers and Marketmen.	16		100000000000000000000000000000000000000	245	12,595				
Carriage Dealers				1	55	55.00			
Clothiers				11	655	59.55			
Coal Dealers				5	227	45.40			
Collectors			1.13.4	16	967	60.44			
Contractors and Builders.	7		54.43	68	3,919				

j

TABLE XI.—OCCUPATIONS AND AGES.—Continued.

		8	STATE OF	RHODE ISLA	ND.	
		1893.		41 Yea June 1, 18	rs and 7 Mont 52, to Dec. 31	ths, , 1893.
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.
Dealers in Wool Waste Druggists and Apotheca-				1	56	56.00
ries	9	272	30.22	78	3,469	44.47
Fish and Oyster Dealers	1	62	62.00	15	903	60.20
Fruiterers				4	157	39.2
Grain Dealers				4	239	
Grocers	16	893	55.81	384	20,766	54.08
Hardware Dealers				2	108	54.00
Hotel Keepers and Inn-		000	*0.00	444	F 005	FF 01
keepers	6	354	59.00	144	7,965	55.31
Ice-cream Makers				3	151	50.33
Junk Dealers	1	37	37.00	11	627	57.00
Leather Dealers			***	1	35	
Liquor Dealers	3	174	58.00	90	4,014	
Lumber Dealers		*****	*****	9	440	48.89
Mail Carriers			27.00	11	506	
Policy Brokers	1	1.4 3.4 (4.1)	24.00	1	24	100000000000000000000000000000000000000
Manufacturers	24			532	32,207	60.5
Merchants	45		12 A 12 A 11	1,108	65,444	- 14 200
Opticians		140	74.00	4	255	4
Organ and Piano-tuners	2	148	74.00	5	355	71.00
Pork and Meat-cutters and				0	200	41 00
Pork-packers	• • • •	105	FO FO	9	369	41.00
Provision Dealers	2		A CONTRACTOR OF THE PARTY OF TH	11 80	2 648	58.91 45.65
Railroad Officials.	2	111	55.50	1	3,649 68	1.00
Real Estate Brokers	1	68	68.00	1	00	00.00
Saloon and Restaurant	10	562	46.83	169	7,677	45.43
Keepers	12 1	1.0	Charles Ton 1	5	318	
Ship-chandlers	1	77	77.00	9	492	10035
Shoe Dealers	5	2,910		70	6,472	92.40
Stable Keepers	1	68	The second second	1	68	and white
Stock Breeders Tobacconists	L	00	55.00	10	594	100000
Traders	2	98	49.00	280	14,071	50.2
Undertakers	4		44.75	38	2,204	
Various and Unspecified	1	110	22.10	001	2,201	30.30
Tradesmen	5	217	43.40	184	8,863	48.17
Total	192	13,119	68.33	4,033	224,206	55.59

TABLE XI.—OCCUPATIONS AND AGES.—Continued.

ļ	STATE OF RHODE INLAND.									
		1893.		41 Yea June 1, 18	rs and 7 Mon 352, to Dec. 31	ths, , 1893.				
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Аусгаде Адс.	Total Mortality.	Акктекате Аксы.	Average Age.				
IV.										
OUTDOOR.—Local.										
Boat-buildersBrickmakersBrick and Stone Layers.	 1 1		$72.00 \\ 42.00$	23 6 12	568	$\frac{48.17}{47.33}$				
Calkers. Carpenters and Joiners. Masons. Millwrights	1 68 30	4,129	79.00 60.72 52.93	$ \begin{array}{c} 11 \\ 1,755 \\ 734 \\ 31 \end{array} $	$\begin{array}{r} 815 \\ 96,473 \\ 41,749 \\ 2,032 \end{array}$	56.88				
Pavers		45	45.00	1 22 2	70 1,254	70.00				
Sextons Ship-carpenters Slaters	. 2 1	146	69.00 73.00 38.00	6 66 7	3,640 4,503 283					
Stonecutters and Marble- workers Superintendents of High- ways	13 1		56.84 79.00	224	11,260 79	50.27 79.00				
Tanners and Curriers Wheelwrights	3		49.33	43 95	2,667 5,700	62.0:				
Total	123	7,174	58.33	3,039	172,857	56.88				
v.										
Indoor.—Active.										
Axe and Scythe Grinders Bakers Basket Makers Bell Hangers	5	2,510	50.20	123 5 2 8	8,913 321 47	55.50 72.40 64.20 23.50 60.50				
Blacksmiths and Farriers. Bleachers and Fullers. Bobbin Makers Boiler Makers	$\begin{array}{c} 28 \\ 4 \\ \dots \\ 3 \end{array}$	165	54.50 41.25 59.00	580 57 1 64	$31,254 \\ 2,852$	$53.8 \\ 50.0 \\ 62.0$				

TABLE XI.—OCCUPATIONS AND AGES.—Continued.

	STATE OF RHODE ISLAND.								
		1898.		41 Years June 1, 185	and 7 Mont 2, to Dec. 31	hs, , 1893.			
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.			
Brass Finishers.	3	161	53.67	3	161	53.67			
Brass and Iron Founders.				9	562	62.44			
Brewers				15	742				
Britannia Workers				1		65.00			
Broom and Brush Makers	1	64	64.00	14		50.57			
Cabinet-makers	$\frac{1}{2}$		41.00	123		57.80			
Calico Printers	1.	60	60.00	57		54.49			
Card Makers	1		00.00	4		50.25			
Carriage-makers and					201	00.20			
Trimmers	4	230	59.75	65	3 478	53.51			
Carvers	-	200	00.10	3.		49.00			
Chair Makers	•			1		70.00			
Comb-makers				5		37.40			
Confectioners	1	59	53.00	37	_	44.65			
Cooks and Caterers	1	69	62.00	65		47.52			
Coopers	•	02	02.00	116		65.96			
Coppersmiths	1	37	37.00	8	,	61.75			
Cutters			31.00	5		40.80			
Distillers				1		, 77.00			
Dvers	6	291	48.50	110	5 574	50.67			
Founders			10.00	10		38.10			
Foundrymen		! 		5		56.20			
Furnacemen.				4		48.75			
Gasfitters				51		42.39			
Gilders				8	,	39.88			
Gold Refiners				3		51.00			
Gun and Locksmiths	1	24	24.00	24	_	54.75			
Hatters	1 -		21.00	23	,	53.20			
Heaters	1	49	42.00	3	,	37.00			
Iron Rollers and Workers	_		54.00	9		45.78			
Janitors	7	!	50.57	58		50.71			
Japanners	ļ'			1	2,011 47				
Lathers				3		31.67			
Line Makers				2		58.50			
Machinists	70	2.62	37.44	1,286	61,748				
Mechanics	1 5	238		449	23,825				
Melters	1	1	1	4		61.28			
Miners	1			14	771				
Moulders	22	999	15.41	263	12,102				
Nail Cutters.	""			11	422				

TABLE XI.—OCCUPATIONS AND AGES.—Continued.

			STATE OF	RHODE ISL		
;		1893.		41 Yes June 1, 1	ars and 7 Mont 852, to Dec. 31	ths, , 1893.
OCCUPATIONS.	Total Mortality. Aggregate Agea.		Average Age. ,	Total Mortality.	Aggregate Ages.	Average Age.
Oil Refiners Painters and Glaziers Paper Hangers Pattern Makers Pianoforte Makers Picker Makers Plane Makers Plasterers and Stuccoworkers Platers Plumbers Porters Pump and Block Makers Reed Makers Reed Makers Refiners Sash and Blind Makers Scissors Grinders Scythe Makers Servants Soap Boilers Stair Builders Steam Pipers Steel Polishers Stewards Stone Manufacturers	41 47 7 4 1 1 1 1 1 1 3	246 458 192 247 45 83 20	48.61 61.50 65.43 48.00 35.29 45.00 83.00 20.00	1 723 20 63 2 6 1 42 3 78 40 14 5 3 10 2 1 22 5 5 4 5 1 15	76 33,968 1,058 3,623 90 377 79 2,017 170 3,063 1,932 788 322 84 506 115 83 1,003 353 297 219 203 42 712 693 416	76,00 46,98 52,90 57,51 45,00 62,83 79,00 48,02 56,67 39,27 48,30 55,71 64,40 28,00 50,60 57,50 83,00 45,59 70,60 54,75 40,60 42,00 47,77 43,31 59,43
Stove Mounters Stopper Makers Sugar Refiners Superintendents and Over-				4 1 7	185 22 311	22.00
Tallow-chandlers Tinsmiths Tool Makers Trunk Makers Umbrella Makers	7 2	307 105	43.86 52.50	$\begin{array}{ c c c }\hline 234 \\ 4 \\ 100 \\ 19 \\ \hline & 3 \\ 2 \\ \hline \end{array}$	4,402 1,021 89 103	80.50 44.02 53.74 29.67 51.50
Upholsterers Waiters Wire Workers	7	309 46		104 8	4,259	39.98 40.95 43.00

TABLE XI.—OCCUPATIONS AND AGES.—Continued.

		STATE OF RHODE ISLAND.								
		1893.		41 Yea June 1, 18	rs and 7 Mont 52, to Dec. 31	hs, , 1893.				
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.				
Wood-Carvers. Wood Finishers. Wood Turners.	1 1 3	52 27 132	52.00 27.00 44.00	3 5 37	$106 \\ 242 \\ 1,364$	48.40				
Total.	276	15,242	55.22	5,394	270,734	50.19				
VI.				Í						
Indoor.—Activity Re- stricted.										
Barbers	13 3	518 200	39.85 66.67	204 24	7,617 1,121	$37.34 \\ 46.71$				
countants	10	393	39.30	359 14	15,891 590	$\frac{44.26}{42.14}$				
Braid Makers Chain Makers				1 4	66	66.00 48.25				
Chasers Compositors	1 2	38 81	38.00 40.50	9	369 81					
Cigar Makers Clerks and Salesmen	2 62	103 2,182		94 953	4,183 35,413	44.50				
Clock and Watch Makers Die Sinkers	1 1	59 66	59.00 66.00	30 18	1,640					
Enamelers Engravers	3	177	59.00	4 121	256 5,786	64.00				
File-cuttersFile Forgers	3	102 40	34.00 40.00	72 1	2,930 40	40.69				
Finishers Harness Makers and Sad-	2	82	41.00	8	387	48.38				
dlersJewelers	5 40	$\frac{337}{1,735}$	67.60 43.38	100 859	4,844 $34,914$	48.44 40.64				
LapidariesLaundrymen				8 9	· 293	36.63				
Leather-dressers Lighthouse Keepers	i	 89	89.00	2 5	141 300	70.50				
Millers Operatives	92	4,183	45.47	2,038	2,465 $88,858$					
Paper-makers Pearl Cutters	·····i	····. 57	57.00	5 2	327 85	65.40 42.50				

TABLE XI.—OCCUPATIONS AND AGES.—Continued.

i		,	TATE OF	RHODE ISLA	AND			
		1893.		41 Year	re and 7 Mon			
				June 1, 18	852, to Dec. 31, 189			
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Ардгедаве Адсв.	Average Age.		
		<u> </u>						
Polishers Printers Rol Coverers	1 4		38,00 66,33	17 168 27	$973 \\ 1,631$	47.06 57.92 60.40		
Rope-makers Rubber Workers Sail-makers	5		46.80	25 127 32	5,196	66.88 40.91 58.94		
Shoemakers Silversmiths.	16	$\begin{array}{c} 681 \\ 139 \end{array}$	$\frac{42.56}{46.33}$	$\frac{537}{100}$	30,916 4,464	$55.71 \\ 44.64$		
Tailors	14 15	816	69.43 54.40 67.50	$ \begin{array}{r} 371 \\ 137 \\ \hline 42 \end{array} $		55.09 47.48		
Cop Tube Makers	Î		64.00	1		64.00		
Total	305	13,855	45.43	6,572	287,436	43.74		
VII.		;		1				
OCCUPATIONS AT LARGE.				:		l		
Baggage Masters Boatmen Brakemen	6	 219	36.50	3 24 85	1,377	29.33 57.29 28.74		
Car Drivers and Conductors	3	1-91	40.33	23	811	36.70		
Coachmen	9		42.56	166		43.35		
Cab and Hack	5 2		34.60 41.00	20 36	1,562	39,50 43,39		
Drovers Engineers and Firemen Expressmen	22 6	1,355 319	61.59 53.17	2 309 78	14,756	$\begin{array}{c} 41.50 \\ 47.75 \\ 50.06 \end{array}$		
Fire Company Members Fishermen and Oystermen	2 5	63	31.50 48.20	$\begin{array}{c} 3 \\ 203 \end{array}$	10,007	1		
Gripmen House Movers Horse-Jockeys.	1	 47	47.00	$egin{array}{c} 1 \\ 5 \\ 1 \end{array}$	345	69.00 47.00		
Hostlers	7		39.57	101		41.96		
IcemenLaborersLamplighters.	388 3;	19,371 139	49.93 46.33	$egin{array}{ccc} & 4 & & & & & & & & & & & & & & & & & $	417,792	66.25 49.30 53.00		
Linemen.	"	100		2		41.50		

TABLE XI.—OCCUPATIONS AND AGES.—Continued.

•			Smime on		T AND	=-==
		1893.	STATE OF		ears and 7 Mon 1852, to Dec. 3	ths.
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.
Lumbermen Mariners. Messengers Milkmen. Motormen Pilots Peddlers Sailors Sea Captains or Ship-masters Soldiers Stage Drivers Switchmen Teamsters Total.	2 1 1 1 2 9 9 7 1 1 4 25 521	 43 32 103 444 381 535 55 71 245	37.00 43.00 32.00 51.50 49.33 42.33 76.43 55.00 71.00 61.25 49.40 49.92	1 513 1 9 1 18 147 232 147 139 8 10 479 11,261	25,300 29 361 32 994 7,381 11,304 9,866 4,252 398	29.00 40.11 32.00 55.22 50.21 48.72 67.12 30.59 49.75 59.80 47.30
VIII. EMPLOYMENTS OF WOMEN. Actresses Agents Artists Basket Makers Boardinghouse Keepers. Bookbinders. Book-keepers. Box Makers Brush Makers Cap Makers Chain Makers Cigar Makers	1	••••	26.00	2 1 2 2 22 1 4 5	59 137 149 $1,377$ 43 131 150 26 28 91	24.00 59.00 68.50 74.50 62.59 43.00 32.75 30.00 26.00 28.00 30.33 28.00
Clerks and Saleswomen Cooks Dressmakers and Seamstresses Farming Hairdressers Harness Makers	2 3 11 	$\frac{162}{472}$	33.50 54.00 42.90	33	1,766 $12,512$ 148 25	28.95 53.52 42.13 74.00 25.00 52.00

TABLE XI.—OCCUPATIONS AND AGES.—Continued.

	STATE OF RHODE ISLAND.										
		1893.		41 Years and 7 Months, June 1, 1852, to Dec. 31, 1893.							
OCCUPATIONS.	Total Mortality.	Aggregato Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.					
Housekeepers Housewives Jewelers	127 14		56.72 56.14	$2,340 \\ 165 \\ 14$,	55.54 51.89 26.86					
Laboring	1	38	38.00	16 28 2	$\substack{699\\1,382}$	$\frac{43.69}{49.36}$					
Milliners	3 1	26	50.00 26.00	53 3	1,899 99	64.00 35.83 33.00					
Nurses Operatives Physicians	41 		71.00 30.78	92 836 9	26,009 497	55.22					
Public Officers Rubber Workers Servants and Domestics.	12	533	44.42	$ \begin{array}{c} 2 \\ 13 \\ 438 \end{array} $	$406 \\ 21,146$						
Shopkeepers	1	24	24.00	8 27 1	1,012 38	51.75 37.48 38.00					
Superintendents Tailoresses Teachers	$\begin{vmatrix} \cdots \\ 4 \\ 6 \end{vmatrix}$	165	$\frac{41.25}{40.67}$	$egin{array}{c} 2 \\ 140 \\ 200 \\ \end{array}$		63.00 45.98 52.79					
Telegraph and Telephone Operators. Upholsterers. Waitresses				1 1 7	34	$54.00 \\ 34.00 \\ 30.71$					
Total.	232	13,676	58.95	4,801	233,354						

TABLE XI.—OCCUPATIONS.—RECAPITULATION.

<u></u> .	STATE OF RHODE ISLAND.										
		1893.		June 1,	ears and 7 Mon 1852, to Dec. 3	ths, 1, 1893.					
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.					
I. TILLERS OF THE SOIL	168	11,443	68.11	6,295	417,253	66.28					
Professional and Personal	76	4,051	53.30	1,421	76,733	54.00					
III. Optional Activity	192	13,119	68.33	4,033	224,206	55.59					
IV. Outdoor.—Local	123	7,174	58.33	3,039	172,857	56.88					
V. Indoor.—Active	276	15,242	55.22	5,394	270,734	50.19					
VI. Indoor. — Activity Restricted	305	13,855	45.43	6,572	287,486	43.74					
VII. Occupations at Large.	521	26,008	49.92	11,261	550, 000	48.84					
VIII. EMPLOYMENTS OF WOMEN	232	13,676	57.95	4,801	233,354	48.61					
ALL CLASSES	1,893	104,568	55.23	42,816	2,232,573	52.14					

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1893.

Ages under twenty excluded.

Tuberculosis.	no : :	:	
Sulcide,		01	12:11
Stomach Diseases.		1-	2 - 12
Septicemia,		·	1111
Rhenmatism.		<u> </u>	3 7 7 1
Pneumonia.	116	25	F 1 1
Pleuriey,			4 14 1
Peritonitis.			1 11
Old Age,	8 ::	81	::::
Liver Diseases,		Q1	
Kidney Diseases.	x	10	1::::
.Viiansal	- ::	7	
Influenza.	4:-	10	1:::
Heart Diseases.	60 :00	96	11111
Fevers, Typhoid, etc.	- · : :	-	1111
Fevers, Malarial.	11:1	:	::::
Erysipelas.	:::::	-	: : : :
Epilepsy.	:::	1	11:00
Enteritis.	H ::	-	11:53
Dropsy.	οη : :	0.1	:::::
Diarrhosa and Dysentery.	co : :	00,	
Diabetes.	10 : :	70	1111
Debility,	e ⊢ ;	+	1111
Consumption.		13	
Cancer,	1011	9	: : : :
Bronchitis,	64 : :	01	1311
Brain, Diseases of.	4::	4	: : : : : : : : : : : : :
Bowel Diseases.	60 : :	00	::::
Bladder, Diseases of.	eo : ;	eo ,	::::
Asthma.	- : :	H	
Apoplexy and Paralysis.	4	16	## : : ## : :
	4 : :	4	1111
Alcoholism,	60 · H	+	11:11
Accidents.	14.0		31 31 - 61
Whole Mumber,	149 3 14	166	
OCCUPATIONS.	I. TILLERS OF THE SOIL. Farmers Florists	Total II. PROFESSIONAL AND PERSONAL.	ArchitectsArtists

į

TABLE XII.-OCCUPATIONS AND CAUSES OF DEATH, 1893.-Continued.

Snicide. Tuberculosis.	: :	: : : :	::	:	<u>:</u>	:	: : : :	:	:	: :	: :	:	<u>:</u>
Stomach Diseases.	<u> </u> : -	1 :	: :	:	:	<u>:</u>	: :	:_	<u>:</u>	:	: :	:	:
Septicamia.	<u> </u> :	: :	. : . :	:	:	:	<u>:</u> :	•	:	:	:_:	:	:
Rheamatism.	ī : -	· :	: :	:	:	:	: :	:	:	:	=	:	:
Pneumonia.	1 :0	1:	: ¬	:	:	: -	₹ :	:		ب د	1 :	:	7
Pleurisy.	1:	: :	: :	:	:	:	: :	:	:	:	: :	:	:
Peritonitis.	1:	: :	·: :	:	:	:	:::	:	: 1	=	\equiv	:	
Old Age.	i :-	·	::::	:-	:	- <u>:</u> -	: :	:	:	:	: :	:	:
Liver Diseases.	i	: :	-: :	:	:	:	:::		:		. OJ	:	:
Kidney Diseases	<u> </u>	-	··· :	:	··:	- :	: :	⊣``	:	-	: :	-:-	-:
Insanity.	i :	: :	: -:	:	:	•	: :	:	:	:	: :	-:	:
Infinenza.	 		• •		<u>:</u>	÷	•	•	- :	÷	: :	÷	
Heart Diseases.	— с	1		Ξ.	_				-	<u> </u>	1	<u>6</u> 3	
Fevers, Typhoid, etc	;		<u>.</u> :	•	•		: :	<u>-</u> ; -		-	-:	•	
Fevers, Malarial.	¦:	: :	 :	-: -	:	÷	: :	<u>:</u>	:	:	<u>: </u>	- <u>:</u> -	
Erysipelas.		: :	··: :	• •	:	-: -	:- :	÷		÷	: :	:	
	¦ :	<u>.</u> :	•	· .		- <u>:</u> -	: :	-: -	.	<u>.</u>		:	 :
Epilepsy.			: :	:	:	:	: :	-:	. :	·	: :	-:-	:
Enteritis.		: :	<u>:</u> :	:	:	:	: :	- <u>:</u> -		·:	<u>: :</u>	÷	 :
Dropey.	!	: :	-: :	:	:	:	: :	- :	:	:	<u> </u>	- <u>:</u> -	
Diarrhea and Dysentery.		: <u>:</u>		:		•	: .:	- ·	. <u> </u>	<u>:</u>	:	÷	<u>:</u>
Diabetes.	<u> </u>	<u>: :</u>	. :	<u>:</u>	:	<u>:</u>	<u>: :</u>	<u>:</u>	:	<u>:</u>	<u>:</u>	<u>:</u>	<u> </u>
Debility.	1: -	:	: <u>:</u>	<u>:</u>	_ :	:_	<u>:</u> :	<u>:</u>	<u>:</u>	<u>:</u>	<u>:</u>	:	:
Consumption.	<u> : </u>	:	<u>::</u> :			:	: =	:	:	<u>:</u>	: :	:	:
Cancer.	<u> </u> :	:_:	_:_:	:	:	:	: -	:		21	: 	:_	
Bronchitis.	1: -	' :	: :	:	:	:	: :	:	:	:	: :	_	:
Brain, Diseases of.	1:	: :	: :	:	:	:	: :	:	:	:	: :	:	:
Bowel Diseases.	1:	: :	: :	-:-	:	:	::	:	:	$\overline{\cdot}$: :	:	T
Bladder, Diseases of.	ī :	: :	: :	:	\vdash	П	: :	:	:	-	: :	:	:
Asthma.	T :	: :	: :	•	:	: -	- :	:	:	:	: :	:	
Apoplexy and Paralysis.	i :	: =	• 🗂	-:-	:	:	:=	:	:	-	: :	:	-:
Alcoholism.	1	: :	:	:	· —	-	: :	:	:	-	- :		
Accidents.	T:	-=			•	•	• •	÷	÷	-	•	·	<u> </u>
	inc	े च	<u>— сі</u>	OJ.	+	<u>01 0</u>	00 E	=	<u>01</u>	<u> </u>	1 +	ಣ	
Whole Number.	<u> </u>												
		: :		. 5	ипа :	:	: :	:	itho-			:	and
y vi	:	: :			z :	es.			Ξ :) : 	:_	: Ee
Ö	:	: :		: ;	≝ :	tic	: :	:	an :	ع ج	₹ :		8
TTA	ers	: :		Ę	ৰ্ :	lus	: :	:	£ :	: 5	92		ist :
OCCUPATION	Dec	•	. 20	:`,	ra E	ر ا		:	be.	_ · 6	cei		en S
	ig	, EL	ian	r.	rte	an,	. e	:	ap ler	ane		ers	, de
	Ē	ista	gne ric	to	i Q	8	er cia	es.	iph dq	ici	0	sh	i i
Ë	vil	2 C	ssigner	ver	Re	dg	Lawyers Musicians	ırs	ot. grg	138	bil	lb.	Po
il	155	ζĞ	Designers	In	9	Ju	ΪÏ	$ar{\mathbf{z}}$	Photographers and graphers	ᇍᆥ	Ы	E E	n

Tuberculosis.	100	•	:	:			:	:	:	:	:	:	:		: :
Suicide.	:	:	:			:		1	_	:	:	. '	_		: :
Stomach Diseases.	:	:	:	31		:	:	:	:	:	:	7	:		: :
Septicamia.	:	:	:	35.3			:	:	:	:	:	:	:		: :
Rheumatism.			1	0.3		:		:	:	:	1	:	:		: :
Pneumonia.	34.0	:	:	6.	-	1	:	:	-	G1	0.1	:	:		: :
Pleurisy.		1	;	:	1	:	:	:	:	:	:	:	0		: :
Peritonitis,	:	:	:	-		:		:	-		:		31		
old Age.	TC.		:	-				:	:	:	:		:		: :
Liver Diseases.		1	:	23		-	:	:	-	:	:		Н	-	-
Kidney Diseases.	:			00			0.1		-	01	Н		0	-	
Insanity.	K:	1					1	÷		-		÷	:		-
Influenza.	:			1				:	÷		÷	÷			
				63	· ·		•	_	G1	H	01		+	- 0	9 .
Heart Diseases.		*	•	100				•		-	_	-	-	_	. :
Fevers, Typhold, etc.		-	•	1	-	1	•		-				:		
Fevers, Malarial.							-	:	÷		:			_	: :
Erysipelas.	1	•		1:								:		_	: :
Epilepsy.		:	•		0	9			:	•			:		2 ;
Enteritis.	1	- 1					•		:	:	:	_	:		: :
Dropsy.	:		:	1		:	_	:	:	:	:	:	:		: :
Diarrhea and Dysentery.	:	*	1	:		:		:	:	:	:	1	:		: :
Dîabetea.	1	- 1	:	1 :	-	:	:	:	:	:	:	:	7		2.0
Debility.	:		:				:	:	;	:	;	:	_		
Consumption.	-	-	-	10	-	:	-	:	CJ.	:	Г	:	:		: :
Cancer,	:		:	9			:	:	:	:	:	:	Н		: :
Bronchitis.		:	1	0.1	1	:	:	:	03	:	:	:			:
Brain, Diseases of.		1		1	-			:	-	:	:		:		: :
Bowel Diseases.			:	1			:	ď.			+	:			
Bladder, Diseases of.	:		15.	00				:					•		
Asthma,		-	•	0.1										_	
Apoplexy and Paralysis.	:	-	-	9	-	- :	÷	<u>-</u>	i		<u>.</u>	. (3		-
Alcoholism.		-:		00									•		. :
To 215 mm 1	:	:	:	01	0.		-:	-	-	-:	-		:		
Accidents.	03		-	01		-		03	10		6	H .	_	- 1	3 -
Whole Number.				1	-		-		H				F		
OCCUPATIONS.	Students	Operators.	Theatrical Managers	Total	OPTIONAL ACTIVITY.	Bankers and Brokers	Bar Tenders	Bottlers	Butchers and Marketmen.		ruggists & Apothecaries	ish and Oyster Dealers	Grocers.	otel Keepers and Inn-	Junk Dealers.

Table XII.—OCCUPATIONS AND CAUSES OF DEATH, 1893.—Continued.

Civil Engineers Civil	Tuderculosis.	: :	:	:			:	:		:		:	:	: :	•	•
\$\overline{\text{A}} \text{ \$\overline{\text{A}} \$\	Suicide.		:	-:	•	_	:	:	:	:		:	÷	: :	:	:
\$\overline{\text{A}} \text{ \$\overline{\text{A}} \$\	Stomach Diseases.	-:-	-:-				•	÷	•	:		:	:	: :	:	
A pole Number. A coldents. Brack	! <u>`</u>	· :	•	•	:		- :-	:					÷	: :		<u>:</u>
Mole Number. Mole		· ; ;		- : -	•		•		-	-:		•	-	: -	<u>:</u>	
The part of the pa			•	-	-			; -,	<u> </u>				ر ب		:	<u>-</u> -i
## Accidents Accidents Ac		\div	÷	:	•	<u>.</u>	÷	÷		-:		÷	-		:	
## Action March Ma		-:::	:	:	:	<u> </u>	÷	÷	÷			٠,	- -	• •	:	
## Accidents Accidents Ac		-: $=$:	•	: •	-		<u>:</u>	: -	÷	: :		÷		• •	:	
The series of th		÷	-·:	- :	<u>:</u>	<u>.</u>	$\dot{-}$	÷	<u>.</u>			÷	÷	÷ ~	··-:	 :
The part of the pa	ll : -	- :-:	Ξ.	· • • •			-:-	: <u>-</u>	-	=		: .	<u>:-</u>	: .	_:	 :
S		: :			•		•	- :				<u>:</u> -		-:-	•	:
S	!	-:-:	-		•		- <u>:</u>	<u>:</u>	-	· ·		•	<u>:</u>	: :	•	
The property of the contents o				:		;—	_	-:-	•	: :		<u>.</u>		: :		
25 CO + CO CO CO CO CO CO CO CO CO CO CO CO CO			:	<u>.</u>		·			-	-			_			
S		<u> </u>	<u>:</u>		-		<u>:</u>	<u>:</u>	<u>:</u>			÷	<u>:</u>			
S		<u> </u>	:	- - :	:	:	•	_ : .	<u>:</u>			_:.	<u>:</u> _	<u>: :</u>	:	<u>:</u>
S S S S S S S S S S	Erysipelas.		:	_:	: :		<u>:</u> _	_:_	<u>:</u>			<u>:</u>	<u>:</u>	<u>: :</u>	:	<u> </u>
S S S S S S S S S S	Epilepsy.	::	:	:	•	:	:	<u>:</u>	:	_:		<u>.</u>	. : .	<u>:</u> .:	_ :	<u> </u>
S S S S S S S S S S	Enteritis.	:::	. :	: <u>:</u> .	: .	:	:	<u>:</u>				:	<u>:</u> _	<u>:</u> :	:	:
S S S S S S S S S S	Dropsy.	<u>:</u> ::	:	:	:	:		:	:	:		:	:	: :	:	:
S	Diarrhoas and Dysentery.	: :	:	:			:	:_	:	:_:		:	:	: :	:	:
S	Diabetes.	_ : :	:	:	:		:	:	:	: :		:	:	: :	:	:
S	Debility.	: ¬	:	:	:	:	:	:	:	: :		:	:	: :	:	:
S	Consumption.	::		:	: -	i	Η	:	: -	:		:	:	: :	:	:
6. 24 10 25 10 10 10 10 10 10 10 10 10 10 10 10 10	Сапсет.	::	:	:	:	:	:	:	: -	٠:	1		2/	:	:	
Sample S	Bronchitis.	: -	:	:	:	:	:	:	:	: :		:	:	: :	1	:
S S S S S S S S S S	Brain, Diseases of.	::	:	:	:	:	:	:	:	: :		:	:	: :	:	:
Compared Compared	Bowel Diseases.	:::	:	:	:	:	_ <u>:</u>	:	:	-:		:	:	: :		
S S S S S S S S S S	Bladder, Diseases of.	:::	-:	:	:		\vdash	_	:	: :		:	_	: :	:	:
Sachers Alcoholism. Alco	Asthma.	: :	-:	:	:	•	:	: 1		:		:	:	: :	:	Н
Sachers Alcoholism. Alco	Apoplexy and Paralysis.	::	ī	: -	4	:	:	:	: -	٠.		•	-	:	:	
es achers. a chers. a chers. b chers. a chers. c c chers. c c chers. c c chers. c c c chers. c c c chers. c c c c c c c c c c c c c c c c c c c	Alcoholism.		:	:	:	•	_	_	:			:	_	:		
achers. 132 2 2 2 1 4 9 1 Whole Number. 132 2 2 2 4 2 2 2 3 4 4 2 2 3 4 4 4 4 4 4			$\overline{}$	÷	<u>:</u>	<u>. </u>	:	•	:			•	_	•	:	
s. ors and es. achers.		ਜ਼ਿਤ	4	- c	40	<u>.</u>	+	কা	27 SC	-		<u> </u>	က	<u>4</u>	(33	
gineers rea rea rea rea rea rea rea rea rea rea													_			
ccupations. gineers gineers rs. rs. ians rs. ians rters) and Justices ins. ins. creations and Litters ins. creations and Litters ins. creations and Litters ins. ins. constables a constables a constables a			:		:	: pg	:	:	:	: :	ģ	:	:	<u> </u>	: :	pu :
ccupations. ccupations. gineers rs. rs. rs. rs. rs. rs. rs. rs. rs			:	:	:		:	:			E	:		i pe		
ccupation ccupation gineers rs. rs. rs. rs. rs. rs. rs. rs. rs	<u>z</u>	::	:	:	:	: 5	:	368	:	: :	_	:	:	8 9 ∶	: :	oles
ccupar gineers en rs. lans lans sts (E trers) aphers ers. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns. ns	[] <u>0</u>		:	•	:	∷≓	:	šti.	:	: :	an	:	. E	- :	: :	tal
ccup gine en sa sa sa sa sa sa sa sa sa sa sa sa sa	TA	ere	:	:	:	Ξ	$\dot{\sim}$	Jug	:		rs	:	: "	D E		ns
the state of the s	i i	ine n .	:	0	0	. Zó	SIS	pı	:	: :	be	œ.	20	es es	go	S a
	300	ng nei	αQ	era	Cla	list.	rte	ar	80 2	1	ľaľ	her	ឧប	S C	er	e B
E E E E E E E E E E E E E E E E E E E		E Eyi	tist	g	i d	80	abo	es	Ser Ser	es	S.	ap	ici	. e86	isl	ži į
livillivillivillivillivillivillivilliv		ivi ler	en	esi	No	Ϊ	ĕ	g	B W	ure	bot	18	by.	I P	pl	her
I DODUMER PASSO HUMANO	11	00		Д	4	ij		1	_] ≥	Z	Ы	Ì	<u>ط</u> د	א ה	Н	S

OCCUPATIONS.	Students	Operators.	Inentical Managers	Total	Agents and Canvassers Bankers and Brokers Bar Tenders Bottlers Butchers and Marketmen. Contractors and Builders. Druggists & Apothecaries Fish and Oyster Dealers Grocers Hotel Keepers and Inn-keepers	Junk Dealers.
Whole Mumber.	61	—	⊣	13	4448872	Ē
Accidents,	:	:	:	0.1	od : :== := : :	3
Alcoholism.	1	_:	:		1111111111	:
Apoplexy and Paralysis.		:	:	'		:
Asthma.	_ :	_ :	:	0.1	::::::::::::::::::::::::::::::::::::	_:
Bladder, Diseases of.	:	_ 1	: _	m	::::::::::::::::::::::::::::::::::::	_:
Bowel Diseases,	:	_ ;	:	 	:	:
Brain, Diseases of.	1	:	:	-		:
Bronchitis.	. ;		:	G1	+ : : : 61 : : : : : : : : : : : : : : :	
Свпсег.			30.0	9		
Consumption.		-	7	10	п.н.сі.н	
Debility.			200			=
Diabetes		_ :	÷	-		_:
Diarrhosa and Dysentery		-				Ĺ
Dropsy.						
Enteritis.						
Epilepsy.		-	:		- :::::::::::::::::::::::::::::::::::::	4
Erysipelas.		- :				3
Fevers, Malarial.						ľ
Fevers, Typhold, etc.		-				į.
Heart Diseases.		*		31		9
Influenza,		•			6165 : 31 H 61 H 4 31	-
Insanity.	:	-				1
Kidney Diseases.			£ 1			
Liver Diseases.				60		
Old Age.		•		G1		
		-		1		-
Peritonitis.				-		-
Pleurisy.		-7	•	-		-
Pneumonia,	pr.	G.	•	6.	H H 01 01	ġ
Rheumatism.	-	1	•	CA		
Septicamia,	1	-		1		:
Stomach Diseases.	:	:	:	6.1		•
	10 Pt 100	- term				

Table XII.—OCCUPATIONS AND CAUSES OF DEATH, 1893 —Continued.

<u> ;</u>			- :			-			:	_:	_:	-	:	:			_: :-	:
!				-						_:			•				<u>:</u>	1 67
<u> </u>					_							_:		_:		· 	<u>:</u>	<u> ~</u>
<u> </u>									_:	_:	_:	_:	_:	:			<u>:</u>	<u> </u>
:					:				:	:	_:		_:	_:			<u>:</u>	\Box
10	:	4		:	_ :			<u>. </u>		_:	_:	:	_:	_:				12
	:	:	:	:					_:	_:	_:		_:	<u>:</u>	_ :	_	. <u>:</u>	<u> </u>
<u> :</u>	_:	:		:		_:			Ξ	_:	_:	_:	_:	_:	_ :		_:_	1 200
1:	:			_ :	:				:	_:	:	_:	:	:			:	5
<u>L</u> :		•		_:		:			_ :	:	:	_:	ī	:	_ :		:	_∞
:	:	20	4	_	:		: :		:	:	:	:	:	:	:		67	122
1:			П	:					:	:	:	:		:			:	62
Ϊ:			H	:		: :			:	:	:	:	:	:	:	_	:	0.3
1:		C/I	C1	_	-				_	:	-	:	:	:	:		Н	26
1	:	П	Ē	_:	:	_			:	:	:	:	:	:	:		:	5
T :		:	:	:	-	:	:		:	:	:	:	:	:	:		-:	1:
1:		:	-	:	:			_	<u>-</u>	:	:	:	:	:	:		:	ं क
i :			:	:	:	-:			:	:	:	_:	:	:	:		:	i :
<u> </u>	:		:	:	:				T	:	:	:	:	:	:	-	:	i=
	•		•	:	:	•			•	-:	:	-:	:	:	:	_	:	┆╌╤
: 		•	:	<u>:</u>					_ <u>:</u>	-:	-:	:	:	- <u>:</u>	-:		÷	Ϊ:
<u> </u>	:	H	-: :	:	_:	•	•		-	:	:	-		-				4
<u> </u>	- <u>:</u>		4	÷	:	_	_:		•	— <u>:</u>	÷	:	-:	÷	-:		÷	5
<u> </u>	- :		မှ	•	-		<u> </u>	-	∹		\div	<u>~</u>	·	- <u>:</u>	-:		- <u>:</u> -	2
 	-:	_	က	-:	_:	:	-:			<u>-:</u>	<u>:</u>		-:		:		- <u>:</u>	5.1
┼≓	:	-	•	:	:	_:	-		-:	:	·	<u>-:</u>	:	:	:		÷	능
├.	:		<u>~</u> ;	.	_:	-:	•		- -	$\frac{\cdot}{\exists}$	-:	:	:	- <u>:</u>	<u>01</u>		÷	1
<u> </u>	-:	-:		-:	-:	_:	- :			-	:	:	:	\div			:	 -
 :	<u>:</u>	-	<u>:</u>	•	<u>:</u>	-:	•		:	·	<u>:</u>	·	•		:		÷	 _
<u> </u>	_:	:	<u>:</u>	•	<u>-:</u>	:	-:			<u>:</u>	:	\div	<u>:</u>	·	•		- :-	1 .
<u> </u>	_:	CI	=	-:	_:	:	_:		61	<u>:</u>	<u>:</u>		<u>:</u>	_ <u>:</u>	:		<u> </u>	:
 	:	.	-	•	-:	_:	•		•	•	•	_	•	•	<u>:</u>			1 2 1
.	_			_:	:		٠		61		:	_	- <u>:</u>		•		٠.	ا ي. آ
:			٠.		•					•			-	-	:		:	<u> </u>
5.5	_	2	4	C.1		0.1			12			ব্য			.11		43	185
	:	:	:	rs.	:	:	•	rant	:	:	:	:	:	:	:	ifed	:	:
Liquor Dealers	icy Brokers	nufacturers	rchants	an and Piano-tuner	vision Dealers	Iroad Officials	d Estate Brokers	oon and Restaur	cepers.	p-chandlers.	e Dealers	ble Keepers	ck Breeders	iders	dertakers	rious and Unspeci	radesmen	Total
			24 1 1 1 1 1 1 1 2	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	24 1 2 1 1 1 1 1 1 2 1 1 4 2 1 1 1 1 1 1	24 1 2 1 1 1 1 1 2 1 1 4 2 1 1 1 2 1 1 1 4 2 1 1 1 1	24 1 1 1 1 1 1 1 2 1 1 1 1 4 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 2 3 6 4 4 4 2 2 3 3 6 4 4 4 4 2 2 3 3 6 4 4 4 4 5 2 3 5 6 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	24 1 1 1 1 1 1 1 2 1 1 1 1 4 2 1 1 1 1 1	1 1 2 1 1 2 1 1 2 1 2 2	1 1 1 2 1 1 1 1 1 1	3	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	saurant 12 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	saurant 12 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Baurant 12 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Saurant 1 </td <td>saurant 1<!--</td--></td>	saurant 1 </td

Tuberculosis,			:	:	:	:	:	:	:	2	:	:		C3	0.1
Saicide.			:	:	:	1	:	:	:	:	:	:		:	1
Stomach Diseases.			:	:	:	:	:	:	:	:	:	:		:	
Septicæmia.			:	:		:	:		:	:	;	:			1:
Rheumatism.			:	:	:	:	:	:	:	:	;	:		:	1:
Pneumonia,			:	:	:	16	9	:	:	:	:	0.1			1 0
Pleurisy.			:	:	:	:	:	:	:	:	:	:		Н	1
Peritonitis.			0	:	:	:	:	:	:	:	:	-		:	-
Old Age.			:	:	:	9	-	:	:	Н	:	=		. 1	1 30
Liver Diseases.			:	:	:	9	01	:	:	:	:	:			100
Kidney Diseases.			:	٠	:	4	9	:	:	:	:	:		:	1
Insanity.	April 1		:	:	:	:	:	:	:	:	:	:		:	1 :
Influenza.				:	:	:	:	:	:)	:	Н		_	1-
Heart Diseases.			:	:	:	1	co		:	:	:		1		12
Fevers, Typhoid, etc.			:	:	:	00		:	:	:	:	H		3.	14
Fevers, Malarial.			1	:	1	:	•	:	:	•		- :			1
Erysipelas.			-					Ť	÷	1	-	-			
Epilepsy.		_	-	÷	·		-		-		٠.	-			
Enteritis,				•		÷			:			1	-	:	1
Dropsy.	_		-		÷	÷	÷		÷	i	•			:	1
Diarrhosa and Dysentery.			=:		:	=:		-	÷						1
Diabetes.				÷	-:		-	-:	-:			- :			1-
Debility.		-	-		·	-	-		:	÷	-:		-	175	01
Consumption.	-			÷		6	-	÷	·		•				-
Сапсет		-				3	7			7	÷	-00			7 11 11
Bronchitis.				•		4	O1	÷			•	H			7
Brain, Diseases of.			-:			0.1		-	-		-	H			1 00
Bowel Diseases.	- : -		- ÷		÷		-	÷			÷		-	-	1
Bladder, Diseases of.				-:		-	- :	÷	-;	÷		-:		÷	-
Asthma.			÷		:	-	i	-:	-:	- :	÷	-:	-:	-:	-
Apoplexy and Paralysis.		- James	i		:	9	60		-		:	-	-		1
Alcoholism.					÷	-					:	Ů	-		1
	-	_	÷		-	4	÷	÷	÷	÷	-	H		-	11
Accidents.		_	-	-	_	00	00	-	-	03	-	13	,	60	1
Whole Mumber.						9	82			-		-			121
OCCUPATIONS.	IV.	OUTDOOR Local.		Brick and Stone Layers	Calkers	Carpenters and Joiners	Masons.	Roofers	Sextons	Ship-carpenters	Slaters	Mai	Superintendents of High- ways	Wheelwrights	Total

Table XII.-OCCUPATIONS AND CAUSES OF DEATH, 1893.-Continued.

Suicide, Tuberculosis.			:	C)	- :	_		:	:	:		:	:	:		:	:	:	
Stomach Diseases.											_								
Septicemia.		_	-					÷		-	_		÷	-	÷				
Rheumatism.			-:	-	-:	-:	-:	-	=	:	-		•	:	÷	-	÷		_
Pneumonia.		_	-	63		-	-		-	÷	-		•	÷	÷	÷	÷	·	-
Plentisy.		_	:			-		:		,		-						÷	
Peritonitis.	-	_	-	-	:						-		÷	-	:	-	:		
Old Age.		_	-	-	:	-				:	-		*			:		-	
Liver Diseases.			,					-		:	-	:	-	:	÷	-	÷	:	
Kidney Diseases.			-	61		63		:			-			1	-:	-:	:		-
		_	•		-	-	-			,	-		:		:	-	:		-
Insanity.		_	:	-:	:		-	:	:		_				•	-:	:		-
Influenza.		_	1	20	-		- 1	-	:	:	_	:	:	:	:	-			
Heart Diseases.	_	_				-	_			:		-	-	-	:	=	•	•	-
Fevers, Typhoid, etc.		_				_			-	:	_	_	:	:		-		•	
Fevers, Malarial.	-	-			:	-		-	:	:			:	:	:				
Erysipelas.			;			-		:	;	:		:	:		•			-	
Epilepsy.		_		:				•		•			:	:	:	_:	÷	4	1
Enteritis.	-		:			-	:		:	:		:	:	:	:	:	:	:	3
Dropsy.			:	:		:	:	:	1	:		:	;	:	:	_:	_:	_;	
Diarrhea and Dysentery.		20	_:	:		:	:	:	:	:		;	3	:	:	:	:	:	
Dinbetes.			Г	:	:	:	:	:	:	:		:	:	:	:	:	:	:	
Debility.			:		:	:		:	:	:		:	:	:	:	:	:	:	
Consumption,			:	7	_	:		:	:	:		7	:	:	:	:	:	:	
Свисет.			:	-	:	:	:	:	:	:		:	:	:	:	:	:	:	
Bronchitis.			:	:	:	:		4	:	:		П		:	:	:	:	:	
Brain, Diseases of			:					:		•		:	:	:	:	:	:	:	
Bowel Diseases,			:	:	:		:	:	;	;		:	;	:	:		:	:	
Bladder, Diseases of.			:	:	:	:	:	:	:	:		:	:	:	:	:	:	:	ŀ
Asthma.			:		:		:	:	:	:		:	:	:	:	:	:	:	
Apoplexy and Paralysis.			:	CI	:			:	:	-		:		:	:	-	:	:	7
Alcoholism.			:		:		:	:	:	;		:	:	:	:		;	:	
Accidents.			H	:	:	:	:	:	:	:		:	:	:	-	0.1	-	H	I
Whole Mumber,			10	56	4	cc	60	Г	03	г		7	-	-	-	9	П	Т	-
OCCUPATIONS.	٧.	Indoor.—Active.	Bakers	Slacksmiths and Farriers.	Bleachers and Fullers		Brass Finishers.	Broom and Brush Makers		Calico Printers	Carriage-makers and	Trimmers	Confectioners	Cooks and Caterers	Coppersmiths	Dyers	Gun and Locksmiths	:	ron Rollore and Workers

Suicide,	en i s					•	•					:		:	:	:		:	:	: :
		. 60		:	Н	:	:		:			:	:	:		:		:	:	-
Stomach Diseases,		-	:	:	:	:	:		:	:	:	:	:	:	:	:		:	:	3
Septiciemia.		: :	:	-:	ဢ	-:	•	-	:	:	:	:	:	:	:			:	-:-	-: -:
Rheumatism.	1		-:	:	:	:	:		:	- :	:	:	:	:	¯:	:		-:-	:	::
Pnenmonia.	-	1 0	•	5	C1	H		1.3	П	-		4					7	30		
Pleurisy.	<u> </u>	: :	:	_	:	:	:	_	:	:	:	•	:	:	:	:		-:-	:	: :
Peritonitis.	-	٠ <u>-</u>	:	:	:	•	:		:	:	:	:	· :	:				,	-	:
Old Age.	111		14		П	-			•		٠		Н						•	10.74
Liver Diseases.	i :	. —	•	_	<u>01</u>	-:	:		:	:	:	•	-:	:		Н	-			: :
Kidney Diseases.	i :	. 4 ī	•	30	- :	:	_		_	-	:	•	•	-	Н	ar.	- 1	0	-	. 00
.ViinsanI	1	. –	:	٠.	-	:	:		:	:	•	:	:	:	-:-	- <u>:</u> -	-	:	•	: :
Influenza.	11160										4			9	-	•		-:-	,	- :
Heart Diseases.	1		:	Oi	5	o)	00	-	÷		•		-:	-	-	-:-	-	એ_ -	÷	∹∺
Fevers, Typhoid, etc.	1				oi							÷	÷	-	-:			-:-	-:	÷-:
Fevers, Malarial,		•	-	-				_	•		•	•	•	·	•	•	-	•	:	: :
Erysipelas.		: .	-	•	_	٠.	-		:	:	-:	:	:	-	:	:		÷	÷	÷:
Epilepsy.	1		:	:		- :-	-:	- ·	÷	···:	•	:	:	•	•	•		•	•	: :
Enteritis.						-		_	- 6				•							4 4
Dropsy.	1			- 77																-
Diarrhosa and Dysentery.	1 -						14		÷		24			14	÷	167		-1		
	1	. =	:		-			_					-	•	÷	:	_			
Diabetes.	1	•					•			٠	٠		•	*	•	,	-	•	•	
Debility,		. 1	63	7	9				7	27			:	:				-	-	. 60
Consumption.	1		-		-	:		-			-						_			7.
Cancer.				-	-	*	19		٠	+	٠		*	*	17			*	٠	
Bronchitis.	1 -	-		-	0.3														-	
Brain, Diseases of		্ব			~		٠	_	•	•										
Bowel Diseases.					_ <u>:</u>	÷	<u></u> -							•	•	•		:-	<u>:</u>	
Bladder, Diseases of.	1				Г.									:	•	:		:	_	
Asthma,				-	:		:				_:	_:	-∴	<u>:</u>	_ :	- <u>:</u>	_	÷	÷	
Apoplexy and Paralysis.		Ξ			0		00		0	G4	:		:	:	:		_	_	 -	. : :
Alcoholism.	1	: 01	_			-			_	•	•	•	•	:	:	:		:	:	: :
Accidents.		. 03			೧೦					_	7				G/I			. '	7	_ :
Whole Number.	1 9	69	-	23	39	4	Þ	_	-+	L-	_	_	П	Н	ಬಾ	೧೦		14	1	21 1
OCCUPATIONS.	tors	Machinists	hanics	ilders	iters and Glaziers	er Hangers	ern Makers.	terers and Stucco-	orkers	nbers	'ants	sors Grinders	the Makers,	p Boilers	tm Pipers	vards	erintendents and Over-	seers	smiths.	Tool Makers

1893.—Continued.
DEATH,
OF
CAUSES OF DEATH
AND (
XIIOCCUPATIONS
TABLE >

1	Tuberculosis.	::::	4	: : : : : : : : : : : : : : : : : : : :
	Suicide.	::::	7	:: :::::
	Stomach Diseases.		-	:: ::::
	Septicæmia.		က	:: ::::
,	Rheumatism.	::::	-	:: =:::=:
	Pnenmonia.	: :	35	0.00 0. : : : : :
	Pleurisy.	ī : : : : : : : : : : : : : : : : : : :	67	:: =:::=:
ģ.	Peritonitis.	::::	9	:::::::::::::::::::::::::::::::::::::::
na	Old Age.	T : : : :	9	
DEATH, 1893.—Continued	Liver Diseases.	::::	9	:::::::::::::::::::::::::::::::::::::::
ာ္ပို	Kidney Diseases.	: : : :	82	ਜ : ਜ : : ਨ :
!	Insanity.		<u>01</u>	:: :::=:
93	Influenza.	ī : : : :	0.1	
188	Heart Diseases.	: : : 67	88	ю: :::н <u>4</u> :
H,	Fevers, Typhoid, etc.	· · · · ·	j မိ်	
T	Fevera, Malarial.	1 : : : :		
E/	Erysipelas.	· : : : :	i ⊸⁻	
А	Epilepsy.	::::	i :	:::::::::::::::::::::::::::::::::::::::
OF	Enteritis.	l : : : :	i =	::::::::::
	Dropsy.	::::	-	::::::::
CAUSES	Diarrhea and Dysentery.	1 : : : :	03	:::::::::::::::::::::::::::::::::::::::
Ď.	Diabetes.	1 : : : :	ြက	:: ::::::
CA	Debility.	1 : : : :	i =	::::::::
	Consumption.	::	1-04	70 : 4HHH 8 :
AND	Cancer.	1 : : : :	 -	
	Bronchitis.	1 : : : :	1	
Ž	Brain, Diseases of.	1 : : : :	_c	:::::::::::::::::::::::::::::::::::::::
-OCCUPATIONS	Вожеј Direases.	T : : : :	j ¬ -	:::::::::::::::::::::::::::::::::::::::
AT	Bladder, Diseases of.	I : : : :	ြက	::::::::
J.	.amdtsA	T : : : :	1	
5	Apoplexy and Paralysis.	::::	ြင္တ	: - : : - : - : - : - : - : - : - : - :
ŏ	Alcoholism.	: : : :	+	
	Accidents.	: : : :	16	:::::::
	Whole Number.		895	312221
~		<u> </u>	छ	
ABLE		::::	:	Re- Ac Ac ac akers
T			:	y L
	NS.	::::	:	tivity d an c
:	TIO		:	[ctilicitis] letti a a in inles intel
!	 JPA	ver she	•	VI. -Aciritee ricte ris. rs. rs. rs. rs. rs. rs. rs. rs. rs.
ļ	OCCUPATIONS.	Waiters Wood-Carvers Wood Finishers	Total.	VI. Indoor.—Activity stricted. Barbers Bookbinders Book-keepers and countants Chasers Compositors Cigar Makers Clerks and Salesmen
	0	ers d-C d F	Tot	ers ers chir int int ers pos r M
Ì	1		•	Ini arb ook ook ook
	i			mam dococ

OCCUPATIONS.	Die Sinkers	noravers	Dile outton	ine-cutters	File Forgers.	inishers	Harness Makers & Sac	Jewelers	Lighthouse Keepers	peratives	Pearl Cutters	Polishers	Printers	Rubber Workers	Shoemakers	Silversmiths	Tailors	Watchmen	Wool Sorters	Cop Tube Makers	Total
	-						addlers		:		:		***			:		:	*		
Whole Number.	-	CC.	00	0	1	C.J	20	40	1	92	1	1	က	50	15	3	14	14	4	_	302
Accidents.	:		:	:	:	:		ಬ	:	1	:	:	;	:	П	:	:	Н	:	:	18
Alcoholism.			:	:	:	:	:	:	:	C)	:	:	:	:	:	:	:	:	:	:	1
Apoplexy and Paralysis.		_	1	:	:	:			•		:	:	:	-	ad	-	-10				4 26
Asthma.			:	:	:	:	:	:	:		:	:	:		64	:	3	:	-	:	1 9
Bladder, Diseases of.		-	:		:		:	63	:		:	:	:	-	-	:	-		-	•	1
Bowel Diseases.		_	:	:	:	:	:				:		-	_;		:	:	:	=		1.0
Brain, Diseases of.					٠	:	_		•	4	•			:	-	:	-				110
Bronchitis.	:	-	. "	-	:	_		:	:	69		:	-	:	:		-				1
Сипсет.				:	:	:	:	:	- 1		:	-			-	•	-		-	-	100
Consumption.	:		: 0		_		:	Ξ	:	25				24	_	_		34	-	:	3 85
Debility.		_			-		:	_:	- 3	.:	:				9	-	-	63	-		1 10
Diabetes.					:		-	=	-:			•	•		•			•		•	1 .
Diarrhea and Dysentery.					٠					-	•								:		1 00
Dropsy.						•				•	•		-:	-	:	:		:	:	-:	1 00
Enteritis.	li i G				:	:									4						Lá
Epilepsy.			:	:		:	:	:	:	-	- 1	:	:	-	:	:	:	:	•	:	1
Erysipelas.				:	:	:	-	:		:	-	-	:	-	:	:	:	-:	-	-:	1
Fevers, Malarial.		Ξ.	:	1	:	:	:	:	:		:	:	:	:	:	:	:	:	-:		1 :
Fevers, Typhold, etc.			:	:	:	:		_	:		:			:	- :	:	:	•			14
Heart Diseases.			:	:	:			Co1	:	2	:	:		:	:		CI		•		183
Infinenza.		T.	:	:	:	:	:	:	:		:		:	-	:	:		:	:	:	1
Insanity.	_		:	:	:	:	:	:		:	;	:	:	:	:	:	_	1	:	:	!_
Kidney Diseases.		-	٠	:	:	:	:	9	:	00	:	:	:	:	03	:		;		:	18
Liver Diseases.			:	:	:	:	:		:		:	:	:	:	:	٠:	:	:	:	:	1,0
.egA bfO	:		:	:	:	:	:	:	-	9	;	•	;	:	:	;	:	:	:	:	15
Peritonitis.			:	:	:	:	:	Н	:	:	3	:	:	:	:	:	:	:	:	1	0.1
Pleurisy.		¥	:	:	:	:	:	:	:	7	:	1	:	:	:	:	:	:	:	:	1 00
Pneumonia,			:	:	:	:		4	:	18	_	:	:	_	0.1	:	10	4	:	1	53
Rheumatism.	:		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		:	:	0.0
Septiciemia,			:	:	:	:	:	:	:		:	:	:	:	:	:	:	:	:	:	1 01
greeneld desired		-	1	:	:	:		П	:	0.1	:	:	:	-	:	:	:	:	:	-	1
Stomach Diseases.												_			_		_			_	

Table XII.-OCCUPATIONS AND CAUSES OF DEATH, 1893.-Continued.

Tuberculosis.				:	:	:	:		23			:	:	çç	3	:	
Suicide,			1	:	:	:		:	:	:	:	:		03	٠:	:	: ::
Stomach Diseases.			:	:	H	:	_	_	_	_		:	:	9	:	:	1
Septicemia.			•	:	:	:		:	:	:	:	:	:	H		: : :	Ė
Rheumatism.			÷		H		•			:		:	:	01	:	•	÷
Pneumonia.				-;		62	63	co		:				63	H	:	-
Pleurisy.		_	:	:	:	:	:	:	-	_	_	:	:	9	:	_	-
Peritonitis.			•	:	:		:	:	:	:	:	:	:	9	•	: :: ::	÷
Old Age.		-		:	:			;	-:	;		:	:	14			
Liver Diseases.	_	-		:	-			63	:	:	:	H		Ξ			-
Kidney Diseases.	_	_	:	÷	-	:	_	10	H		_		•	56	: :: ::	-	÷
Insanity.		-	:	:	:	:		;		:	:	:	:	C3	:	;	-
			:	1	_			:	:	:	_		:	4	:		
Influenza.	_	_			:	:	:	-	:	:	:	:	_		:	:	-
Heart Diseases.		_	:	:	:				=	=	11			831			Section of the formal of the f
Fevers, Typhoid, etc.	_	_	:		:		•	:	_		:	:	:	18	.:	-	
Fevers, Malarial.		_	:	:	:			:		:	:	:	:	:	:		•
Erysipelas.			:	:	:			:	:	:	:	:	:	-	:		•
Epilepsy.			*	:	:	:		:	•	:	:	:	-	:	:	:	- 3
Enteritis,			:	:	:	:		:		;	:	:	:	- 4	:	:	
Dropsy.			:	:	:	1		:	:	:	:	:	ः	4	:		- 3
. Visites and Dysentery.			:	:	:	:		:	:		:	:		7	:	:	:
Diabetes.			:	:	.:			7				:	:	7		_	:
Debility.			:	:	:	:		:	:	:		:		9	:	:	:
Consumption,			0.1	:	00	H	:	:		•	0.1	:		58	I	_	:
Cancer.			1	1	П	:	:	7	:	:	:	:		6	:		:
Bronchitis.				:	:	:	:	П		:	:	:	:	24	:	:	:
Brain, Diseases of.				:	:		:	CA	;	:	:	:	:	6	:	:	:
Bowel Diseases.			:		:	:	:	;	-	:	:	:	:	9	:	:	:
Bladder, Diseases of.	1.7				:	:	:	:	:	:		:	:	C3	:	:	
Asthma.			:	:		:		:	:	:	:	:	:	-	:	:	:
Apoplexy and Paralysis.			- 1	:	:	:		4	:	:	:	:	:	21	:	:	:
Alcoholism.			4	:	:	:	;	:	H	:	:	:	:	1	:	:	:
Accidents.			4		Н		:	0.1	:	Н	Н	:	:	33	Н	:	15
Whole Number.			9	co	6	10	03	67	9	03	10	-	7	379	co	0.1	Н
and and alouth				_	_	-		04	_		_	_		50		_	_
		H	i on	d		:	:		:	100	ner	:	:	:	:	:	:
		OCCUPATIONS AT LARGE.	BrakemenCar Drivers and Conduc-	:	:		Cab and Hack	Engineers and Firemen.	Expressmen	Fire Company Members.	Fishermen and Oystermen		:	:	:	:	Milkmen
zi zi		H	:3	:	:	- :	Sk.	ire	:	em	yst	:		:	i	:	÷
OCCUPATIONS		AT	: pu	:		:	Ia	H	:	Ž	0	:	:	:		:	:
PAT	Ξ	20	: ದ	:	:		d I	pu	:	Oy	nd	3,78	:	:	00	:	:
ID:	-	101	a	:	0		an	8	nen	ba	n a	cke	•	:	ter	1	
000		AT	Brakemen	:	Coachmen		q	ere	SIL	B	ne	Horse-Jockeys	Hostlers	Laborers	Lamplighters.	Mariners	en.
		Ϋ́	E G	tors.	hr	Drivers	స	ine	rea	ರ	err	ě	tleı	ore	pli	ine	ă
		ည	rak ar	3	280	riν		g	χĎ	īĒ	lsh	OF	081	ğ	a m	ar	ij
11)	ďЗ		ರ	A		Ē	Œ	Ē	Ξ	H	H	ũ	Ã	Z	×

Co 100 Co 20 Co	OCCUPATIONS,	Pilots. Sailors. Saslors. Sea Captains or Ship-masters Soldiers. Stage Drivers. Switchmen.	Total	EMPLOYMENTS OF WOMEN. Brush Makers	Clerks and Saleswomen.	Cooks	Dressmakers and Seamstresses
1	Whole Number.	0100 PHH45		1	CI	3	11
1	Accidents,	: == :::::			:	П	Н
Apoplexy and Paralysis	Alcoholism.	:::-					
Diseases of Diseases of	Apoplexy and Paralysis.	:: 0 =: 1 :		:		:	-
Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases of, Diseases, Disease	Asthma,						_:
1	Bladder, Diseases of.					:	
Discusses of District Distr	Bowel Diseases.	111 11111				:	
1	Brain, Diseases of,	::: 61::::	-				:
Cancer. Canc	Bronchitis.			:	_	:	- 2
Deblifty Deblifty Deblifty Deblifty Deblifty Deblifty Deblifty Deblifty Deblifty Deblifty Deblifty Deblifty Debey Deblifty Debey Deblifty Debey De	Сапсет,		-	:	3	-	
Diabetes Diabetes					:		-
Diabetes. Diab					Ü		
Dientroces and Dysentery. Dientroces and Dysentery. Dropsy.					:		
Dropsy. Drop		<u>, 144 - 1444 b</u>		:			
Epilepsy. Epil						:	
Epilepsy. Epil			-		_		_ 1
Every Majorial. Every Majo			-		- 1		
1 Peyers, Maintial, 1 Peyers, Maintial, 1 Peyers, Maintial, 1 Peyers, Maintial, 1 Peyers, Typhold, etc. 2 2 2 2 2 2 2 2 2				- :		-	-
1 1 1 1 1 1 1 1 1 1				-			:
1 1 1 1 1 1 1 1 1 1				- :			
Diffuential Diffuential							
District District			10		-		- 3
					-		_:
1 1 1 1 1 1 1 1 1 1				6	_	- 1	
		The state of the s	-	- 0		o A	
Dentionities Dent			-		_		
Depticable Dep					_	_	
Depticemia. Preamonia. Preamonia.		Detail History		•			
			111		-		-
Stomach Diseases.			60	- :	-		-
Bulcide.	and the same of the same of	La arier carsovivi un	Н	-	3		
			N			-	
Tuberculosis		1 11111	01	-			-:

Table XII.—OCCUPATIONS AND CAUSES OF DEATH, 1893.—Continued.

Tuberculosia.	Н		:	:	:	:	7	:	:	:	:	10
Snicide.	:	:	:	:	:	:	:	:	:	:	:	
Stomach Diseases.	62	:	:	:	:	:	:	:	:	:	:	1 20
Septicæmia,	:	:	:	:	:	:	:	:			:	1
Rheumatism.	-	:	:	:	:	:	H	:		:	:	10
Pneumonia,	67	П	:	:		;	4	:	:	:	:	10
Pleurlsy.	:	:	:	:	:	:	:	:		:	:	1
Peritonitis.	ಣ	:		:	:	:	4	:	:	:	:	10
Old Age.	1	_	:	:	:	:	:	01	:	:		15
Liver Diseases.	00	H	:	:	:	:	:	:	:	:	:	1 -
Kidney Diseases.	10	OJ.	:	-	:	0.1	-	H	:	:	:	
Insanity.	:	:	:	1	:	:	-	:	:	:	:	12
Influenza.	G)	:	;	-		;	:	-	:	:	:	1 10
Heart Diseases.	00	-	:	П	-	:	-	-	:	C.1	:	
Fevers, Typhoid, etc.	-		_		_	:	-	CI	_			100
		:	:	:	:	_	_		:	:	1	1
Fevers, Malarial.		•		•	:	:	-	:	:	-		10
Erysipelas.		:	:	:	:	:	:	:	:	:	:	1.
Epilepsy.		:	:	•	:		:	:	:	:	:	1
Enteritie.		-	:	:	:	:	:	:	:	:	:	1
Dropsy.	60	:	:	:	:	:	1	•		:		1
Diarrhea and Dysentery	-	:	:		:	:	:	:	1	:	*****	10
Diabetes.	50	:	:	:	:	:	:	:	:		:	1"
Debility.		:	:	:	:	П	က		1	:	:	1 4
Consumption.	12	0.1	-		:	:	14	-	-	П	00	15
Cancer.	0		:	:	:	Н	:	:	:	:	-	10
Bronchitis.	11	П	1	:	:		3	03	:	:	Н	100
Brain, Diseases of.	-	:	:	:	:	:	:	Н	:	:	:	10
Bowel Diseases.	H	:	:	:	:	:	:	:	:	:	_	1 -
Bladder, Diseases of.	H	:	:	:	:	_	:		:	:	:	1-
Asthma.	0.1		:		:	:	:	:	:	:	:: ::	Ic
Apoplexy and Paralysis.	Ξ	Н	:	:	:	:	:	H	:	H	:	1 4
Alcoholism.		H	•		:	:	-		:	:	:	10
Accidents.	=	П		:	:	:	4	:	:	:	:	10
	56	7	1	3	i.	4	41	12	1	4	9	1
Whole Mumber,	12	T					4	_				0.50
	:	:	:	:	:	:	:	:	:	:	:	
	:	:	:		:	:	Operatives	Servants and Domestics.	Sisters of Mercy	:	Teachers	
-6	:	:			:	:	:	est		:	:	
OCCUPATIONS	:	:	:	:		:		H	:	;	:	
E		:		:	:	:	:	00	cy.		•	
A7	20	:		:	:	:	:	d 3	ler	:		
Ē	Housekeepers	Housewives.	Laundresses.	:	Musicians		00	3.0	2	Tailoresses	÷	
00	ee	IV	ese	Milliners	n.	Nurses	Ve	80	of	386	00	3
0	ek	ew	dr	iei	318	88	ti	int	90	res	161	Potel
	ns	ns	II.	ij	816	rs	er	V.	tel	9	ac	-
	Io	10	18	E	J	T	d	e	18	2	0	

ż
S AND CAUSES OF DEATH, 1893.—RECAPITULATION.
Ą
5
H
S
Ž
Т
ബ
8
=
É
Ξ
4
Ξ
_
Ö
<u>.</u>
E
2
7
\mathbf{c}
\mathbf{z}
4
S
Z
\cong
٥
Δ
D
ဗ
Ŏ
Į
ರ್ಷ
ă
듈
ŏ
TABLE XII.—Continued.—OCCUPATIONS
ٺ
5
M
LE
AB
تے

Tuberculosis.	3	- 1		Ġ1	4
Suicide.	ಬ	1	0.1	\vdash	1
Stomach Diseases.	0.1	0.1	C)	-:	-
Septicemia.		-			60
Rheumatism.		64	-	:	
Pneumonia,	21	6	21	24	55 70
Plenrisy.		- :	:	H	01
Peritonitis.	н	H	90	Н	9
Old Age.	18	-	70	9	5
Liver Diseases.	CJ.	C1	00	70	9
Kidney Diseases.	01	-00	61	1.	00
Insanity.	H	1	67	- 1	GI
Influenza.	10		0.1	-	61
Heart Diseases.	56	12	26	10	9
Fevers, Typhoid, etc.	- 5	60	60	4	636
Fevers, Malarial.	:		:	:	GI
Erysipelas.	H	- :	60	1	-
Epilopsy.	:		:	- :	-
Enteritis.	H	•	-		
Dropsy.	. 01	- :	-	:	-
Diarrhoen and Dysentery	9			-	C)
Diabetes.	10	:-		-	60
Debility.	4			0.1	-
Consumption.		10	10		- 0
Cancer.	1013	61	10		140
	53	01	6	711111	-
Bronchitis.	-	-	00	90	6
Brain, Diseases of.	60	-	-	•	-
Bowel Diseases.	60	60	-		00
Bladder, Diseases of.	— H	01		-	-
Asthma.		9		4	
Apoplexy and Paralysis.	4 16			7	430
Alcoholism.					
Accidents,	4	0.3	0.	7	16
Whole Number.	166	72	185	121	. 268 16
OCCUPATIONS.	I. Thlers of the Soil	II. Professional and Per- sonal.	III. Optional Activity	IV. Outdoor.—Local	V. Indoor.—Active

Tuberculosis.

9

63

C4

17 18 Suicide. 626 10 1 1 Stomach Diseases, CJ -Septicæmia. 9 275 11 CI 0.1 Rheumatism. 53 83 53 Table XII.—OCCUPATIONS AND CAUSES OF DEATH, 1893.—Recapitulation, Continued Pneumonia. 30 12 5 9 9 Pleurisy. CA 00 00 Peritonitis. 410 37 16 16 7 139 48 69 Old Age. 10 Liver Diseases, 18 14 Kidney Diseases. -Н Insanity. 10 53 1 Influenza. 43 201 23 25 Heart Diseases. 4 55 9 8 Fevers, Typhoid, etc. 3 9 Fevers, Malarial. --1 Erysipelas. Epilepsy. 10 П Enteritis. 22 17 12 4 4 Dropsy. 9 1 91 Diarrhea and Dysentery. Q1 10 0.1 Diabetes. 1 10 290 25 Debility. 85 26 40 Consumption. 16 9 21812 508064 Cancer. 00 27 Bronchitis. 7 13 Brain, Diseases of, 8 19 15 Bowel Diseases. 10 03 Bladder, Diseases of. CJ -: Asthma. 161 98 31 15 Apoplexy and Paralysis. 48 12 C/3 4 31 Alcoholism. 18 00 1855 112 Accidents. 305 511 Whole Number. EMPLOYMENTS OF WOMEN Re-OCCUPATIONS AT LARGE... INDOOR. - Activity OCCUPATIONS. stricted..... ALL CLASSES.

7 DISEASES.
ES
闵
SD.
4
3
Η.
G 2
≂
\boldsymbol{H}
LEMENTARY
2
7
_₹
H
ァ
3
Ξ.
⋝
PLE
ᇽ
Ħ
24
PP
Γ
\sin
-SUPPL
$-\mathrm{sup}$
Ţ
Ţ
Ţ
XII.
Ţ

Vomiting of Pregnancy.		:	:	:	:		:	:	:	:	:	:	:	:	٠	:	:	:	:
Trichinosis.		:	:	:	:	:	:	:	:	d	:	:	:	:	:	:	:	*	•
Tetanus.		:	:	:	:	:	:	:	:		-	:	:	:	:	:	:	:	-:
Syphilis.		- :	<u></u>	- :	:	-:	:	\vdash	:	:	:	:	:	-:	-:	:	-	-:-	-:
Scarlatina.		:		:		:		:				-	2	:	-	:	Н	:	
ьприонату Етрћузета		:	:	:	:	:	:	:	:	:	:	П	:	:	:	:	:	:	:
Ovarian Tumor.		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1	:	:
Osteo Sarcoma,		:	:	:	:	:	:	:	:	-	:	:	:	:	:	:		:	:
Necrosis of Spine.		:	:	:	:	:	:	:		:	:	:	:	:	:	:	:	:	-:
Narcotism.		:	:	:	:	•	:	-:	•	:	:	-:	:	_:	:	:	•	:	:
Meningitis.		•	•	•		•	٠	•	٠	•	•	•	•	-,-	•	_	•	•	-:
Measles,	-	-:	•	-:	-:	÷	· -:	:	:	$\dot{=}$	•	•	•	•	•		•	•	≓
· · · · · · · · · · · · · · · · · · ·		- :	:	:	:	٠.	:	:	-:	_	- 1							:	- :
Locomotor Ataxia.		-	. •	٠	•	•		•	•						_	- , -		•	_•
Leucocythemia.		7.2	-	- 6	-		- 6	-	-		_				7.0		-	e e	-
Hernia.		ú			•		٠	,	,	-									
Hematemesia						- 1	-		_ :										
Gall Stones.		-				_	Н								-				
Emphysema.		:	-	:	:													:	_:
Cholera Morbus.		:	:	:	:	:	Τ	:	:	3						:	:	:	:
Carbuncle.				Н	-			:	:	:	:	:	:	:	:	:	:	:	:
Abscess of Psons		:	:	:	:	:			:	:	-:		-	-					
Abscess of Lung.		:	:	:	:	:	*	:	-	:	:	:	:	:	:	:	:	:	:
Арвсева.		:	3	:	:	:		:	:		:	:	:	:		:	:	:	
Appendicitis.		1	:	:	:	:	:	:	:	:	:	:	:	-	:	:	:	-	:
Whole Number.		Н	33	H	Н	П	G1	П	-	6	$\overline{\Box}$	G1	H	Н	Н	-	GI	-	F
		:	:	:	:	:		:			:	:	:	•	:		:	:	
		:	:	:	:	:	:		:		:	:	:	:	:				:
		:	:	:	1	:	:	:	:			:	:	:	:	:	2	:	:
		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	÷		:
		:		:	:	:	i	:	:	:	•		3	:	:	:	:		3
		-	6	:	3	:	8	:		:	3	•	:	ij.	÷	:	3	:	•
i			:	-	:	i	- 5	-	÷	•		0	:	:	:	:	ż	:	
		:	:	1	:	•	:	:	:	:	:	:	:	:	:	:	:	:	
pó		:	1	:	:			:		:		:		:	:	:	:		
OCCUPATIONS	'n	:	:	:	:	:		:	:	:	:	:	:		:	:	:	÷	1
E	MALES	:	1	:		*	16	:		:	:	:	:	:	:	:	:	9	3
JAD	Y	:	3	:	:	:	÷		:	:		:	:		:	:	:		9
TO CO	M	:	i	:		:		:	:	:	:	:	:	;	:	:		÷	1
ŏ		:	1	:	3	en.	:	ċ	:	:	- 1	:	:		÷	:		÷	1
		1	1	:		me	3	:	:	:			:		Ę.	:		:	or
		:	:		:	es	:		:	:	1	:	:		ect	:	:		PF
		on.	:	:		Sal	:	SIS	:		:		:	:	豆	:	:	:	P.B.
		ser	hs	:	0	P	÷	spe	:	:	90	:		8	-	:	:	00	Ã
		Bank Officers	Blacksmiths.	Butchers	Clergymen	an	Farmers	Kee	Janitors	00	ist	Masons	Mechanics	nt	Motormen (Electric	Moulders	Painters	an	no
		0	SE	ıeı	yn	00	ler	H	OL	re	iin	9118	ar	ha	Lu	de	ter	ICI	18
		nk	acl	te	erg	erk	rn	ote	nit	Laborers	Machinists	380	ech	erc	oto	onl	in	1ys	AO.

Table XII.—SUPPLEMENTARY DISEASES.—Continued.

Ovarian Tumor. Pmphysema.	:	:	:	:	:		-	:	-	:	-
	-	:		-	_		_				_
							-		-		
Osteo Sarcoma,	-:	:			:	-	_	:		:	
Mecrosis of Spine.	-	:	:	:	•	-1	_	:		:	
Narcotism.	- :	; "	_	:	:	-			÷	:	_
Meningitis.	:	:	:	:	:	-1		:	:		
Measles,		:	:	:	:	I		. ?	:	:	c
Locomotor Ataxia.		:	:	:	;	- 1		:	:	1:1	
Leucocythemia.	: "	-	:	:	:	-1		:	:	:1	-
Hernia,	1	:	:	: 1	-	031		1	:	:	
Hæmatemesis.		:	:	:	:	171		1	:	:1	
Gall Stones.	:	:	:	:	:	-1		:	:	: 1	_
Emphysems.	:	:	:	:	:	-1		:	:	:	-
Cholera Morbus.	:	_	4	÷	:	10	_	÷	i	: 1	10
Carbuncle,				:	:	O1	-			1 1	-
Abscess of Psoas.			•	:		-1	-	-	:	:	_
Abscess of Lung.	:	:	:	÷	:	-		·	:		_
Abscess.		:		÷	÷	H	-	:		:	
Appendicitis.	:	:			•	00	-	:		: 1	G
Whole Number.	- ·	- 0		-	•	1	-	-	-		1
Whole Number						1 36	_			0.1	000
	:	:	:	:	:			:	:	1	
		i	:		:			:	:		
	:	:	:	:				:	:		
			:		:				:		
		:		:							
		•	•	•						1	
	. 3	:		9	:			1	•	1	
TO 1				3				- 31			
OCCUPATIONS		:	:	٠				:	:		
10					:		ES		:	1	
AT				9			AI		:		
d D		٠.	٠		:		FEMALES	100	:		
99	:	3		:			H	er	:	- 7	
0	:	5	:	•	:			ep			
	:	:	:	:	:			Ke	•		3
	Shoemakers	Stable Keepers.	:	:	w atchmen			Boarding-house Keepers	Housekeepers	Total	1
		er	:	:	:			us	LS		7
	20	da	:	Traders				po	be	tal	1
	ke	ye	ė	:	Jei			80	ee	Co	Charles total
,	na	0 5	1	12				lin.	ek	-	,
	Jer.	0 5	7	ğ.	2			II	ns		
	e.	0 5	3 7	ğ .	2			E	130		

RESULTS AND OBSERVATIONS.

	·	
•		
•		
•		

GENERAL SUMMARY.

The number of births registered in the State of Rhode Island, during the year 1893, was ten thousand and forty-eight (10,048); the number of marriages, three thousand five hundred and forty-four (3,544); and the number of deaths, seven thousand four hundred and forty (7,440).

Table XIII.

General Results of Registration for ten years, 1854-63, and for each of the last thirty years.

	Whole Number		Living		
Tears.	of Births.	Still-born.	Births.	Marriages.	Deaths
1854-1863	38,042	1,471	36,571	14,948	24,230
1864	3,892		3,754		3,360
1865	3,955		3,778	1,896	3,405
1866	4,902	172	4,730	2,318	2,970
1867	5,127	163	4,964		2,889
1868	5.372	212	5,160	2,285	2,912
1869	5,245		5,025	2,289	3,382
1870	5,215	234	4,981		3,238
1871	5,678	223	5,455	2,336	3,344
1872	6,148	202	5,941	2,537	4,247
1873	6,022	228	5,794	2,630	4,403
1874	6,466	277	6,189	2,541	4,229
1875	6,508	246	6,262	2,485	4,317
1876	6,829	224	6,105	2,253	4,116
1877	6,285	242	5,998	2,282	4,450
1878	6,714	248	6,466	2,824	4,441
1879	6,850	216	6,134	2,396	4,472
1880	6,295	192	6,103	2,769	4,829
1881	6,761	264	6,497	2,750	5,016
1882	6,825	253	6,572	2,634	5,074
1888		253	6,798	2,611	5,282
1884	7,805	272	7,083	2,558	5,141
1885	7,028	271	6,757	2,488	5,389
1886	7,621		7,328	2,750	5,849
1887	7,668	276	7,892		6,340
				3,022	
	•			3,029	
	•			8,195	
				3,320	
				3,502	
	10,048				

During the period of forty years there were recorded, in Rhode Island, 238,098 births, of which number 8,914 were still-born, and 229,184 were living children.

During the same period there were recorded 93,076 marriages, or 186,152 persons married, and 168,568 deaths.

These results show that in every 267 births there was one still-born child, or that in every 1,000 births there were about 37 still-born and 963 living children.

The same results also show that the ratio of whole number of living births to the whole number of persons married, and to the whole number of decedents respectively, during the same period, were as follows:

	Of persons married,	Of deaths,
For every 100 living births there were	81.2 and	73.6

The number of births in 1893 was 778 more than the previous year; the number of marriages 42 larger, or 84 more persons married; and an increase of 44 deaths.

For every 100 births there were:

	Of persons married,	Of deaths,		
In 1890	77.4 and	83.8		
In 1891	72.5 and	72.3		
In 1892	78.5 and	82.8		
In 1893	73.6 and			

The last decrease in the number of births occurred in 1892, the decrease being 156.

A decrease also occurred in the years 1869, 1870, 1873, 1876, 1877, 1879, 1880 and 1885. The greatest decrease was 364, in 1879.

TABLE XIV.

Comparative Exhibit of Births, Marriages and Deaths in each Town in Rhode Island, in each of the Six Years 1888—1893, and Excess of Births over the Deaths in 1893.

Birtha tha:	Excess of	4.80	7	2012	108	9,42,50,88	
	1888	% 58	88	7.25 S	878	2445864	
	1892	825	8	181 22 14 38 14	88	######################################	i
TBS.	1881	2 25	239	00 82 44 88	8	~#####################################	
Ве лтва	1890.	25 115 118	35	88 20 20 20 20 20 20 20 20 20 20 20 20 20	470	28 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
	1889	2882	908	28 18 18 18	457	40188883	
	88	8 2 2	<u>126</u>	2824	804	819 819 819 819 819 819 819	
	1803.	55 45 33	114	84	88	4 6 6 7 6 1 6 1 6 1 6 1	
	1892.	288	88	88 171	88	8121148 8111148	
AGES.	1891.	404	84	88 159	88	8 2 5 - 5 8 4 4 4	
MARRIAGES	1890.	16 51 43	100	85 ± 75	083		
	1889.	2000	22	25.03	2	135	•
	1888.	51 28 28	72	8848	189	85 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	1893.	36 111 88	555	82 12 14 15 16 18	25	81388558	
	1892.	8188	198	8808	38	8-28232	
HS.	1891.	888	234	翌 12.5 8	S	322838	
BIRTHS	1890.	28.20	556	21.84	989	బాత్రభీశుల్వ	
	1889.	108	231	2882	98	378285	
	.1888.	2002	214	2 ts 2 3	88	4488588	
TOWNS AND DIVISIONS	OF THE STATE.	Barrington Bristol Warren	BRISTOL COUNTY	Coventry Last Greenwich West Greenwich Warwick	Kent County	Jamestown Little Compton Middletown Newport City New Shorelain. Portsmouth.	

TABLE XIV.—Continued.

Births ths.	Excess of Des	2010 2010 2010 2010 2010 2010 2010 2010	159		3,608
	1898.	35851 35851 3584 3584 3584 3584 3584 3584 3584 3584	30,	165	7,440
	1892.	0110 0200 0200 0200 0200 0400 0400 0400	368	133	7,396
DEATHS.	1891.	8827.542.44 886.682.883.44 886.682.883.44 886.682.883.683.683.683.683.683.683.683.683.683	808	116	6,620
DEA	1890.	8521 8521 8524 8524 8524 8524 8524 8524 8524 8524	318		6,934
	1889.	88118888888888888888888888888888888888	838	130	6,259
	1888.	250 25 25 25 25 25 25 25 25 25 25 25 25 25	368	105	6,594
	1898.	25 25 25 25 25 25 25 25 25 25 25 25 25 2	175		3,544
	1892.	288 88 6 6 7 7 7 7 7 7 7 8 8 8 8 8 8 8 8	88		3,502
Marriages.	1891.	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	8	•	8,820
Мавв	1890.	260 8 8 8 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8	213	:	3,195
	1889.	44885210011821 24885210011821 2488888888888888888888888888888888	173		8,020
	1888.	24242 2521 2521 2521 2531 2531 2531 2531 253	214	i	8,550 9,426 9,270 10,048 3,022
	1898.	21.00	466		10,048
	1892.	109 208 208 208 208 209 209 209 209 209 209 209 209 209 209	407	:	9,270
Вівтня.	1891.	138 193 193 193 193 193 193 193 193 193 193	386		9,426
Bir	1890.	881188811888198819881988198819881988198	88	<u>:</u>	
	1889.	441 441 561 562 563 563 563 563 564 565 565 565 565 565 565 565	42	:	8,220
	1888.	2008 2008 2008 2009 2009 2009 2009 2009	88	<u>:</u>	7,840
TOWNS AND DIVISIONS	ОГ ТНЕ STATE.	Burrilville *Cranston Cumberland Bast Providence Foster Glocester Glocester Johnston North Evoridence North Smithfield Pavrouger City Penviroger City Schinke Smithfield Woonsocker Providence Smithfield Woonsocker Providence Charlestown Exeter Hopkinton North Kingstown Sorth Kingstown Sorth Kingstown Sorth Kingstown Wortegenett Sorth Wingstown Wortegenett	WASHINGTON COUNTY	STATE INSTITUTIONS	WHOLE STATE

* Exclusive of deaths in State Institutions.

The varying numbers of the events of births, marriages and deaths occurring in the different towns, during each of the six years ending December 31, 1893, are very concisely presented in Table XIV, and a ready means is thereby afforded of comparing and studying the changes in the vital movements of the people in the different precincts, during those years.

The increase of population in the State, for the ten years 1880 to 1890, was about twenty-five per cent., or an annual average of two and one-half per cent. Doubtless the increase of population, during 1893, was not less than the average of the previous ten years, and, if so, the increase by immigration must have been nearly twice as large as the natural increase.

TABLE XV.

Births, Marriages and Deaths in Rhode Island, in 1893, with the number and ratio of each in every 1,000 of the Population of each Town, and the ratio of excess of the Births over the Deaths in every 1,000 of the Population.

TOWNS AND DIVISIONS OF THE STATE.	Estimated Popula- tion in 1893,	Births.	Births per 1,000 of Population.	Marriages.	Persons Married pr 1,000 of Popula- tion.	Deaths.	Deaths per 1,000 of Population.	Excess of Births per 1,000.
Barrington Bristol Warren	1,500 5,322 4,657	26 111 88	17.8 20.9 18.9	13 48 53	17.3 18.0 22.8	22 108 98	14.7 20.3 21.0	2.6 -6 -2.1
BRISTOL COUNTY	11.479	225	19.6	114	19.9	228	19.9	8
Coventry. East Greenwich. West Greenwich. Warwick	5,225 3,408 759 20,446	128 77 14 465	24.5 22.6 18.4 22.7	26 41 171	10.0 24.1 16.7	107 67 13 391	20.5 19.7 17.1 19.1	4.0 2.9 1.3 3.6
KENT COUNTY	29,838	684	22.9	238	15.9	578	19.4	3.5
Jamestown Little Compton Middletown Nbwpont Ciry New Shoreham Portsmouth	822 1,172 1,147 19,392 1,352 1,917 2,918	8 5 35 585 28 13 81	9.7 4.3 30.5 30.1 20.7 6.8 27.8	4 9 2 151 9 14 19	9.7 15.4 3.5 15.6 13.3 14.6 13.0	17 14 14 370 34 19 46	20.7 11.1 12.2 19.1 25.1 9.9 15.8	-11.0 -6.8 18.3 11.0 -4.4 -3.1 12.0
NEWPORT COUNTY	28,720	755	26.3	208	14.5	514	17.9	8.4
Burrillville Cranston * Cnmberland. East Providence. Foster. Glocester Johnston Lincoln North Providence. North Smithfield. PAWTUCKET. PROVIDENCE CITY. Scituate. Smithfield. WOONSOCKET	5,714 7,403 8,646 9,386 1,165 2,199 11,280 22,231 2 448 3,231 30,469 150,000 2,915 2,597 23,609	127 171 246 199 27 38 38 270 761 74 64 824 4,194 68 42 805	22.2 23.1 28.5 21.2 23.2 17.8 23.9 34.2 30.2 19.8 27.0 27.9 23.3 16.2 34.1	45 50 85 95 15 12 59 181 6 22 346 1,608 30 16 239	15.8 13.5 19.7 20.2 25.8 10.9 10.5 4.9 13.6 22.7 21.4 20.6 12.3 20.2	112 130 185 150 24 28 200 451 38 44 599 3,141 64 44 438	19.6 17.6 21.4 16.0 20.6 12.7 17.7 20.3 15.5 13.6 20.9 22.0 16.9 18.6	2.6 5.5 7.1 5.2 2.6 6.2 13.9 14.7 6.2 7.4 7.0 1.3 —.7 15.5
PROVIDENCE COUNTY	283,293	7,910	27.9	2,809	19.8	5,648	19.9	8.0
Charlestown. Exeter. Hopkinton Narragansett District. North Kingstown South Kingstown Richmond Westerly.	839 891 2,905 1,501 4,372 5,139 1,624 7,101	14 6 59 18 90 108 24 152	16.7 6 7 20.3 12.0 20.6 20.0 14.2 21.5	7 11 28 9 22 32 7 59	16.7 24.7 19.8 12.0 10.1 12.5 8.6 16.6	5 17 42 12 51 66 20 94	6.0 19.1 14.5 8.0 11.7 12.8 12.3 13.2	10.7 -12.4 5.8 4.0 8.9 7.2 1.9 8.3
WASHINGTON COUNTY	24,372	466	19.1	175	14.4	307	12.6	6.5
STATE INSTITUTIONS	1,877	8	4.3			165	87.9	-83.6
* Not including State Institutions.	879,579	10,048	26.5	8,544	18.7	7,440	19.6	6.9

^{*} Not including State Institutions.

BIRTHS. Proportion to Population.

In Table XV, on the preceding page, may be found the varying proportions of the number of births, marriages and deaths to every 1,000 of the population in the various towns and cities in the State, as they occurred in 1893.

In regard to births, the extreme range of proportion to population was from 4.3 in every 1,000, in Little Compton, to 34.2 in Lincoln. Following Lincoln, in the line of largest proportion, are Woonsocket, with 34.1; and Middletown, with 30.5. Following Little Compton, in the line of the smallest proportion of births to population, are Exeter, with 6.7 in every 1,000, and Portsmouth, 6.8.

The proportions of births to population in all the counties entire, and in the cities of Providence, Pawtucket, Newport, Woonsocket, and the whole State, during the last seven years are as follows:

BIRTHS TO EYERY 1,000 PERSONS.

	1893.	1892.	1891.	1890.	1889.	1888.	1887.
Bristol County	19.6	17.0	19.9	19.8	19.6	18.1	19.6
Kent County	22.9	23.0	25.8	23.8	26.6	24.6	23.0
Newport County	26.3	23.1	29.7	28.6	29.4	24.4	*20.0
Newport City	30.1	24.4	33.8	84.2	88.5	28.2	80.9
Providence County	27.9	26.9	27.7	27.2	24.8	24.9	+25.0
Pawtucket City	27.0	24.5	25.8	25.2	25.7	25.0	25.0
Providence City	27.9	27.8	29.3	25.9	24.9	24.4	24.3
Woonsocket	84.1	81.2	29.9	27.4	26.2	26.8	28.5
Washington County.	19.1	16.8	16.2	16.1	18.3	16.9	20.4
Whole State	26.5	25.2	26.5	24.7	24.1	24.2	24.2

PERSONS MARRIED. Proportion to Population.

The proportion to the population, of persons married, can be more correctly shown in counties, or in cities and aggregates of towns, than in single towns.

The following summary will present the proportions in the manner suggested, for the last seven years:

^{*} Newport county towns.

[†] Providence county towns.

PERSONS MARRIED IN EVERY 1,000.

	1893.	1892.	1891.	1890.	1889.	1888.	1887.
Bristol County	19.9	15.8	14.4	19.1	12.7	12.5	12.8
Kent County	15.9	16.3	16.3	17.2	19.7	16.7	16.8
Newport County	14.5	15.9	14.7	16.3	12.6	12.2	*11.8
Newport City	15.6	16.0	15.0	18.5	12.7	11.7	12.0
Providence County	19.8	20.2	19.9	20.3	19.8	19.8	*15.4
Pawtucket	22.7	22.3	21.9	19.0	21.8	23.5	24.6
Providence City	21.4	22.4	22.0	21.8	21.4	21.6	21.0
Woonsocket	20.2	19 3	20.3	19.8	19.1	17.4	17.2
Washington County.	14.4	16.2	16.3	17.1	14.9	18.7	16.6
Whole State	18.7	19.1	18.7	18.5	18.4	18.7	18.0

DEATHS. Proportion to Population.

The number of deaths in proportion to the living population, varies considerably from year to year in the different towns. The smaller the towns the greater, generally, is the annual variation.

The highest rate occurred in New Shoreham, that is, 25.1 in every 1,000 of the population; followed by Scituate, 22.0, and Cumberland, 21.4.

Several of the country towns had larger death-rates than either of the cities.

The lowest death-rate was in the district of Charlestown, that is, 6.0 in every 1,000 of the population; followed by district of Narragansett, with 8.0, and Portsmouth, with 9.9.

The following summary will give the ratios of mortality to the population in the cities and counties of the State, during the seven years ending December 31, 1893:

DEATHS IN EVERY 1,000 OF POPULATION.

	1893.	1892.	1891.	1890.	1889.	1888.	1887
Bristol County	19.9	20.0	20.5	22.1	17.6	21.3	18.2
Kent County	19.4	20.7	18.0	17.6	20.1	18.4	15.5
City of Newport	19.1	20,0	21.8	17.9	15.2	15.0	15.8
Newport County	17.9	20.1	20.6	16.5	14.7	18.0	15.2
Pawtucket	19.6	21.7	18.8	21.9	20.5	21.8	22.3
City of Providence	20.9	20.9	19.5	21.7	19.7	21.0	21.6
Woonsocket	18.6	19.5	19.6	20.5	19.8	22.1	28.4
Providence County	19.9	20.2	18.6	22.1	19.2	21.0	21.0
Washington County	12.6	15.2	12.6	13.5	14.6	16.0	15.5
Whole State	19.6	20.1	18.6	20.7	19.0	20.4	19.9

^{*} County towns.

The proportion of deaths to the living population, in 1893, was larger than the annual average of the previous six years, in Kent and Newport counties and in Newport city; and smaller in Providence and Washington counties, and in each of the cities, Pawtucket and Woonsocket, and about the same in Bristol county and Providence city.

Table XVI.

Proportion of Births, Marriages and Deaths to the Population, in the whole State, in each of the last twenty-five years.

	BII	ктнѕ.	MAR	RIAGES.		DEATHS	•
YEARS.	Number.	Of popula- tion one birth in every	Number.	Of popula- tion one person mar- ried in every	Number.	Of popula- tion one death in every	Deaths in every 1,000 of the popu lation.
1869	5,245	41.4	2,289	47.5	3,382	64.2	15.6
1870	5,215	41.7	2,362	46.0	3,238	67.1	14.9
1871	5,676	38.2	2,336	46.5	3,444	65.0	15.4
1872	6,143	35.4	2,537	42.9	4,247	51.2	19.5
1873	6,022	36.1	2,630	41.3	4,403	49.4	20.3
1874	6,466	39.9	. 2,541	50.8	4,229	61.1	16.4
1875	6,508	89.7	2,485	52.0	4,317	59.8	16.7
1876	6,829	40.8	2,253	57.8	4,116	62.7	15.9
1877	6,235	41.4	2,282	56.6	4,450	58.0	17.2
1878	6,714	38.5	2,824	55.7	4,441	58.1	17.2
1879	6,850	43.6	2,396	57.8	4,472	61.9	16.0
1880	6,295	48.9	2,769	49.9	4,829	57.4	17.5
1881	6,761	40.9	2,750	50.3	5,016	55.1	18.1
1882	6,825	40.5	2,634	52.5	5,074	54.5	18.8
1883	7,046	39.2	2,611	52.9	5,282	52.4	19.1
1884	7,305	41.7	2,558	59.4	5,141	59 2	16.1
1885	7,028	48.8	2,488	61.3	5,389	56.4	17.7
1886	7,621	40.8	2,750	56.5	5,848	58.2	18.8
1887	7,668	41.8	2,839	55.8	6,340	50.0	19.9
1888	7,840	41.1	3,022	53.5	6,594	50.0	20.4
1889	8,220	40.9	3,029	55.4	6,259	52.6	19.0
1890	8,550	40.8	3,195	54.0	6,934	49.8	20.7
1891	9,426	37.7	3,320	53.5	6,620	53.5	18.6
1892	9,270	39.6	3,502	52.4	7,396	49.7	20.1
1898	10,048	37.8	3,544	53.6	7,440	51.0	19.6

During the ten years 1871-1880, the average annual birth-rate was one birth in every 39.7 of the population, or 25.2 births in every 1,000; during the ten years 1881-1890, the average birth-rate was one birth in every 41.0 of the population, or 24.3 in every 1,000, a falling off of a proportion of nearly one birth in every 1,000 of the population.

During the period of ten years 1871-1880, the average annual deathrate was one in every 58.4 of the population, or 17.2 in every 1,000, according to the returns. During the ten years 1881-1890 the average annual death-rate was one in every 53.3 of the population, or 18.8 in every 1,000 of the living.

It must be remembered, however, that the returns during the last ten years have been more complete than in previous years.


	•			
·				

BIRTH RATES.

Diagram I.—Showing the number of births in every 1000 of the population, in each town and each county in the State during the year 1895, computed upon an estimated increase of the population by the Census of 1890.

For explanation see foot note on next page.







BIRTHS, 1893.

The general statistics of births in Rhode Island, during the year 1893, derived from the returns sent to the office of the State Registrar, may be found on pages 2 to 8, inclusive, in Tables I, II and III.

The whole number reported is 10,048, as before stated, and is 778 more than the number in 1892.

SEX OF THE CHILDREN.

Of the 10,048 children whose births were registered in 1893, there were 5,105 males and 4,943 females. This gives 103.3 males to each 100 females, or 508.1 males and 491.9 females in each 1,000 children.

The following Table shows the numbers and sex, and the proportions of each sex of the children born in Rhode Island, during the ten years 1854-1863, and in each of the last thirty years:

TABLE XVII.

			Males to each	Per 1,000 Births
Years.	Males.	Females.	100 Females.	Males. Females.
1854-1863	19,386	18,686	103.6, or	508.8 and 491.2
1864	1,949	1,942	100.3, or	500 9 and 499.1
1865	2,096	1,857	112.9, or	580.2 and 469.8
1866	2,546	2,356	108.0, or	519.4 and 480.6
1867	2,665	2,464	107.0, or	518.7 and 481.3
1868	2,745	2,627	104.5, or	511.0 and 489.0
1869	2,685	2,560	104.9, or	511.9 and 488.1
1870	2,679	2,536	105.6, or	513.7 and 486 3
1871	2,878	2,800	102.8, or	506.9 and 493.1
1872	3,065	3,058	100 8, or	502.2 and 497.8
1873	3,135		108 6, or	520.6 and 479.4
1874	3,311	8,155	104.9, or	512.1 and 487.9
1875	3,362	3,146	106.9, or	516.6 and 488.4
1876	8,291	3,038	108.3, or	520.0 and 480.0
1877	3,168		103.0, or	507.3 and 492 7
1878	8,402	3,312	102.7, or	506.7 and 493.3
1879	3,259	8,091	102.4, or	513.2 and 486.8
1880	8,241	3,054	106.8, or	514.8 and 485.2
1881	3,498	3,263	107 2, or	517.3 and 482.7
1882	3,509	3,316	105.8, or	514.1 and 485.9
1883	8,548	3,498	101 4, or	503.5 and 496.5
1884	8,713	8,592	103.4, or	508.3 and 491.7

TABLE XVII.—Continued.

			Males to each	Per 1,000 Births
Years.	Males.	Females.	100 Females.	Males. Females
1885	3,591	3,437	104.4, or	510.3 and 489.7
1886	3,897	3,724	104.6, or	511.3 and 488.
1887	3,968	3,700	107.2, or	517.5 and 482.5
1888	4,023	3,817	105.4, or	513.1 and 486.9
1889	4,193	4,027	104.1, or	510.0 and 490.0
1890	4,351	4,199	103.5, or	508.8 and 491.5
1891	4,926	4,500	109.5, or	522.6 and 477.4
1892	4.765	4,505	105.8, or	514.1 and 485.9
1893	5,105	4,943		508.1 and 491.9

The average proportion for forty years is 104.8 males to every 100 females. At the end of five years from birth the number of each sex is about equal, the males having a larger mortality during that period.

PROPORTION OF THE SEXES. Localities.

In Table II, on pages 6 and 7, will be found the number of children born in the different divisions of the State during the year 1893, together with the number of each sex.

The following Table will give more concisely the whole number of children born, arranged according to sex and locality, and the proportion of male children to every 100 female children:

TABLE XVIII.

BIRTHS, 1893.	Bristol County.	Kent County.	Newport County.	Providence County Towns.	Washington County.	Newport City.	Pawtucket.	Providence City.	Woonsocket.	Whole State.
Males	107	345	89	1,054	243	283	433	2,139	412	5,105
Females	118	339	81	1,041	223	302	391	2,055	898	4,948
			'			'				
Total	225	684	170	2,095	466	585	824	4,194	805	10,048
Males to each 100 females	90.7	101.8	109.9	101.2	109 0	93.7	110.7	104.1	104.8	103 3

The proportion of the sexes of children born in 1893 did not vary greatly in the whole State.

Compared with the previous year the decrease in the proportion of male births in the whole State was about 2.5 per cent.

The following Table exhibits the proportions of births of the sexes for the past thirty-one years in the larger divisions of the State and in the whole State:

TABLE XIX.

Number o					·		
BIRTHS.	Bristol County.	Kent County.	Newport County.	Providence County Towns.*	Providence City.	Washington County.	Whole State.
1863	120.0	98.4	97.0	101.8	111.4	108.7	105.8
1864	106.8	87.3	90.6	107.4	97.3	103.4	100.3
1865	119.3	118.2	108.8	118.8	113.8	88.1	112 9
1866	109.4	113.1	103.4	104.9	108.4	124.0	108.7
1867	115.5	98 3	1178	106.3	104 5	120.4	107.7
1868	117.4	88.7	100 2	101.6	102.4	136.5	104.5
1869	115.7	116.7	102.7	98.0	107.5	120.6	104.9
1870	126.4	111 6	100.0	105.1	104.9	99.5	105.6
1871	131.8	97.9	132 5	100.8	95.2	113.3	102.8
1872	109.2	92.8	109.1	103.5	95 7	110.6	100 9
1873	129.2	113.0	117.9	104.5	109.0	104.7	108 6
1874	98.7	111.9	101.3	110.4	102.9	94.0	104.9
1875	95.2	103.1	97.7	104.3	109.1	134.3	106.9
1876	142.1	104.4	108 5	108.0	106.8	103.7	108.3
1877	138.7	102.4	98.5	100.3	104.9	95.3	103.0
1878	120.5	120.6	94.8	101.5	106.8	78.8	102.7
1879	. 124.3	95.5	103.6	105.4	105.7	106.3	105.4
1880	117.2	110.5	113.5	102.4	107.6	95.4	106.1
1881	91.2	111.3	102.0	105.9	109.0	115.7	107.2
1882	94.7	110.2	112.5	103.1	106.5	105.7	105.8
1883	94.0	97.6	97.0	103.5	102.2	102.2	101.4
1884	105.0	111.7	92.9	102.5	105.8	99.0	103.4
1885	132.2	107.3	98.0	104.8	103 6	104.3	104.4
1886	120.0	81.7	102.6	106.7	105.0	121.7	104.6
1887	115.1	121.7	106.6	103.9	107,9	106.7	107.2
1888	98.1	105.1	105.0	103.4	107.4	110.2	105.4
1889	81.9	122.0	107.5	103.6	101.4	110.2	104.1
1890	96 5	113.0	106.8	108.5	98.3	97.4	103.6
1891	107.1	110.4	118.4	107.0	109.1	106.4	109 5
1892	120.0	102.1	102.4	110.7	100.0	98.5	105.8
1898	90.7	101.8	97.7	104.1	104.1	109.0	105.8

^{*} Including cities of Pawtucket and Woonsocket.

There will be found in the following summary in the aggregate, the average number of males to each 100 females, born during the thirty-one years from 1863-1893, in the different divisions of the State:

Bristol County	104.9 males to each 100 females.
Kent County	105.8 males to each 100 females.
Newport County	104.8 males to each 100 females.
Providence County Towns*	104.9 males to each 100 females.
Providence City	105 0 males to each 100 females.
Washington County.	107.2 males to each 100 females.
Whole State.	105.4 males to each 100 females.

BIRTHS AND SEASON.

Table II, on pages 6 and 7 of this report, gives the number of births occurring in the different months of the year, in the several divisions of the State.

According to this Table, the greatest number of births in any one month, in 1893, occurred in December, and the largest in any quarter in the fourth.

The following Table shows the total number of children born in the State of Rhode Island, according to the returns, in each quarter of each of the last six years; and also the aggregate number and the percentage of the aggregate of each quarter in forty years, from 1854 to 1893, inclusive:

			Ì				1854 to 1893	, inclusive.
QUARTERS.	1893.	1892.	1891.	1890.	1889.	1888.	Number.	Per cent.
January-March	2,374	2,233	2,195	1,951	1,864	1,862	56,177	23.59
April—June	2,291	2,179	2,271	2,083	2,024	1,833	56,339	23.66
July-September	2,674	2,422	2,454	2,224	2,160	2,084	62,240	26 15
October-December	2,709	2,436	2,506	2,292	2,172	2,061	63,342	26.60
Whole year	10,048	9,270	9,426	8,550	8,220	7,840	238,098	100.00

TABLE XX.

Table XX presents results showing that, according to the registration of forty years, the average proportions of births to the whole number of births in the different quarters of the year, were as follows:

^{*} Including Pawtucket and Woonsocket.

January—March	235.9 in every 1,000 births.
April—June	.236.6 in every 1,000 births.
July—September	261.5 in every 1,000 births.
October—December	.266.0 in every 1,000 births.

The proportions of births in Rhode Island, in the different quarters of the year, to the whole number of births in 1893, were as follows:

1.	1. January—March 23.6 j	er cent., or	236 in every	1,000
2.	2. April—June22.8 p	er cent., or	228 in every	1,000
3.	3. July—September26.6 I	er cent., or	266 in every	1,000
4.	4. October—December	er cent., or	270 in every	1,000
Fi	First six months	464 births in every 1,000 c	of whole nun	aber.
Se	Second six months	536 births in every 1,000 c	of whole nur	nber.

BIRTHS. Sex and Season.

In Table II, on pages 6 and 7, will also be found the number of births of each sex by months, as they occurred in the different divisions of the State, during the year 1893. From it we ascertain the number of each of the sexes born during each quarter of the year, with their relative proportions, and also the aggregates and proportions of the same for the whole State.

The following Table will present a summary of the quarterly periods, number of births, and proportions of the sexes, for the same year:

					Per 1,000,		
				Males to each	each	quarter.	
		Males.	Females.	100 Females.	Males.	Females.	
1.	January-March	1,218	1,156	105.4	513	487	
2.	April—June	1,162	1,129	102.9	507	493	
3.	July-September	1,854	1,320	102.6	506	494	
4.	October—December .	1,371	1,838	102 5	506	494	
Whole year		5,105	4,943	103.3	508	492	

The following Table shows the number of male children born to every 100 female children, in each quarter of the last three years; and also the proportion of births of male children to each 100 female children born, during five periods of five years each, from 1866 to 1890, inclusive:

TABLE	VVI
TABLE	$\Lambda\Lambda I$.

YEARS.	1893.	1892.	1891.	5 years, 1886-1890.	5 years, 1881-1885.	5 years, 1876–1880.	5 years, 1871–1875.	5 years, 1866-1870.
First Quarter	105 4	104 1	104.4	104.3	105.8	106 0	101.5	106.7
Second Quarter	102.9	102.1	107.6	105.4	104.8	102.7	104.7	107.3
Third Quarter	102.6	108 6	118.2	104.6	105.1	107.1	104.8	106.0
Fourth Quarter	102 5	107.8	107.8	106 5	102 5	108.2	106.5	104.8
Total average	103.3	105.8	109.5	105.2	104.5	106.2	104.2	106 2

The above Table shows the variation of the proportions of the sexes in the different quarters in the different years, and seems to conclusively determine that season has very little, if any, influence in the causation of sex.

PARENTAGE.

By reference to Table I, page 4, in the division of births there will be found the parentage of the children born in Rhode Island during the year 1893. It will be seen that of the whole number, 10,048, there were 3,303 of native parentage, 4,873 foreign, and 1,872 of mixed parentage.

By mixed parentage is meant the children born of native fathers and foreign mothers, and of foreign fathers and native mothers.

Of native fathers and foreign mothers there were 956, and of foreign fathers and native mothers, 916.

The following Table will show the number and parentage of the children born in the State, and the variations of the same from year to year, in each of the last three years; and also the number and variations occurring in three periods of five years each, and two of ten years each, from 1858 to 1892, inclusive:

TABLE XXII.

PARENTAGE. 18	893.	1892.	1891.	5 years, 1888 to 1892.	5 years, 1883 to 1887.	5 years, 1878 to 1882.	10years, 1868 to 1877.	10years, 1858 to 1867.
Native father and mother 3,	,303	3,123	3,819	16,511	15,001	14,169	25,645	20,321
Foreign father and mother 4,	,873	4,396	4,293	18,737	15,245	13,562	26,356	19,665
Native father, foreign mother	956	875	895	4,021	3,044	2,327	3,135	1,690
Foreign father, native mother	916	876	919	4,037	3,378	2,887	4,077	1,696
Parentage not stated								293
Total	,048	9,270	9,426	43,306	36,668	32,945	59,213	43,665

The following Table of percentages will show, in a different and perhaps clearer way, the same changes that have occurred in the proportions of the births in the different classes of parentage during the last three years; and during thirty-five years, from 1858 to 1892, inclusive, in three periods of five years each and two of ten years:

TABLE XXIII.

PARENTAGE.	1893.	1892.	1891.	5 years, 1888 to 1892.	5 years, 1883 to 1887.	5 years, 1878 to 1882.	10years, 1863 to 1877.	10years, 1858 to 1867.
Native father and mother	32.87	33.69	35.20	38 25	40.91	43.03	43.36	46.84
Foreign father and mother	48.50	47.42	45.50	43 14	41.58	41 23	44.53	45.36
Native father, foreign mother	9.51	9.44	9.60	9.30	8.30	6.95	5.37	3.89
Foreign father, native mother	9.12	9.45	9 70	9.31	9.21	8.79	6.74	3 91
Total	100.00	100.00	100.00	100.00	100.00	100.00	100 00	100.00

The registration of births, in 1893, is of interest as continuing to show a smaller proportion of children born of native fathers than of foreign fathers. A considerable number of those recorded as native fathers were children of foreign parentage.

The percentage of children of mixed parentage was about the same, in 1893, as in the previous year.

The following Table will present the percentages of children of native and of foreign-born fathers, and of native and foreign-born mothers, respectively, in each of the last three years, and in each of three periods of five years each and two of ten years each, from 1858 to 1892, inclusive:

TABLE XXIV.

CHILDREN WITH	1893.	1892.	1891.		5 years, 1883 to 1887.	5 years, 1878 to 1882.	10years, 1868 to 1877.	10years, 1858 to 1867.
Native fathers	42.38 57.62	43.13 56.87	44.80 55.20	47.56 52.44	49.21 51.79	50.08 49.92	48 78 51 27	50.73 49.26
Native mothers	41.99	43.14	44.90	47.57	49.91	51.79	50.10	50.75
Foreign mothers	58.01	56.86	55.10	52.43	50.09	48.21	49.90	49 25

The percentage of the children born of foreign fathers and of foreign mothers, during 1893, will also be noticed as being very considerably larger than in any previous year.

The number of native fathers of children born in 1893, was 1,530 less than the number of foreign fathers, and the number of native mothers was 1,610 less than of foreign.

BIRTHS OF COLORED CHILDREN.

The number of births of children of colored parentage reported for the year 1893 is 203. This number is 21 more than that of 1892, and 30 more than in 1891.

In regard to sex, the numbers and proportions were as follows, viz.: Males, 91, females, 112; or 81.3 males to each 100 females.

The following summary will show the changes that have occurred from year to year, in the proportions of the sexes of colored children born in Rhode Island, during the last eighteen years:

	Whole			Males to each
Years.	Number.	Males.	Females.	100 females.
1876-1885	1,762	849	913	98 0
1886	212	117	95	123.0
1887	211	111	100	111.0
1888	202	109	98	117.2
1889	194	87	107	81.8
1890		89		94.6
1891	178	86	87	98.9
1892	182	94	88	106.8
1898	203	91	112	81.3

The following Table will show the location, number, sex, etc., of colored births during 1893:

Table XXV.

Showing Number, Sex, etc., of Colored Births, 1893.

TOWNS AND CITIES.	Whole Number.	Males.	Females.	COUNTIES.
Bristol	6	4	2	Bristol County
Coventry	1		1	
East Greenwich	7	4	3	
West Greenwich	1		1	
Warwick	1	1		Kent County 10
Little Compton	1	1		
NEWPORT CITY	38	15	23 [.]	
Tiverton	1	1	· • • • • • • • • • • • • • • • • • • •	Newport County 40
*Cranston	1	1		
East Providence	8	1	2	
Johnston	1		1	
Lincoln	2	1	1	
PAWTUCKET CITY	4	1	3	
PROVIDENCE CITY	121	58	68	Providence County185
Narragansett District	1		1	
North Kingstown	2	2	· ·••••	
South Kingstown	10	5	5	
Richmond	2	1	1	Washington County 18
Whole State	203	91	112	20:

NUMBER OF CHILD OF THE MOTHER.

In the following Table will be found the number of the child of the mother born during 1893; that is, how many of the children born were reported as the first, second or third child, etc., of their respective mothers. The statistics on this subject begin with the year 1857, and the following Table includes the children reported during the last six years, and also the total for thirty-seven years, 1857 to 1893, inclusive:

TABLE XXVI.

Number of the Child of the Mother.	1888.	1889.	1890.	1891.	1892.	1893.	37 years, 1857–1893.
First	1,998	2,082	2,103	2,345	2,383	2,500	55,760
Second	1,545	1,545	1,816	1,899	1,754	1,981	44,964
Third	1,182	1,209	1,253	1,380	1,444	1,484	34,845
Fourth	884	923	924	1,055	1,050	1,138	26,281
Fifth	609	725	699	772	754	825	19,612
Sixth	475	503	515	594	520	608	14,394
Seventh	329	870	364	392	416	449	10,318
Eighth	281	278	294	297	311	297	7,371
Ninth	185	207	187	234	218	224	4,974
Tenth	141	162	156	169	149	160	3,858
Eleventh	83	96	89	114	113	107	2,025
Twelfth	50	47	61	71	75	81	1,300
Thirteenth	38	29	46	40	36	44	724
Fourteenth	21	23	22	26	18	23	366
Fifteenth	9	12	11	17	13	12	202
Sixteenth	4	2	4	6	10	. 9	101
Seventeenth	2	8	. 2	0	4	3	59
Eighteenth	3	8	2	5	1	1	26
Nineteenth	1	1	2	2	1	1	14
Twentieth	0	0	0	2	0	. 0	e
Twenty-first.	0	0	. 0	0	0	1	4
Twenty-second	0	0	0	. 0	0	0	2
Unstated	0	0	0	0	0	100	100
, makal	7 040	. ດ ເວລກ	0 550	9,426	0.970	10,048	226,806
Total	7,840	8,220	8,050	9,420	8,210	10,048	220,800

There was an increase of 778 in the whole number of births in 1893 from the number in 1892.

In the class of the first child of the mother, the increase was nearly 5 per cent., while in the class of second child of the mother their increase was nearly 13 per cent.

In the class of third child of the mother the increase was nearly 3 per cent.

There are varying differences in the proportions of all classes in the different years.

The most of those in the class "Unstated" (number of the child of the mother) were Italians.

There was one return of birth in each of the eighteenth, nineteenth and twenty-first classes.

The proportion of each class to the whole number will be shown by the following Table, which gives the percentage of the children born in each of the last four years, who were respectively the first, second, third, etc., children of the mothers, and which will also give the aveage percentage of each class of births, during a period of ten years, from 1867 to 1877 inclusive, and of five years, 1878 to 1882, 1883 to 1887, and from 1888 to 1893, inclusive:

								: ====================================
Number of the	1893.	1892.	1891.	1890.	5 years, 1888 to 1893.		5 years, 1878 to 1882.	10 years, 1868 to 1877.
First	24.88	25 70	24.88	24.59	25.20	24 30	23.1	25.2
Second	19.72	18.92	20.15	21 25	19.77	19.22	18 1	20.7
Third	14.77	15.58	14.67	14.65	14 94	14.82	16.9	15.5
Fourth	11.33	11.38	11.19	10.45	11.10	11.05	12.2	11.4
Fifth	8.21	8.13	8.29	8.17	8.23	8.56	9.1	8 4
First to Fifth	78.91	79.66	79.18	79.11	79.24	77.80	80.0	81.1
Sixth and over and unstated	21.09	20.34	20.82	20.89	20.76	22.20	20.0	18.9
Total	100 00	100 00	100.00	100 00	100 00	100.00	100 0	100.0

TABLE XXVII.

PLURALITY BIRTHS.

The general statistics in relation to plural births, in Rhode Island, may be found on page 8, in Table III.

There were ninety-three cases during the year, ninety-one of which were twins and two were triplets, thus making the number of one hundred and eighty-eight children.

Of the 188 children of plural birth, 82 were males, and 106 were females.

The cases occurred in the different divisions of the State as follows: Bristol county, 0; Kent county, 4; Newport county towns, 4; Newport city, 8; Providence county towns, 37*; Providence city, 40; Washington county, 0.

^{*} Including Pawtucket and Woonsocket.

The following exhibit will show the parentage of children of plural birth in Rhode Island, in 1893, and number of each:

Parents both native Americans	. 32
" " born in Canada	. 15
" " England	. 4
" " Germany	. 3
" " Italy	. 1
" " Ireland	. 12
" " Russia	. 1
" " Sweden	. 1
" " Western Islands	. 1
Native father and Canadian mother	. 8
Native father and Nova Scotia mother	. 2
Native father and Irish mother.	. 3
English father and native mother.	. 1
English father and Australian mother.	. 1
English father and Canadian mother	. 1
English father and Irish mother	
English father and Scotch mother	. 1
German father and native mother.	. 1
German father and Polish mother	. 1
Irish father and native mother	. 2
Irish father and New Brunswick mother	. 1
Scotch father and Canadian motner	. 1
Swedish father and English mother	. 1
Total births	. 98
Total children	. 188
The months in which the plurality births occurred were as follows	:
January18 April15 July15 October	. 20
February	14
March	20
	_
First Quarter	. 54
First half of year 87 Second half of year101	
Total	

The general statistics of births, and number of cases reported in Rhode Island during a period of forty years, that is, from 1854 to 1893, inclusive, are as follows:

233,070 cases of single births	giving :	233,070 children.
2,476 cases of twin births	giving	4,952 children.
24 cases of triple births	giving	72 children.
1 case of quadruple births	giving	4 children.

Of the whole number of cases of child-birth (235,571) during the forty years, one in 95.1 produced twins, one in 9,815 produced triplets, and one in 235,571 produced quadruplets.

Of the whole number of children born during the same period (238,098), ascertained from the reports, one in every 48 was a twin, and one in every 3,307 was a triplet.

Of the 2,501 cases of plurality birth which have occurred in the State during the last forty years, there were 999 cases in which both parents were natives; 1,184 cases in which both parents were foreign; 310 cases in which the parents were mixed, that is, one native and one foreign parent; and 8 in which the parentage was not stated.

The whole number of children born in plurality cases, during the forty years, was 5,028, of whom 2,547 were males, and 2,477 were females; the sex of the remaining four was not given.

STILL-BORN.

The whole number of still-born children reported in Rhode Island, for the year 1893, was 412; this number is 41 more than for the year 1892.

The following are the numbers reported from the different divisions of the State:

Bristol County	••••••	19
Kent County		g
Newport County Towns		8
Newport City		29
Providence County Towns		70
Pawtucket City		89
Providence City		210
Woonsocket		20
Washington County	••••••	18
Whole State		419

The following Table will give the number in each town from which still-births were reported; with the sex, parentage and color:

TABLE XXVIII.

Still-Born, 1893, Locality, Number, Sex, Parentage and Color.

TOWNS AND DIVISIONS OF		SEX.		PARE	NTAGE.	COLOR.	
THE STATE.	Total.	Males.	Females	Native.	Foreign.	White.	Colored.
Barrington	1	1			1	1	
Bristol	10	6	4	5	5	10	
Warren	8	7	1	8	5	8	
BRISTOL COUNTY	19	14	5	8	11	19	
Coventry	2	1	1	2		2	
East Greenwich	1		1		1	1	
Warwick	6	4	2		6	6	
KENT COUNTY	9	5	4	2	7	9	
Middletown	1	1			1	1	ļ
NEWPORT CITY	29	18	11	18	11	27	
New Shoreham	2	1	1	2		. 2	ļ
Civerton	5	1	4	1	4	5	į
NEWPORT COUNTY	37	21	16		16	35	
Cranston	1		1	! '	1	1	ļ
Cumberland	9	7	2	;	9	9	
Cast Providence	7	3	4	5	2	6	1
Johnston	8	4	4	5	3	. 8	!
Lincoln	42	21	21	. 7	35	42	ļ
North Providence	1	1		. 	1	1	ļ
PAWTUCKET	32	18	14 .	11	21	32	ļ
PROVIDENCE CITY	210	119	91	88	122	205	!
Scituate	1	i	1	1		1	
Smithfield	1		1		1	1	ļ
Woonsocket	20	13	7 !	12	8	20	¦
PROVIDENCE COUNTY	832	186	146	129	203	326	
Pharlestown	1	1	 	1		1	ļ
Iopkinton	2	 	2	2		2	ļ
North Kingstown	4	4		2	2	4	
South Kingstown	3	2	1	8		1	
Westerly	5	2	3	4	1	5	ļ
Washington County	15	9	6	12	3	13	: !
otal	412	235	177	172	240	402	1

SUMMARY OF SEX OF STILL-BORN.

The following Table shows the number and sex of the still-born children whose births were reported in Rhode Island during each of the last five years, and also of a period of forty years, extending from January 1, 1854, to December 31, 1893:

TABLE XXIX.

SEX.	1898.	1892.	1891.	1890.	1889.	January 1, 1854, to Dec. 31, 1898.
Males	235	217	158	184	186	5,294
Females	177	154	114	112	143	3,748
	ļ					
Total	412	371	272	296	329	9,042

The average proportions of the sexes of the still-born, for the period of forty-years, were as follows: In every 100 still-births there were about 59 males and 41 females.

Season of Still-Births.—During 1893, and also the thirty-two years from January 1, 1854, to December 31, 1885, the proportions in relation to season, by percentage, were as follows:

	1893.	32 years.	1893.	32 years.
First Quarter	25.78	24 82	Third Quarter 21.6	0 26.82
Second Quarter	25.00	23.16	Fourth Quarter27.6	725.20
			-	
Per cent. first half of	f the year 50 73	47.98	Last half of the year49.5	7 52.02

The births of the still-born in the different months of the year, although somewhat variable in number, do not, as a rule, show great discrepancies.

PARENTAGE OF THE STILL-BORN.

Of the 412 still-born children reported in 1893, there were 172 of native, and 240 of foreign parentage, reckoned by the nativity of the fathers, that is, the father's name given; and 174 of native and 238 of foreign, reckoned by the nativity of the mothers, name of father given or not given.

ILLEGITIMATES.

In the following Table will be found the whole number of illegitimate births returned during 1893, with the sex, color, parentage and locality of birth:

Table XXX.

Illegitimates, 1893.

		sı	ex.	co	LOR.	PARE	NTAGE.	Penal 8.
TOWNS.	Whole Number.	Males.	Females.	White.	Black,	Native.	Foreign.	Almshouses and Penal Institutions.
Bristol	4	3	1	1	3	3	1	
East Greenwich	2	1	1		2	2		
Middletown	2	2	****	2			2	
Newport Clty	6	3	3	3	3	4	9	1
New Shoreham	2		2	5		2		
Cranston	11	8	3	11		6	5	10
Cumberland	1	1		1			1	
East Providence	1		1	1			1	
Glocester	1	1		1			1	
Pawtncket								
Providence City	92	42	50	79	13	51	41	57
Woonsocket	4	2	2	4		4		
Exeter	1		1	1		1		
Hopkinton	1		1	1		1		
North Kingstown	1		1	1		1		
South Kingstown	7	4	3	2	5	7		
Westerly.	1	1		1	,	1	2****	
Whole State	137	68	69	111	26	83	54	68

There were returns, during 1893, of 137 children of illegitimate parentage. The number is 42 more than that of the previous year.

Sex.—Of the 137, there were 68 males and 69 females.

Color.—Of the 137 illegitimates born during 1893, 111, or 81.0 per cent., were white, and 26, or 19.0 per cent., were colored.

Parentage.—Of the 137, 83, or 60.6 per cent. of all, were born of native mothers, and 54, or 39.4 per cent., of foreign-born mothers. Forty-nine, or 35.7 per cent., were born in Rhode Island. The colored illegitimates were of native parentage. There were of the 111 white illegitimates, 57 born of native mothers, and 54 of foreign mothers.

The ages of the mothers were as follows:

	No. of		No. of		No. of
Age.	Mothers.	Age.	Mothers.	Age.	Mothers.
15	1	22	8	30	1
16	8	23	10	81	2
17	1	24	8	82	2
18	9	25	5	35	2
19	13	26	6	37	1
20	15	27	4	40	2
21	9	28	4	Not giver	1 31
Total					197

Number of Child of Mother.—In 112 cases this was reported as the first child of the mother, in 12 cases the second child, in 5 cases the third, in 3 cases the fourth, in 1 case the fifth, in 2 cases the tenth child, and in three cases the number of the child was not stated.

Sixty-eight of the illegitimates were born of indigent, pauper or criminal mothers, in public, charitable or penal institutions.

Fifty-seven of these births occurred at the Lying-In Hospital in the city of Providence.

The proportion of illegitimates to the whole number of births was about one in every 100 cases, or about eleven in every 1,000 births.

MARRIAGES, 1893.

The number of marriages registered in Rhode Island, during the year 1893, was 3,544. This number is 224 more than in 1891, and 42 more than in 1892.

The general statistics of marriage in 1893, in relation to season and number, in the different divisions of the State, may be found in Table IV, on the ninth page.

The statistics in relation to the proportion to population of persons married in 1893, in each of the towns and general divisions of the State, may be found in Tables XV and XVI, on pages 104 and 107.

The following Table will present the number of marriages, and the ratio of marriage to population, in each year for a period of thirty-four years, 1860 to 1893, inclusive:

TABLE XXXI.

YEARS.	Number Marriages.	Of Population, one Person Married in every	Persons Married per 1,000 of Popula-tion.	YEARS.	Number Marriages.	Of Population, one Person Married in every	Persons Married per 1.000 of Popula- tion.
1860	1,748	50 0	20.0	1878	2,324	55.7	17 9
1861	1,533	56.8	17.6	1879	2,396	57 8	17.5
1862	1,450	61.1	15.1	1880	2,769	49 9	20 0
1863	1,618	54.7	18.3	1881	2,750	50.3	19.9
1864	1,844	50 1	19 9	1882	2,634	52 5	19 0
1865	1,896	48 7	20.5	1883	2,611	54.4	18.3
1866	2,318	39 9	25.1	1884	2,558	58.1	17.2
1867	2,344	39 8	25.1	1885	2,488	61.3	16.3
1868	2,285	40.5	24.8	1886	2,750	56.5	17,7
1869	2,289	47.5	21.1	1887	2,839	55 8	18 0
1870	2,362	46.0	21.7	1888	3,022	53.5	18.7
1871	2,336	46.5	21 5	1889	3,029	57.8	17.3
1872	2,537	42.9	23.2	1890	3,195	54 1	18 4
1873	2,630	41.3	24 2	1891	3,320	53.5	18.5
1874	2,541	50 8	19.6	1892	3,502	52 4	19 1
1875	2,485	52.0	19 2	1893	3,544	53 6	18.7
1876	2,253	57.3	17.5				-
1877	2,282	56.6	17.7	Annual Aver	age	52.8	18.9

SEASON.

The following Table will show the number and percentage of marriages in Rhode Island, in each month and each quarter of the year 1893, together with the aggregate number and percentage in each quarter for forty years, viz., from 1854 to 1893, inclusive:

TABLE XXXII.

MONTHS.	Number of marriages each month, 1893.	Number of Mar- riages each Quar- ter, 1893.	Percentage of each Quarter to total Marriages, 1893.	Number of Mar- riages per Quarter, 40 yrs., 1854-1893.	Percentage each Quar- ter, 40 years.
January	335)				
February	267 }	1st Quarter 735	20 74	1st Quarter20,278	21.86
March	133				
April	368)				
May	262	2d Quarter 1,075	30 33	2d Quarter 23,616	25.23
June	445				
July	259]				
August	254	3d Quarter 796	22.46	3d Quarter 21,773	23,39
September	283				
October	343]				
November	418	4th Quarter. 938	26.47	4th Quarter27,388	29.53
December	182				
Total		3,544	100 00	* 93,075	100.00

As in 1892, the largest number of marriages, in any one month, during 1893, occurred in the month of June. For thirty-eight years previous to 1892 the greatest number of marriages was in the month of November.

There was, in 1893, a change from the rule in the proportions of the number of marriages, in the different quarters of the year, to the whole number during the year. The rule has been as follows: The largest proportion in the last quarter; the next largest in the second quarter; followed by the third quarter; and, finally, the first quarter having the smallest proportion of any. In 1893 the largest proportion was in the second quarter.

During 1893 the proportions in the different quarters, from the largest to the smallest, were as follows: Second quarter, 30.33 per cent.; last quarter, 26.47 per cent.; third quarter, 22.46 per cent.; first quarter, 20.74 per cent.

NATIVITY OF PERSONS MARRIED.

The following Table shows the number of marriages, according to the nativities of the parties, for each of the last four years, and also

^{*} Including 20, date not given, recorded previous to 1860.

for the aggregate of twenty-five years, from 1858 to 1882, inclusive, of five years, from 1883 to 1887, inclusive, and of five years, from 1888 to 1892, inclusive:

133

TABLE XXXIII.

BIRTH-PLACE.	1893.	1892.	1891.	1890.	5 years, 1888-1892. Total.	5 years, 1883-1887. Total.	25 years, 1858-1882 Total.
United States	1,577	1,672	1,551	1,555	7,813	7,157	88,558
Foreign countries	1,224	1,100	1,079	951	4,978	8,601	13,753
Native groom, foreign bride	851	343	346	345	1,687	1,323	8,488
Foreign groom, native bride	392	387	344	844	1,645	1,165	8,876
Not stated							64
Total	8,544	8.502	3,320	3,195	16,068	13,246	54,784

It will be understood that in the above enumeration the parent nativity of the persons married is not considered, but the country where born.

Parties born in the United States, although children of foreign born parents, are reckoned as natives.

In the following Table are given the percentages by birth, of native, foreign and mixed marriages, in each of the last four years and in the aggregate of five years, 1888 to 1892, inclusive, of five years, 1883 to 1887, inclusive, and of twenty-five years, 1858 to 1882, inclusive:

TABLE XXXIV.

BIRTH-PLACE.	1893.	1892.	1891.	1890.	5 years, 1888-1892.	5 years, 1883–1887.	25 years, 1858-1882.
United States	44.50	47.74	46.72	48.67	48.62	54.02	61.30
Foreign countries	34.54	31.41	32.50	29.76	30.95	27.19	25.13
Mixed nativity	20.96	20.85	20.78	21.57	20.43	18.79	13.57
		ļ.——					
Total	100.00	100.00	100.00	100.00	100.00	100.00	100.00

It will be of some interest to notice that by the exhibit of the two preceding Tables, it is shown that, although the marriages of the native born (whether the issue of foreign born parents or natives) have, as a

rule, increased in numbers, they have also steadily decreased in proportion, with two or three exceptional years, that is, to the whole number of marriages; while the marriages of the class of the exclusively foreign born, have been, for the past thirty years, gradually increasing in proportion.

The falling off of the percentage of marriages of the class of exclusive foreign born, during 1892, was only a temporary interruption.

Denominational.—The 3,544 marriages in 1893 were performed by clergymen of various denominations, or by civil authority, as follows:

DENOMINATIONAL.

Roman Catholic1,444	United Presbyterian 10
Baptist 453	Second Advent 8
Protestant Episcopal	Advent Christian 5
Methodist	Disciples of Christ 5
Congregational	Evangelical Advent 4
Free Baptist	New Jerusalem 3
Universalist 77	Friends' Ceremony 3
Christian 59	Church of Emanuel 2
Lutheran 53	Church of Christ 2
Presbyterian 46	Independent 2
Hebrew 34	Latter Day Saints 1
Unitarian	Swedenborgian 1
Advent 30	Free Religious 1
Justices of Supreme Court	Denomination not stated
Seventh Day Baptists 20	
Sixth Principle Baptist 20	Total
Evangelical	

AGES OF THE MARRIED.

In the following Table the varying ages of persons married during 1893 are presented:

TABLE XXXV.

				AGES	OF	BRI	DES	3. 		.			ns.
AGES OF GROOMS.	Under 20.	20 to 25.	25 to 30.	30 to 35.	. 35 to 40.	40 to 45.	45 to 50.	50 to 55,	55 to 60.	60 to 65.	65 to 70.	70 to 75.	Number of Grooms.
Under 20	74	24	4										102
20 to 25	332	783	117	16	3	1							1,252
25 to 30	121	512	379	54	21	1	٠.						1,088
30 to 35	35	127	161	105	19	9	1				4		457
85 to 40	7	52	91	70	47	11	2	1	1			2	284
10 to 45	3	16	17	45	21	27	6	2					137
lő to 50	1	6	7	8	22	17	14	2	1				88
50 to 55	1	1	4	3	1	17	8	8	1			٠.	54
55 to 60		2	1	ð	5	6	6	6	4				35
60 to 65		2		2	1	10	6	3	1	6			31
65 to 70		388					1	2	2	2	1		8
70 to 75				1	2	1	1	٠.,	1				6
75 to 80	 												
30 to 85								1			٠.		. 1
85 to 90	 								1		٠.		1
Number of Brides	574	1,525	781	319	152	100	45	25	12	8	1	2	3,544

The extreme discrepancies in the ages of some couples married in 1893 were not so frequent as in some previous years.

The same results, in 1893, in relation to numbers in the different age periods, may be presented in a different and perhaps clearer way as follows:

TABLE XXXVI.

1893.	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.
Males	102	1,252	1,088	457	284	137	88	54	35	81	8	6		1	1
Females	574	1,525	781	319	152	100	45	25	12	8	1	2	****		
Total persons	676	2,777	1,869	776	436	237	133	79	47	39	9	8		1	1

The whole number of persons in each division of ages, of both sexes, married in Rhode Island in each of the last twenty-eight years, that is, from 1866 to 1893, inclusive, is presented in the following Table:

TABLE XXXVII.

YEARS.	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	Not stated.
366	698	1,931	1,025	419	213	127	81	59	25	21	12	1				28
367	696	1,886	1,104	416	211	148	91	48	37	18	18	5	3	1	,	9
68	644	1,835	1,050	432	219	133	82	61	30	29	11	8	4			32
69	642	1,814	1,051	468	227	134	79	46	85	15	11	2	3	2		49
70	744	1,883	1,084	415	216	159	86	64	26	24	12	3	2		,	6
71	697	1,914	1,118	392	228	115	73	56	35	22	6	7	3		,	6
72	786	2,073	1,182	434	237	131	81	61	43	21	18	6	1			5
73	762	2,177	1,156	507	258	140	87	68	35	24	12	6	6			27
974	770	1,992	1,179	459	268	159	101	52	36	39	8	9	1			9
775	681	2,058	1,108	475	252	150	101	60	32	29	13	4	1			6
376	691	1,741	1,041	450	224	154	80	58	27	19	12	1	2			9
77	631	1,745	1,118	459	244	125	92	52	46	14	15	11	2	1		9
78	618	1,832	1,123	441	259	162	74	49	39	50	17	2	4			8
79	639	1,879	1,156	481	272	123	78	56	39	26	-18	9	2	2	1	11
80	688	2,301	1,262	556	359	163	91	65	33	27	15	3	3	1		1
381	599	2,208	1,410	547	298	187	107	54	34	31	16	5	1	1		2
382	498	2,125	1,377	563	301	161	102	57	36	27	11	5	3	2		
383	497	2,108	1,370	486	319	183	115	73	31	20	14	3	2	1	,	
384	484	2,027	1,289	569	307	152	114	64	48	30	23	6	3			
85	438	1,973	1,296	540	309	163	102	57	45	27	13	7	3		1	2
386	505	2,133	1,552	603	283	174	103	73	24	26	18	5	1			.,,,
387	501	2,308	1,552	607	294	162	114	49	39	23	19	7	3			
88	582	2,427	1,608	640	330	207	105	60	36	17	23	7	2			
89	548	2,463	1,492	712	379	182	121	66	45	8	16	9		2		
390	596	2,693	1,632	673	320	206	102	69	41	29	20	7	2			
391	685	3,141	1,442	635	315	158	115	64	35	21	17	6	1	1	-	4
392	668	3,011	1,729	782	389	201	122	60	35	30	14	4	3			6
393	676	2,777	1,869	776	436	237	133	79	47	39	9	8		1	1	

The following summary will show the number of persons married, the number of persons married under twenty years of age, and the percentages of marriages of persons under twenty years of age, during five periods of five years each, that is, from 1870 to 1893, inclusive, and during the year 1893:

			Percentage of
•	Number	Number married	persons married
	of persons	under twenty	under twenty
	married.	years of age.	years of age.
1870 to 1874	24,812		15.2
1875 to 1879	23 480		13.9
1880 to 1884			10.4
1885 to 1889			9.1
1890 to 1898		2,494	7.5
1893		676	9.5

In the following Table will be found the number and proportion of the persons married under 20 years of age, of both sexes, in seven periods of five years each, from 1854 to 1888, inclusive, and for the whole period of forty years:

TABLE XXXVIII.

5-YEAR PERIODS.	Total number of persons married.	Persons married under 20.	Percentage under
1854-1858	13,842	1,932	13.95
1859-1863	16,042	2,500	15.58
1864–1868	21,874	3,049	14.26
1869–1878	24,308	3,631	14.98
1874–1878	23,770	8,891	13.84
879-1883	26,320	2,921	11.00
1884–1888	27,314	2,510	9.19
1889 - 1893	83,180	2,494	7.59
40 years, 1854–1893.	186,150	22,428	12.05
Per cent., first fifteen years			.14 .0
Per cent., second fifteen years			18.5
Por cont last tan weeks			R

PROPORTION OF SEX.

Table exhibiting the percentages of grooms in each division of ages, in each of the last thirty-four years:

TABLE XXXIX.

	YEARS.	Under 20.	20 to 25	25 to 80.	90 to 40.	40 to 50.	50 and over.	Total.
	1860	5.0	48.8	26.9	16.8	5.7	8.8	100.0
	1861	4.6	44.5	25.4	15 5	5.8	4.2	100.0
	1862	4.2	87.8	27.9	18.3	5.9	5.9	100.0
	1863	8.5	88.0	29.6	17.2	5.8	5.9	100.0
	1864	4.8	38.8	27.3	17.9	74	4.3	100.0
	1865	8.5	87.0	28.4	18.9	7.5	4.7	100.0
	1866	5.8	40.9	27.0	16.4	6.8	4.1	100.0
	1867	4.8	40.1	27 9	16.8	6.8	4.1	100 0
	1868	4.1	39.9	28.2	17.1	6.1	4.6	100.0
	1869	4.3	39.6	27.7	18.5	6 1	ಕ.8	100.0
	1870	4.8	40.4	28.1	16.0	6.4	4.8	100.0
	1871	5.8	40 1	28 9	16.5	4.9	4.3	100 0
	1872	4.3	41.3	28.2	16.6	5.2	4.4	100.0
	1678	3.8	42.4	26.7	17.0	6.0	4.1	100.0
-	1874	4.1	40.4	27.2	17.5	6 4	4.4	100.0
	1875	8.5	40.9	27.8	17.6	6.1	4.2	100.0
	1876	5.1	37 5	28.6	17.9	5.6	4.3	100.0
GROOMB.	1877	4.3	36.0	30 2	18.7	5.9	6.9	100.0
Ä	1878	3.9	38.5	29.0	18.0	6.8	4.3	100.0
٥	1879	3.9	37.8	28.8	19.3	5.4	4.8	100.0
	1880	3.6	38.9	27.5	19.9	5.8	4.3	100.0
	1881	2.8	37.2	29.7	19.5	6.8	4.0	100.0
	1882	2.2	36.0	81.4	20.0	6.1	4.8	100.0
	1883	2.9	36.2	31.7	17.7	7.2	4.3	100.0
	1884	2.5	36.2	29.1	21.0	6.2	5.0	100.0
	1885	2.6	34.7	30.2	20.9	6.8	4.8	100.0
	1886	2.5	35.2	31.9	19.6	6.8	4.0	100.0
	1887	1.7	87.1	31.6	19.6	6.2	8.8	100.0
	1888	2.8	86.1	81.1	19.8	6.5	3.7	100.0
	1889	2.8	37.6	27.8	21.8	6.6	4.4	100.0
	1890	3.8	86.9	30.8	18.9	6.1	4.0	100.0
	1891	8.2	44.7	26.4	17.2	5.2	8.8	100.0
	1892	2.8	40.1	29.8	19.0	6.1	8.2	100.0
	1893	2.9	85.8	80.7	21.0	6.8	8.8	100.0

Table exhibiting the percentages of BRIDES in each division of ages, in each of the last thirty-four years:

TABLE XL.

	YEARS.	Under 20.	20 to 25.	25 to 30.	30 to 40.	40 to 50.	50 and over.	Total.
	1860	25 8	44.1	17.0	9.1	2.6	1.4	100.0
İ	1861	29.6	42.0	15.2	7.8	4.1	1.3	100.0
	1862	24.9	41 8	167	11.8	4.1	1.2	100.0
ı	1863	24 9	42.6	16 9	9.8	4.1	1.7	100.0
	1864	24.2	43.4	17.8	10.3	2.9	1.4	100.0
	1865	22.6	43.3	19.1	11.0	3 5	1.5	100.0
	1866	24.7	42.9	17.4	11.0	2.7	1.3	100.0
	1867	25.4	40.5	19.3	10.0	8.4	1.4	100.0
	1868	24.4	40.9	18.1	11.6	3.8	1.7	100.0
	1869	24 1	40 5	18.7	12.1	3.4	1.2	100.0
	1870	26.8	39.4	17.9	10.8	3.9	1.2	100.0
	1871	24.6	11.9	19.1	10.1	3.1	1.2	100.0
	1872	26.7	40.5	18.4	9.9	2.2	1.3	100.0
	1873	25.3	40 8	17.5	12.0	2.7	1.7	100.0
	1874	26.3	38.1	19 3	11.1	8.9	1.3	100.0
9	1875	23.9	42.1	16.8	11.8	40	Ţ. 4	100.0
BRIDES	1876	25.6	39.8	17.6	12.0	3.7	1.3	100.0
3	1877	23.4	40.4	18.8	12.1	3.6	1.7	100.0
T I	1878	22.7	40.4	19 3	12.2	3.8	1.6	100.0
7	1879	22.8	40.7	19.4	12.1	3.0	2.0	100.0
	1880	21.1	44.2	18.0	12.0	33	1.4	100.0
	1881	19.0	43.0	21.5	11.2	3.8	1.5	100 0
	1882	16.7	44.8	20.9	12.6	3.9	1.1	100 0
	1883	16.2	44.2	20.6	13.2	4.3	1.5	100.0
	1884	16.4	43.0	21.3	13.2	4.2	1.9	100.0
	1885	14.9	44.6	21.8	13.2	3.8	1.7	100 0
	1886	15.8	42.4	24.5	12.5	3.3	1.5	100 0
	1887	15.9	44.1	22.8	12.1	8.5	1.6	100.0
	1888	16.4	44.3	22.1	12.4	8.7	1.1	100.0
	1889	15.1	43.7	21.5	14.7	8.4	1.6	100.0
	1890	15.4	47.3	20.4	12.0	3.6	13	100.0
	1891	17.4	49.9	17.0	11.4	3.1	1.2	100.0
	1892	16.8	45.9	20.1	13.0	8.1	1.1	100.0
	1898	16.2	43.0	22.0	13 3	4.1	1.4	100.0

It will be noticed, in the preceding Tables, that the proportions of persons married of both sexes, under twenty years of age, largely decreased during the last decade.

Of grooms, the proportion, compared with the first decade, has decreased about 39 per cent., and of females about 36 per cent.

The proportion of males married, between the ages of twenty and twenty-five, has decreased about 6 per cent., and has correspondingly increased in the more advanced age periods.

The proportion of females married, between twenty and twenty-five years of age, has increased a little more than 6 per cent., while of those between twenty-five and forty there has been an increase of proportion similar to that of males.

NUMBER OF TIMES MARRIED.

There will be found in the following Table the number of grooms and of brides who were married for the first, second, third, etc., time in 1893:

TABLE XLI.

	First Marriage.	Second Marriage.	Third Marriage.	Fourth Marriage.	Fifth Marriage.	Unstated Number Marriage.	Total.
Grooms	2,978	525	39	1		1	3,544
Brides	3,113	402	28	ļ		1	3,544

The proportion of grooms married for the first time, in 1893, was 84.0 per cent. of the whole number, and the proportion of brides married for the first time was 87.8 per cent.

The following Table will show not only the number of times each of the parties were married, but also the number of bachelors and widowers who married spinsters, the number who married widows of first or second widowhood, etc., and of spinsters and widows who married bachelors, and widows of the second, third or fourth marriage, etc.:

TABLE XLII.

			li si				
GROOMS.	First.	Second.	Third.	Fourth.	Fifth.	Unstated.	Total Grooms
First marriage	2,784	186	7			.	2,977
Second marriage	314	192	19	 - •		 	525
Third marriage	14	22	2				88
Fourth marriage	1	. 1	1				3
Fifth marriage		.		. 			
Unstated marriage		ļ				1	1
Total Brides.	3,113	401	29			1	3,544

It will be seen, by Table XLII, that 193 bachelors married widows, 7 of whom married brides that had been twice widowed. Of the 566 widowers who married in 1893, 329 married spinsters, and 237 married widows. Of the widows who married widowers, 22 had been twice married previously.

MARRIAGES OF PERSONS OF COLOR.

The number of marriages of persons of color in Rhode Island, in 1893, was 90. This includes three marriages in which one of the parties was white. The number and color of the individuals were, therefore, 177 persons of color and 3 persons white. The white persons were three females. The marriages, however, may be properly included in the above class, inasmuch as the offspring of such marriages are persons of color. There was among the above one marriage of Indians.

The number reported during 1893 from the different towns was as follows, viz.:

East Greenwich	1
Newport City	13
Cranston	1
East Providence	1
Glocester	2
Pawtncket	3
Providence City	62

•	
Narragansett	2
South Kingstown	2
Westerly.	8
Total	90

MARRIAGES OF THE DIVORCED.

The following Table will give the towns from which returns of marriage with the facts of divorce were reported during 1893, the whole number of marriages of divorced persons, whether of one or both parties; also whether the second or third marriage of the divorced groom or bride; and number of remarriages of same persons:

TABLE XLIII.

TOWNS.	Number of Marriages.	Number of Divorced Persons Marricd.	Grooms	Brides.	Second Marriage of Groom.	Third Warriage of Groom,	Second Marriage of Bride,	Third Marriage of Bride.	Remarriages, Same Parties.
Providence City	104	111	55	56	52	3	52	4	() e.
Bristol.	5	5	3	2	2	1	1	1	
Coventry	4	4	2	2	2		2	*****	
Warwick	3	3	1	5	1		1	1	
Little Compton	2	2	1	1	1		1	*****	
Newport	6	6	5	1	5			1	
Cranston	3	3		3	· · ••••	. .	8		****
Johnston	1	1		1			1		
Woonsocket	6	8	3	5	2	1	5		
Hopkinton	4	5	1	4	1		3	1	
Narragausett	1	1	1		1			*****	
North Kingstown	7	8	2	6	2		6		
Westerly	2	2	1	1		1	1		****
Whole State	148	159	75	84	69	6	76	8	

There were 148 marriages, in 1893, in which one or both of the parties had been divorced, and in 11 of which both parties had been divorced. The proportion of the number of marriages, of which one or both of the parties had been divorced, to the whole number of marriages, was about one in every 24, or a little more than 4 per cent.

But the proportion of divorced *persons* married during 1893, to the whole number of persons married in the same year, was about one in every 45, about 2.2 per cent., or 22 in every 1,000.

The number of divorced persons married, in 1893, was 22 more than in the previous year.

These 148 marriages of divorced persons were performed by clergymen of the different denominations, or by civil authority, as follows:

Baptist	Christian
Methodist 24	Presbyterian 4
Universalist	Evangelical Advent 4
Free Baptist	Justice Supreme Court 4
Congregational	United Presbyterian
Unitarian 7	Advent Christian 2
Episcopal Protestant 5	Roman Catholic 1
Seventh Day Baptist 5	Not specified 3

DIVORCES, 1893.

According to the returns made to the Secretary of the State Board of Health (State Registrar) by the clerks of the Supreme Courts of the different counties of Rhode Island, the number of applications for divorce, during 1893, was five hundred and twenty-nine (529).

The number of divorces granted, during 1893, was three hundred and one (301).

There were 117 more applications, during 1893, than during the preceding year, and the number of divorces granted was 5 more.

Divorces are decreed for the following seven statute causes, viz.:

- 1. Adultery.
- 2. Extreme cruelty.
- 3. Wilful desertion for five years of either of the parties, or for a shorter period, in the discretion of the court.
 - 4. Continued drunkenness.
- 5. Neglect or refusal to provide necessaries (having ability) for the subsistence of a wife.
 - 6. Gross misbehavior and wickedness other than aforesaid.
 - 7. Impotency.

Divorces are also decreed, or marriages set aside, in the discretion of the court, for ascertained affinity, consanguinity, idiocy, insanity, penitentiary crimes, and bigamous or otherwise illegal marriage.

556

Whole State

The following Table shows the number of applications for divorce, and the number granted, in 1893, in each county of the State; also the causes alleged for the applications:

	ns.		CAUSES ALLEGED.									
COUNTIES.	Number of Applications.	Number Granted.	Adultery.	Extreme Crucity.	Wilful Desertion	Continued Drunken- ness.	Neglect to Provide Necessaries, &c.	Other Gross Misbe- havior.	Void Marriage.	Illegal Marriage.	Total Causes Alleged	
Bristol	3	3	1		1		2	3	-: xa		7	
Kent	26	10	2		4	1	1	5	9	1	20	
Newport	88	21	6	8	19	8	20	11			72	
Providence.	429	245	30	44	95	46	152	9	3		379	
Washington	39	22	6	5	21	3	4	39			78	

TABLE XLIV.

There were, during the year 1893, five hundred and twenty-nine (529) applications for divorce, and the whole number of causes alleged was five hundred and fifty-six (556). There was, therefore, an average of little more than one cause alleged in each application. That average is less than the rule of many years.

57 140

301

The causes alleged why divorce should be granted, in the applications during 1893, were 223 less in number than in 1892.

In order to show the actual number of applications, and the number of divorces granted in each of the last twenty-one years, the following summary is presented:

			Applications
	276 227 254 255 255 258 255 347 350 339 321 320 293 336 322 304 366 327	Divorces	refused or contin
	for divorce.	granted.	or withdrawn
1873	261	178	88
1974	276	242	34
1875	227	158	69
1876	254	196	58
1877	257		79
1878	258	196	62
1879	255	246	9
1880	347		74
1881	350	268	82
1882	339	271	68
1883	821	257	64
1884		266	54
1885	293	227	66
1886	336	257	79
1887	322	248	74
1888	304	224	80
1889	366	274	92
1890	327	244	83
1891	362	275	87
1892	412		116
1893	529	301	228

The average annual proportion of decrees of divorce granted during the last twenty-one years, to the applications therefor, was nearly 75.5 per cent.

During the last ten years the proportions were as follows:

Years18	884,	1885,	1886,	1887,	1888,	1889,	1890,	1891,	1892,	1893.
Per cent 8	3.0	78.5	76.5	77.0	73.6	74.8	74.6	76.0	71.8	56.9

The proportion of divorces granted, in 1893, to the whole number of marriages during the same year, was one divorce to every eleven and eight-tenths marriages.

The proportion of applications for divorce to whole number of marriages, during the year, was one application to every six and seventenths marriages.

The following Table shows the number of divorces granted in each county, and in the whole State, in each of the last twenty-five years, and the proportion of marriages to each divorce granted in each year:

TABLE XLV.

					, <u>-</u>		. :	-	:			
		istol inty.		ent inty.	Nev Cot	vport inty.		idence inty.		ington inty.	W.	hole nte.
YEARS.	Divorces Granted.	Marriages to one Divorce	Divorces Granted.	Marringes to one Divorce.	Divorces Granted.	Marr ages to one Divorce.	Divorces Granted.	Marriages to one Divorce.	Divorces Granted	Marriages to one Divorce.	Divorces Granted.	Marriages to one Divorce.
1869	10	10.6	15	12.5	6	27.7	120	13.8	11	15.5	162	14.1
1870	3	22.7	18	11.8	6	26.3	152	11.3	21	93	200	11.8
1871	5	16.8	11	17.9	4	49.7	123	13.3	18	11.4	161	14.5
1872	8	10.2	13	15.7	8	22 9	149	12.6	222	8.9	200	12.7
1873	6	16.2	22	9.8	8	21 9	131	14.8	6	33.7	173	15.2
1874	10	8.9	20	8.0	6	29.0	190	10.0	16	11.6	242	10.5
1875	2	50.0	18	88	7	23.4	120	14.9	11	20.5	158	15.7
1876	6	14.5	15	12.8	7	20.5	148	11.1 i	20	8.8	190	11.5
1877	7	120	9	16.3	7	26.0	134	12.4	21	9.9	178	12.8
1878	4	26.0	11	13.3	13	12.8	156	10.9	12	17.3	196	11.9
1879	5	18.8	19	9.0	7	24 1	195	9.1	20 ;	9.7	246	9.7
1880	8	12.1	23	9.4	11	17.6	208	9.7	23	17.0	273	10.1
1881	6	20.1	26	7.3	10	16.9	207	10.0	19	11.0	268	10.4
1882	6	15.0	18	10.3	15	13.0	221	8.9	11	16.2	271	9.7
1883	6	15.8	15 .	11.5	9 '	21.2	214	9.2	13	13.3	257	10.2
1884	4	16.7	20	8.0	12	15.7	209	9.3	21	8.2	266	9.6
1885	3	23.0	9	18.6	17	11.2	186	10.1	12	15.0	227	11.0
1886	5	16 0	17	11.0	15	12 3	194	10.9	26	7.3	257	10.7
1887	1	75.0	23 :	8.0	13	13 4	187	11.8	24	7.9	248	11.4
1888	5	15.8	14	13.5	4	46 0	188	12.5	13	16.5	224	13.5
1889	6	12.5	27	8.3	14	14 0	211	11 2	16	10 8	274	11.1
1890	4 1	27.5	19	12 1	1	232.0	196	12.3	24	8.8	244	13.0
1891	10	8.4	20	11.2	17	12 6	214	11.2	14	14.3	275	12.1
1892	2	49.5	19	12.4	20	11.6	236	11.6	19	10.4	296	11.8
1893	3	38.0	10	23.8	21 :	9.9	245	11.5 j	22	8.0	301	11.8
		'	'	'_	- '		'	-	- · ·	·	- :	

The ratio of divorces granted in the entire State, during 1893, to the whole number of marriages during the same year, was one divorce to about every eleven and eight-tenths marriages, as previously stated. During the ten years 1869 to 1878, inclusive, the ratio of divorce to number of marriages was one divorce to every thirteen; during the ten years 1879 to 1888, inclusive, the ratio was one divorce to every ten and six-tenths marriages.

The average of the last five years was one divorce to about every twelve marriages.

During the twenty-five years 1869-1893, the average proportions of divorce to marriage, in the several counties and the State, have been as follows:

Bristol County	One divorce to every 22.3 marriages.
Kent County	One divorce to every 12.1 marriages.
Newport County	One divorce to every 29.2 marriages.
Providence County	One divorce to every 11.4 marriages.
Washington County	One divorce to every 12.4 marriages.
Whole State	One divorce to every 11.8 marriages.

Table showing the Number of Marriages to every Decree of Divorce, in five of the New England States, during the seventeen years from 1877 to 1893, inclusive.

TABLE XLVI.

		877. 1878. 1879 1880. 1881. 1882. 1883.	1881			1884.	1885.	1886.	1887.	1888.	1889.	1884. 1885. 1886. 1887. 1888. 1889. 1890. 1891. 1892. 1893.	1891.	1892.	1893.
Rhode Island 12.8 11.9 9	9.7	9.7 10.1 10.4	10.4	9.7	10.2	9.6	9.6 11.0 10.7 11.4 13.5	10.7	11.4	13.5	11.1	13.0 12.1	12.1	11.8	11.8
Massachusetts . 23.1 21.4 23	23.4	26.8 40.9 34.3	40.9	34.3	27.8	28.5	28.2 26.4 30.0 24.5 30.6	30.0	24.5		6.92	31.8	27.1	28.5	16.9
Connecticut 10.1 10.7 13	13.4	13.4 13.9 11.6 12.8	11.6	12 8	12.1	14 9	12.1 14 9 13.3 14.2 14.9 13.8	14.2	14.9	13.8	10.7	10.7 13 2 13.7	13.7	13.2	16.6
Vermont 15.0 14.0 21	21 0	21 0 20.0 16.0 17.8 16.4	16.0	17.8		13.5 28.8		20.0 13.5	13.5	16.9	19.6 18.3	18.3	17.1	17.4	15.9
New Hampshire	:	7.7	9.5	10.9	12.8	10.4	10.9	8.3	10.7	8.7	9.8	9.5	9.5	11.7	10.3

DEATHS, 1893.

The number of deaths registered in Rhode Island, during 1893, according to the returns made to the State Registrar, was seven thousand, four hundred and forty (7,440).

This number is larger by 820 than that of the year 1891, and 44 larger than that of 1892.

The death-rate (19.6 in every 1,000 living persons) was five-tenths less than that of the previous year.

The following summary will show the death-rates per 1,000 for each of the last six census years, in comparison with the last five years:

1865.	1870.	1875.	1880.	1885.	1889.	1890.	1891.	1892.	1893.
18.4	14.9	16.7	17.5	. 17.7	19.0	.20.7	.18.6	20.1	19.6

Since 1876 the returns have been more complete than previously, and during the last seven years, few deaths have occurred in the State which were not reported.

On the following page will be found the death-rates, by counties, for thirty-four years:

TABLE XLVII.

Death-rates per 1,000 living, by counties, for thirty-four years, from 1860 to 1893, inclusive; also the average rate of each period of five years each, from 1860 to 1889, inclusive, for the whole State.

YEARS.	Bristol.	Kent.	Newport.	Providence.	Washington.	State.	STATE. ANNUAL AVERAGE OF FIVE-YEAR PERIODS, 1860-1859.
Five years, 1860–1864	16.8	15.4	18.1	17 4	12.1	15.5	16.5 per 1,000 living
1865	22.8	16.1	17.5	19.2	14.2	18.4	
1866	19.2	14.2	17 8	16 6	11.4	16.1	
1867	17.0	15.1	15 0	16.4	10.9	15.6	16.5 per 1,000 living.
1868	15.7	13.7	14.7	17.0	10.0	15.7	
1869	17.9	16.7	13.2	16.0	12.8	15.6	
1870	15 5	18.5	14 1	15.5	12.0	14.9	
1871	16.8	17.5	12.2	15.9	12.3	15.4	
1872	21.1	16.1	14.5	21.2	14.7	19.1	17.2 per 1,000 living.
1878	18.4	138	19.0	22.0	15.1	20.2	
1874	14.7	13.2	10.8	17.7	18.7	16.8	
1875	14.9	14.9	13.5	17.5	15.5	16.7]	
1876	14.7	11.7	13.5	16.8	15.9	15.9	
1877	18.2	18.1	12.4	18.7	12.8	17.2	16.6 per 1,000 living
1878	17.5	14.2	13 7	18.8	13.0	17.2	
1879	13.2	15.1	14.8	17.2	11.1	16.2	
1880	19.2	14.9	14.5	18.5	12.7	17.5	
1881	17.9	16.5	15.7	19.8	11.9	18.1	
1882	16 5	15.3	17.2	19.7	11.0	18.4	18.0 per 1,000 living
1883	17.7	14.6	17.7	20.8	9.8	19.1	
1884	17.7	17.1	14.5	17.8	12.6	16.9 j	
1885	16.3	16.4	14.5	18.5	14.0	ן 17.7	
1886	19.2	17.5	15.0	19.2	15.0	18.8	
1887	18.2	15.5	15.1	21.1	15.5	19.9	19.1 per 1,000 living
1888	21.8	18.4	18.0	21.0	16.0	20.4	
1889	17.6	20.1	14.7	19.2	14.6	ر 19.0	
1890	22.1	17.6	16.5	22.1	13.5	20.7	
1891	20.5	18.0	20.6	18.6	12.6	18.6	
1892	20.0	20.7	20.1	20.2	15.2	20.1	
1893	19.9	19.4	17.9	19.9	12.6	19.6	
Annual average, thirty years, 18	 G∩_1990	<u> </u>			<u> </u>		17.8 per 1.000 living

SEX OF DECEDENTS.

Of the 7,440 persons whose deaths were returned, during the year 1893, 3,789 were males, and 3,651 were females; the ratio standing at 103.8 males to each 100 females, or about 509 males and 491 females in every 1,000 decedents.

The following Table will show the number and proportion of males and females among the *decedents* in Rhode Island, during the ten years 1853 to 1862, inclusive; also in each of the thirty-one years from 1863 to 1893, inclusive, and for the entire period of forty-one years:

TABLE XLVIII.—DEATHS.

			Males to
	Males.	Females.	every 100 female
10 years, 1853-1862	10,930	11,269	96.9
1863	1,621	1,586	102.2
1864	1,633	1,727	92.4
1865	1,686	1,719	98.1
1866	1,497	1,473	
1867	1,442	1,447	99.7
1868	1,413	1,499	94.8
1869	1,696	1,686	100.6
1870	1,588		96.2
1871	1,621	1,723	94.1
1872	2,118		99.4
1873	2,166	2,237	95.5
1874	2,111	2,118	99.7
1875	2,108	2,209	
1876	1,969	2,147	91.7
1877	2,132	2,318	92.0
1878	2,161	2,280	94.8
1879	2,183	2,289	95.4
1880	2,366	2,463	96.0
1881	2,867	2,549	96.8
1882	2,487	2,587	96.5
1883	2,627	2,655	99.0
1884	2,486	2,655	93.6
1885	2,607	2,782	93.7
1886	2,833	3,016	98.9
1887	8,177	8,168	100.4
1888	3,199	3,895	95.4
1889	3,093		97.7
1890	3,501	8,483	
1891	3,341		
1892	•		· ·
	•		
		 85,971	

The following Table of births, during the same period of time as the preceding, will show by comparison the different proportions of the sexes in the two classes of events:

TABLE XLIX .-- BIRTHS.

			Males to
	Males.	Females.	every 100 female
10 years, 1853-1862	18,377	17,260	106.4
1863	1,892	1,788	105.8
1864	1,949	1,942	100.8
1865	2,096		112.9
1866	2,546	2,356	108.0
1867	2,655	2,464	107 0
1868	2,745		104.5
1869	2,685	2,560	104.9
1870	2,679	2,536	105.6
1871	2,878	2,800	102.8
1872	3,085	8,058	100.9
1873	3,135	2,887	108.6
1874	3,311	8,155	104.9
1875	3,362	3,146	106.9
1876	3,291		108.3
1877	3,163	3,072	108.0
1878	3,402	3,812	102.7
1879	3,259	8,091	105.4
1880	8,241	8,054	106.1
1881	3,498	3,263	
1882	3,509		
1883	3,548	3,498	
1884	3,713	8,592	
1885	3,591	3,487	
1886	3,897	8,724	
1887	3,968	3.700	
1888	4.023	3.817	
1889	•		
1890	-,		
1891		, , , , , , , , , , , , , , , , , , , ,	109.5
1892			
1893	•	4,943	
	0,100		105.5

SEASON AND MORTALITY.

The whole number of decedents, and the sex of the same, in each month of the year 1893, and in each division of the State, may be found in Table V, on the tenth and eleventh pages.

The influence of season upon mortality may be further illustrated by the following Table, which shows the number and percentage of deaths, compared with the whole number of deaths, in each quarter of each of the last five years, and in the aggregate for thirty-seven years, 1853 to 1889, inclusive:

TABLE L.

	18	93.	18	92.	18	91.	18	90.	18	89.	37 ye 1853-1	
SEASONS.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
January-March.	1,870	25.13	2,103	28.44	1,425	21.53	2,027	29.23	1,563	24.97	31,928	23.63
April-June	1,827	24.56	1,624	21.96	1,504	22.72	1,517	20.99	1,426	22.78	28,792	21.31
July-September.	2,074	27.88	2,160	29.20	1,870	28.25	1,952	28.15	1,870	29.87	39,087	29.01
Oct -December	1,669	22.43	1,509	20.40	1,821	27.50	1,438	21.63	1,400	22.38	35,288	26.05
T'otal	7,440	100.00	7,396	100.00	6,620	100.00	6,934	100.00	6,259	100.00	135,095	100.00

Comparing the percentages of 1893 with those of the thirty-seven years, we find the per cent. of the first quarter is 1.5 per cent. larger; the second quarter is 3.2 per cent. larger; the third quarter 1.1 per cent. less; and the last quarter 3.6 per cent. less than for the average of the thirty-seven years. The greatest mortality for any one season of any year is usually found in the third quarter, but in 1890, as will be seen in the above Table, owing in large measure to the epidemic of influenza, the first quarter had the largest mortality.

TABLE LI.

Showing the Months in the Order of Largest Mortality for Eight Years.

1886.	644	589	515 515	1ber 512	r 512	y 488	460	ber 454	ber 428	420	417	ıry 410		5,849
	651 August	647 July	589 March	554 September	520 October	518 January	517 April	517 December	490 November.	457 May	441 June	. 438 February.		6,340
1887.	July 651	646 August 647	September	December	:	November	March	April	509 January	May•	February	412 June	'	9
1888.	August 772	·	January 615	March 582	September 543 October	October 536	April 526	February 512	May	December 500	June 461	November	1	6,594
1889.	August 667	July 645 July	September 558	March 547	February 530	April 495 October	September 546 January 486	October 484	May 470	December 486 December 470 December	June 461	November 446	Ī	6,259
1890.	January 881	August 715	July 691	March 581	February 565	April 546	September 546	May 519	October 516	December 486	June 452	November 436		6,934
1891.	December 783	August 727	July 579	September 564	October 532	582 May 530	November 506	April 505	March 503	June 469	January 468	February 454		6,620
1892.	January 926	July 812	August 739	September 609	February 595	March 582	May 561	April 559	December 528	June 504	November 491	490	1	7,396
1893.	1. July 738 Januar	2. August 719 July	3. April 681 August	4. March 654 September	5. January 644 February	6. May 635 March	7. December 621 May	8. September 617 April	9. February 572 December	10. October 547 June	11. June 511 November 491	12. November 501 October		7,440

PARENTAGE OF DECEDENTS.

There may be found in Table I, on pages 2-5, the number of decedents, in 1893, of the two general classes of parentage, that is, native and foreign.

Of the whole number of decedents, 7,440, reported in 1893, 3,101 were of native, and 4,339 were of foreign parentage.

By the term "foreign parentage" is meant the decedents whose fathers were born in some other country and not in the United States. The grandchildren of the foreign born are reckoned as of native parentage, if their fathers were born in the United States.

The following ten towns reported a larger number of decedents of foreign parentage than of native, namely: Warwick, Burrillville, Cumberland, Johnston, Lincoln, North Providence, North Smithfield, Pawtucket, Providence, and Woonsocket; also the State Institutions at Cranston.

These numbers varied from a moderate excess to three or four times as many of foreign as of native parentage.

The following Table gives the number and proportion in every one thousand deaths of decedents of native and of foreign parentage, in each of the last five years; and in the aggregate for thirty-five years, or from 1858 to 1892, inclusive:

TABLE LII.

	18	93.	18	92.	18	91.	18	90.	18	89.	35 ye 1858-1	
PARENTAGE.	Number.	Per 1,000.	Number.	Per 1,000.	Number.	Per 1,000.	Number.	Per 1,000.	Number.	Per 1,000.	Number.	Per 1,000.
Native		416.8 583.2		i l					1 * 1	448.3 551.7	88,338 81,419	521.0 479.0
Total	7,440	1000.0	7,396	1000.0	6,620	1000.0	6,934	1000.0	6 ,2 59	1000.0	169,757	1000.0

AGE OF DECEDENTS.

In Table I, on pages 2-5, may be found the aggregate and average age of all the decedents whose deaths occurred in 1893, and with the age of each sex, in each town and county in the State.

By that Table it will be seen that the average age of all the male decedents in the State, in 1893, was 30.97 years, and that the average age of all the female decedents, in the same year, was 33.99 years; the average age of all decedents, of both sexes, 32.46 years.

The average age of the total decedents in the State, in 1893, was nearly three years less than the average for 1892.

The average age of the male decedents, in 1893, was nearly two years less, and the average age of the female decedents was three and three quarters years less than in the previous year.

The following Table will present, separately, the average age of the male and female decedents, and the average age of all decedents, in each year for thirty-four years; also the average age in six periods of five years each, from 1860 to 1889, inclusive:

TABLE LIII.

YEARS.	Average Age of Males.	Average Age of Females.	Average Age of All.	Average Age, 5-year periods 1860-1889.
860	28.51	30.70	2 9 6 5)	ļ
861	26.95	30.58	28.82	i
862	29.64	32.65	81.15	
863	28.29	30.86	29.56	
864	28 13	30.43	29.40	!
865	26.38	28.97	27 69)	
866	31.13	35.07	33.09	!
367	32.16	35.86	34 01 } · ·	31.5
368	30.47	35.08	32.85	!
69	28.62	31.29	30 25	ļ
70	31.02	32 75	31.90]	į
71	32.57	34.43	33.52	
72	28.41	81.15	29.77	30.3
73	26.18	28.62	27.42	: 1
74	28.03	31.66	28.86	
75	29.72	32.75	81.27]	
76	31.47	38.21	32.37	
777	29.25	31.56	30.45 } · ·	31.5
78	29.02	31.11	30.09	i i
79	31.29	33.24	32.29	
80	29 62	32.06	30.86)	
81	30.99	34.07	82 55	
382	31.33	35.57	33.50 } · ·	33.5
83	33.64	37.44	35.55	
84	32.29	35.12	33.76	
85	33.53	35.60	34.59 ๅ	
386	33.02	34.91	34.01	
87	30.97	32 91	31.95 } · ·	88.8
88	33.17	35.74	34 58	
89	32.20	85.74	84.00	
90	31.04	34.26	32.62	
391	32.70	36.28	84.47	
92	32.96	37.75	35.84	
93	30.97	33.99	32.46	

The above Table shows that the average longevity of the decedents in Rhode Island increased over three years, during a period of twenty-five years, ending with 1884, and of about four and one-half years increase, as the average of the five years preceding 1893.

The following Table will present some of the facts of the preceding as occurring in the different divisions of the State, as well as of the State at large. It will show the average age of the decedents in each of the larger divisions of the State, in each of the last four years, and also the average of each of seven periods of five years each, comprising the thirty-five years from 1858 to 1892, inclusive:

DIVISIONS OF THE STATE.	1893.	1892.	1891.	1890.	1888–1892, 5 years.	1883-1887, 5 years.	1878–1882, 5 years.	1873–1877, 5 years.	1868–1872, 5 years.	1863–1867, 5 years,	1858-1862, 5 years
Bristol County	45.55	41.89	41.39	42.17	89.76	39.45	36.68	33.61	35.12	84.78	35.56
Kent County	28.95	34 81	32.62	31.01	32.22	87.66	87.11	36.20	34.77	35.81	82.15
Newport County	39.11	40.37	39.95	89 66	40.63	42.41	39.21	40.68	40.04	33.54	85.01
* Providence County	29.24	32.42	32 43	81.00	31.67	31.83	30.60	28.46	25.26	29 16	28.44
Providence City	81.16	34.13	33.39	31.86	33.44	32.19	29 50	27.19	25.45	28.50	25.78
Washington County	48.30	48.47	47.81	44 67	46.77	43.39	41 01	41.14	39.67	30.87	34.21
									<u> </u>		
Whole State	82.46	35.34	34.47	32.62	84 19	33.97	31.86	30.28	81.66	30.73	29.42

TABLE LIV.

By reference to Table LIV, it will be seen that the average age of all decedents during the last four years is a little more than four and one-quarter years greater than the first period of five years, 1858–1862, notwithstanding the low average of 1893.

PERCENTAGE OF DECEDENTS BY DIFFERENT AGES.

In Table VI, on pages 12 to 17, inclusive, will be found the number of deaths in 1893, in each town and each county, of each sex, and in each period of life, with the percentage of the whole number of deaths in each division to the population of the same by estimation from the census of 1890.

The following Table shows the percentages of decedents in each division of ages, to whole number of deaths, in each of the last six years, and in the aggregate for three periods; one of twenty years and seven months, from June 1st, 1852, to December 31st, 1872, inclusive; one of ten years, from 1873 to 1882, inclusive; and one of ten years, from 1883 to 1892, inclusive:

^{*} Exclusive of Providence city.

TABLE LV.

Periods of Life.	1893.	1892.	1891.	1890.	1889.	1888.	10 years, 1883 to 1892.	10 years. 1873 to 1882.	20 years, 7 months,
Under 1 year	23.2	220	22.6	22.6	21.0	19.8	20 4	18.9	17.8
1 and under 2	5.2	4.9	5.4	5.8	5.9	5.9	5.6	7.6	8.8
2 and under 5	5.3	4.0	4.6	5.7	5.4	6.6	5.8	8.4	8.7
Total under 5	88.7	30.9	32.6	84.1	32.3	81 8	81.8	84.9	85.3
5 and under 10	3.9	2.4	2.5	3.2	36	4.2	8.5	5.0	4.8
10 and under 20	4.5	4.8	4.0	4.5	5.4	5.7	5 1	5.8	60
20 and under 20	7.9	8.8	8.5	8.4	88	9.0	8.7	9.2	9 6
30 and under 40	8.0	82	8.4	8.8	7.5	7.5	7.9	7.8	8.4
40 and under 50	8.4	8.0	7.7	7.5	7.9	7.9	7.5	6.9	7.8
50 and under 60	8.9	9.0	9.2	8.5	8.3	8.4	8.5	7.2	7.0
60 and under 70	10.0	11.0	10.8	9.8	9.8	95	9.7	8.2	7.6
70 and under 80	8.9	9.9	9.9	9.6	10.1	90	99	8.8	7.2
80 and under 90	4 8	6.3	5.6	55	5.6	5.6	5.9	5.1	5.1
Over 90 and not stated	1.0	1.2	1.8	1.1	1.2	1.4	1.5	1.1	1.1
Total	100.0	100.0	100.0	100.0	100.0	100 0	100.0	100.0	100.0

Compared with the average of 30 years, ending with 1882, the average proportion of the mortality of children under one year of age, during the last eight years, was 2.3 per cent., or about 23 in every one thousand deaths more than the average in the longer period.

Compared with the previous year the proportion of decedents, in 1893, under one year of age, was more than 1.2 in every one hundred larger.

There was a decrease of percentage in the age periods above fifty years.

The following Table will present the varying proportions of deaths to whole number of deaths, in four different periods of life, from 50 years of age to 90 years, grouped in three periods of averages of ten years each, and one period comprising the ten years, 1883–1892, and in 1893:

TABLE LVI.

Age of Decedents.		ecade, -1862.		Decade,		Decade, 3-1882.		Decade, 3-1892.	1	898.
50 to 60	67 pe	r cent.	7.3 p	er cent.	7.2 p	er cent.	85 p	er cent.	8.9 p	er cent.
60 to 70	6.9		8.8	**	8.2	"	9.7	"	10.0	"
70 to 80	7.3	**	84	"	8.8	"	9.9		8.9	"
80 to 90	46	"	5.4	••	5.1	"	5.9	**	4.8	**

COLORED DECEDENTS.

There were 250 deaths of persons of color during 1893.

The towns from which they were returned and number in each were as follows:

Providence City	47
Newport City	35
Cranston (State Institutions).	15
Bristol.	4
Coventry	1
East Greenwich	7
Warwick	5
Jamestown	8
Little Compton	1
New Shoreham	2
East Providence	6
Johnston	2
Lincoln	1
Pawtucket	3
Scituate	1
Smithfield	1
Woonsocket	1
Hopkinton	2
Narragansett	2
North Kingstown	2
South Kingstown	6
Westerly	8
-	_
Total 22	50

Season.—The deaths in the different months were as follows:

Months.	Deaths.	Months.	Deaths.	Months.	Deaths.	Months.	Deaths
January	20	April	18	July	27	October	28
February	17	May	20	August	23	November.	16
March	27	June	19	September	22	December.	18
	-		_		-		-
First Quart	er64	Second Qua	rter57	Third Quar	rter72	Fourth Qua	rter57

First six months, 121; Second six months, 129; Total, 250.

The following summary will show the proportion, to the whole estimated colored population, of each of the events of birth, marriage and death of colored persons, during the sixteen years from 1878 to 1893, inclusive:

	One Birth	One Person	One Death
	in every	married in every	in every
1878			40.2
1879	39.6	51.4	37.3
1880	47.1	48.8	44.0
1881		39.2	35.4
1882	36.8	44.5	45.4
1883		63.3	39.7
1884		46.0	34.5
1885	36.7	51.7	40.1
1886	34.6		37.8
1887			37.2
1888	37.6	55.0	38.0
1889		52.0	40.0
1890	45.8	57.6	
1891	42.8	41.2	36.4
1892	40.6		
1898	38.6	44.2	

In every one thousand of the colored population there were, in 1893,

Of Births.	Of Persons Married.	Of Deaths.
05.0	90 g	91.0

The following exhibit will show the number of living births, marriages and deaths among the colored population of Rhode Island, during ten years, from 1861 to 1870, inclusive; 10 years, from 1871 to 1880, inclusive; 10 years, from 1881 to 1890, inclusive; and for 1891, 1892 and 1893, and the aggregate of the same:

10 years, 1861-18701,131 births	557 marriages1,153 deaths.
10 years, 1871-1880 1,615 births	705 marriages1,573 deaths.
10 years, 1881-18901,954 births	752 marriages 1,860 deaths.
1891 173 births	95 marriages 204 deaths.
1892 182 births	98 marriages
1893 203 births	90 marriages 250 deaths.
	
Total, 83 years 5,258 births	2,297 marriages5,276 deaths.


During the first ten years (1861-1870) there were twenty-two more deaths than births; during the second ten (1871-1880) forty-two more births than deaths; during the last ten years (1881-1890) ninety-four more births than deaths. For the thirty-two years previous to 1893 there was an average excess of less than one birth a year over the deaths. During 1891 the number of births was 31 less than the number of deaths. During 1892 the number of births was 54 less than the number of deaths. In 1893 the number of births was 47 less than the number of deaths. Still-born not included with births nor deaths.




DEATH RATES.

Diagram II.—Showing the number of deaths in every 1000 of the population, in each town and each county in the State during the year 1895, computed upon an estimated increase of the population by the Census of 1890.

For explanation see foot note on next page.





			·	
•	•			
٠				
		·		

CAUSES OF DEATH, 1893.

The statistics of the causes of death in Rhode Island, in 1893, may be found in Tables VII, VIII, IX and X. The whole number of deaths, as previously stated, was 7,440, which was but 44 more than the number returned in 1892, and 820 more than the number reported in 1891. The number of which the cause of death was reported was 7,372, and the number of which the cause was not stated was 68.

The following Table shows the number of deaths in 1893, in each large division of the State, and the number and proportion in each division from which causes were reported unknown:

TABLE LVII.

	Bristol County.	Kent County.	Newport County Towns.	Providence County Towns.	Washington County.	Newport City.	Pawtucket.	Providence City.	Woonsocket.	Whole State.
Number of Deaths	228	578 6	144	1,635	307	370	599 13	3,141 14	434	7,440 68
One in	228	96	18	78	307		46	224	109	109

TABLE LVIII.

Proportion of Deaths reported with "Cause Unknown" in each Division of the State, for a period of thirty-nine years, from 1855 to 1893, inclusive.

			STATI	E Divis	SIONS.			aths.
YEARS.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.	Whole State.	In every 1060 Deaths.
1855-1859, One in every	19.8	7.6	15.4	5.8	34.3	5.3	9.0	111.1
1860-1864, One in every	25.7	10.6	17.8	8.4	35.3	25.1	14.7	68.0
1865-1869, One in every	60.2	12.6	28.7	7.1	58.8	21.3	14.0	71.4
1870-1874, One in every	43.7	27.5	16.2	10.8	84.6	19.0	19.2	52.1
1875, One in every	55.0	7.4	15.6	13.7	91.2	11.9	20.9	47.8
1876, One in every	11.5	7.9	18.5	9.9	124.3	22.8	19.3	45.8
1877, One in every	201.0	17.7	9.7	11.9	323.0	16.0	23.2	43.1
1878, One in every	32.1	7.4	9.0	18.7	124.2	21.7	21.1	47.4
1879, One in every	16.6	9.2	12.4	9.5	225.1	8.6	17.6	56.8
1875-1879, One in every	63.2	9.9	13.0	11.7	177.6	16.2	20.4	49.0
1880, One in every	21.9	23.5	13.5	10.5	122.3	17.8	20.7	48.8
1881, One in every	204 0	13.0	11.2	7.3	143.0	6.5	14.4	69.4
1882, One in every	37.6	11.6	10.9	10.6	187.0	7.7	18.8	53.2
1883, One in every	40 4	15.9	15.0	15.3	392 8	17.0	28 4	36.2
1884, One in every	100.0	40 0	81.6	91.7	372.1	94.0	122.4	8.2
1880-1884, One in every	80.8	20.8	26.4	27.1	243.4	28.6	40.9	24.5
1885, One in every	185.0	355.0	187.0	45.6	309.1	52.2	91.3	10.9
1886, One in every	110.5	192.5	86.0	87.0	195.1	55.2	118.7	79
1887, One in every	212.0	343.0	78.5	782.6	264.0	351.0	333 7	3.0
1888, One in every	251.0	408.0	152.7	164.3	293.8	368.0	235.7	4.8
1889, One in every	208.0	152.0	221.0	176.7	120.0	338.0	160.0	6.2
1885-1889, One in every	493.5	389.0	134.0	251.2	236.4	233.0	168.8	6 4
1890, One in every			236.0	109.0	190.0	159.0	161.0	6.2
1891, One in every			598.0	159.0	175.0	154.0	194.0	5.1
1892, One in every	ļ	·	591 0	240.0	212.0	184.0	264.0	3.8
1893, One in every	228.0	96.3	64.2	70.2	224.0	307.0	109.0	91

^{*} Not including Providence city.

TABLE LIX.

						<u>, o</u> (No.
1893.	1892.	1891.	1890,	1889.	1888.	June 1st, 1853, to Dec. 31st, 1887—35 yrs. 7 mos.	Per 1000 Whole of Dear 35 years months.
Whole Number7,440 Whole Number7,396	Whole Number7,396	Whole Number6,620	Whole Number 6,620 Whole Number 6,934	Whole Number 6,259	Whole Number6,594	Whole Number129.231	
Pneumonia776 Consumption759	Consumption759	Consumption740	Consumption852	Consumption 727	Consumption 800	Consumption 19,847	154.8
Consumption722 Pneumonia	Pneumonia655	Pneumonia 568	S Cholera Infantum582	Pneumonia 483	Pneumonia 508	Pneumonia 8,298	64.5
Cholera Infantum603 Cholera Inf	Cholera Infantum633		Cholera Infantum546 Pneumonia569	Heart, Diseases of.460	Cholera Infantum. 467	Old Age6,797	53.0
Heart Diseases535 Heart Diseases	Heart Diseases506	Heart Diseases 480	0 Heart, Discases of .405		Heart, Diseases of 467	Cholera Infantum. 396 Heart, Diseases of 467 Cholera Infantum. 6,821	53.1
A poplexy 407 Apoplexy	Apoplexy362	Apoplexy 335	5 Apoplexy341	Apoplexy 323	Apoplexy 367	Scarlatina 4,974	38.5
gronchitis315 Influenza	Influenza836	Bronchitis 247	7 Bronchitis 275	Bronchitis280	Old Age 290	Dysentery and Diarrhosa 5,166	40.1
Diseases 302 Accidents	Accidents309		Kidney Diseases 245 Accidents 250	Old Age227	Brain, Discases of 284	Heart, Diseases of. 5,642	436
Klur 264 Bronchitis.	Bronchitis308	Accidents233	8 Kidney, Dis. of 229	Accidents216	Fever, Typhoid235	Fevers, Typhoid,	36.1
Accident Diseases257 Kidney Diseases258	Kidney Diseases258	Brain Diseases	222 Brain, Diseases of 217	Kidney, Dis. of210	Bronchitis 228	Apoplexy and Paralysis 5,050	39.3
Brain 205 Old Age	Old Age256	Old Age 185	Diphtheria 211	Cancer189 Kidney, Dis. of	Kidney, Dis. of 213	Accidente, all kinds 3,921	30.3
Capt193 Brain Diseases246	Brain Diseases246	Diphtheria 177	7 Old Age 198	Brain, Diseases of 189 Scarlatina	Scarlatina 207	Diphtheria*3,777	28.5
goath	Cancer181	Cancer177	7 Influenza168	Diphtheria184 Cancer	Cancer198	Convulsions2,859	22 1
01d 18 157 Fever, Typhoid 183 Fever, Typhoid 149 Cancer.	Fever, Typhoid 133	Fever, Typhoid 148	9 Cancer165	Diarrhea and Dysentery 159	Diphtheria.	191 Croup 2.461	19.1

From pneumonia there was an increase of 121 deaths over that of the previous year, or about 18.5 per cent. The fatality from pneumonia has been slowly increasing, in proportion to whole number of deaths, for the last twenty years.

The number of deaths from consumption, in 1893, was 37 less than in the previous year.

From cholera infantum there was a decrease of 30 deaths from 1892, but the tendency for the previous fifteen years has been toward a considerably increased proportion.

Diseases of the heart have also been on the increase as causes of death, for fifteen years and more, the mortality in 1893 being the largest ever recorded in this State.

There was a decrease of 73 deaths from old age in 1893.

During the last fifteen years, apoplexy, bronchitis, and kidney diseases have, as well as those mentioned above, increased in proportion as causes of death, and typhoid fever, diarrheea and dysentery have decreased.

COMPARATIVE STATISTICS

AND

COMMENTS.

There have been presented in the preceding pages, numerically and in tabular form, the different causes of death in Rhode Island, in 1893, with various summaries and illustrations. In Tables VII and VIII they were presented at considerable length, in various specific terms; in Table IX more or less grouped in a general nosological arrangement; and in Table X the same for a period of forty-one years.

In Table VII the number of deaths from each cause and of each sex is shown, for each month in the year, and the parentage of the decedents from each cause during the year.

In Table VIII the number of decedents of each sex from each cause, in the different periods of life, is given.

In Table IX, with the classification and percentage of causes of death, the number of each general cause, in each division of larger population, is given.

In Table X a nosological summary of causes of death for the whole State, in each of forty-one years, is given.

Table LX is a compend in part of Tables VII, VIII and IX, previously alluded to, and contains the particulars of the most important causes of death in 1893, and comprises the principal causes which will be commented upon in the following pages:

Table LX.

Deaths in Rhode Island from Twenty-five Principal Diseases.

Total mortality Parity P	Consequence Consequence	111 5 4 43 4 20 5 19 12 5 1 50 2 19 12 9 11 10 35 1 20 5 19 12 15 1 150 2 19 19 10 7 13 15 40 1 16 4 1 16 5 1 20 2 19 10 7 5 8 17 46 1 23 7 2 5 10 1 44 2 11 20 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2
Males	279 358 13 25 6 21 15 5 6 21 15 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	111 5 4 43 4 20 5 19 12 5 1 50 2 2 12 9 11 10 3 1 2 5 1 50 2 2 12 9 11 10 3 1 2 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1
Males	229 55 5 11 15 5 6 6 11 15 6 6 11 15 8 8 11 19	11 5 4 43 4 20 5 19 12 5 1 50 6 9 11 15 47 2 25 8 1 19 7 10 10 7 5 8 40 1 16 4 1 16 5 1 22 21 5 8 17 46 1 23 7 2 5 10 1 44 20 1 2 13 9 8 30 5 13 6 2 98
Males	239 50 50 50 50 50 50 50 50 50 50 50 50 50	111 5 4 43 4 20 5 19 12 5 1 12 9 11 10 5 4 45 4 20 5 19 12 5 1 1 12 5 1 1 1 10 5 1 1 1 10 5 1 1 1 10 5 1 1 1 1
Marker Paralles	232 Goolera Infantum. 232 Goolera Infantum. 232 Goolera Infantum. 232 Goolera Infantum. 232 Goolera Infantum. 233 Goolera Infantum. 234 Sept. 29 Goolera Infantum. 235 Goolera Infantum. 236 Goolera Infantum. 237 Goolera Infantum. 238 Goolera Infantum. 239 Goolera Infantum. 239 Goolera Infantum. 230 Goolera Infantum. 230 Goolera Infantum. 230 Goolera Infantum. 231 Goolera Infantum. 232 Goolera Infantum. 233 Goolera Infantum. 234 Goolera Infantum. 235 Goolera Infantum. 236 Goolera Infantum. 237 Goolera Infantum. 238 Goolera Infantum. 239 Goolera Infantum. 230 Goolera Infantum. 230 Goolera Infantum. 230 Goolera Infantum. 231 Goolera Infantum. 231 Goolera Infantum. 232 Goolera Infantum. 233 Goolera Infantum. 234 Goolera Infantum. 235 Goolera Infantum. 237 Goolera Infantum. 238 Goolera Infantum. 239 Goolera Infantum. 240 Goolera Infantum. 250 Goolera Infantum. 251 Goolera Infantum. 252 Goolera Infantum. 253 Goolera Infantum. 254 Goolera Infantum. 255 Goolera Infantum. 255 Goolera Infantum. 257 Goolera Infantum. 258 Goolera Infantum. 259 Goolera Infantum. 250 Goolera Infantum. 250 Goolera Infantum. 250 Goolera Infantum. 250 Goolera Infantum. 250 Goolera Infantum. 251 Goolera Infantum. 252 Goolera Infantum. 253 Goolera Infantum. 254 Goolera Infantum. 255 Goolera Infantum. 257 Goolera Infantum. 257 Goolera Infantum. 257 Goolera Infantum. 258 Goolera Infantum. 259 Goolera Infantum. 250 Goolera I	11 5 4 43 4 20 5 19 12 5 19 12 6 7 13 15 4 7 1 8 1 5 7 8 1 19 7 6 1 19 7 19 7
March Argust March Mar	234 364 29 Consumption. 235 354 364 29 Consumption. 236 364 29 Consumption. 237 350 355 251 251 251 251 251 251 251 251 251 2	111 5 4 43 4 20 5 19 12 12 9 11 10 35 1 25 6 6 23 6 7 13 15 47 2 25 8 1 19 10 7 5 8 40 1 16 4 1 16 21 5 8 17 46 1 23 7 2 5 20 1 2 13 50 1 25 4 1 17 17 4 15 48 36 30 5 13
Males Accidents and Negligence. Accidents and Negligence. Accidents and Negligence. Accidents and Paralysis. Brain Diseases.	232 Goolera Infantum. 232 Social Delivation. 232 Social Delivation. 233 Social Delivation. 234 Social Delivation. 235 Social Deliver Decreases. 236 Social Deliver Diseases. 237 Social Deliver Diseases. 238 Social Deliver Diseases. 238 Social Deliver Diseases. 239 Social Deliver Diseases. 230 Social Deliver Diseases. 230 Social Deliver Diseases. 231 Social Deliver Diseases. 232 Social Deliver Diseases. 233 Social Deliver Diseases. 234 Social Deliver Diseases. 235 Social Deliver Diseases. 236 Social Deliver Diseases. 237 Social Deliver Diseases. 238 Social Deliver Diseases. 238 Social Deliver Diseases. 248 Social Deliver Diseases. 259 Social Deliver Diseases. 250 Social Deliver Diseases. 250 Social Deliver Diseases. 251 Social Deliver Diseases. 252 Social Deliver Diseases. 253 Social Deliver Diseases. 254 Social Deliver Diseases. 255 Social Deliver	111 5 4 43 4 20 5 19 12 9 115 47 2 25 6 6 6 7 13 15 47 2 25 8 1 20 7 5 8 40 1 16 4 1 20 1 5 8 17 46 1 23 7 2 20 1 5 15 8 8 1 7 2 8 17 46 1 25 7 2 7 4 15 48 86 30 5
Males Accidents and Negligence	232 Goolera Infantum. 247 923 635 423 Goolera Infantum. 258 834 834 834 834 835 Goolera Diphtheria. 259 55 65 65 11 Diphtheria. 250 55 65 65 11 Diphtheria. 250 55 65 65 11 Diphtheria. 250 55 65 65 11 Diphtheria. 250 55 65 65 11 Diphtheria. 250 55 65 65 65 11 Diphtheria. 250 55 65 65 65 65 65 65 65 65 65 65 65 11 Diphtheria. 250 55 65 65 65 65 65 65 65 65 65 65 65 65	111 5 4 453 4 20 5 6 7 11 10 55 1 27 6 6 7 9 11 10 55 1 27 6 6 7 9 12 15 6 4 1 16 4 1 23 7 7 6 1 25 6 1
Males	234 66 6 8 8 9 1 13 2 10 14 11 15 15 10 15 15 15 15 15 15 15 15 15 15 15 15 15	111 5 4 43 4 20 12 9 11 10 4 5 1 27 6 7 13 15 4 7 2 25 10 7 5 8 40 1 16 20 1 8 17 46 1 23 20 1 8 15 48 38 30
Males Accidents and Negligence	23 5 6 6 8 8 9 5 7 7 7 8 8 7 1 1	111 15 4 433 4 6 6 7 9 11 10 35 1 1 10 35 1 1 10 35 1 1 10 35 1 1 10 35 1 1 10 35 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Males Accidents and Negligence	23 5 6 6 8 8 9 5 7 7 7 8 8 7 1 1	111 5 4 4 5 5 6 6 6 7 13 15 6 7 13 15 6 7 13 15 6 7 13 15 6 7 15 15 6 7 15 6
Males	23	111 5 4 12 9 11 10 6 7 13 15 21 5 8 17 7 18 13 17 1 20 18 13 19 13
Males	23 5 5 6 6 8 8 9 9 7 1 1 Diphtheria. 24 5 6 6 8 8 9 9 9 1 1 1 Diphtheria. 25 5 6 6 7 7 7 7 8 9 9 1 1 1 Diphtheria. 26 6 8 8 9 9 9 1 1 1 Diphtheria. 27 6 8 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	112 120 10 10 10 10 10 10 10 10 10 10 10 10 10
Males	29 57 66 6 8 4113 5 1 4 2 5 1 1 1 5 1 1 5 1 5 6 6 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 1 5 6 7 1 1 1 5 7 5 6 7 1 1 1 5 7 5 6 7 1 1 1 5 7 5 6 7 1 1 1 5 7 5 6 7 1 1 1 5 7 5 7 1 1 1 5 7 5 7 1 1 1 5 7 5 7	20 10 6 7 7 17 17 17 17 17 17 17 17 17 17 17 17
Males	29 57 66 6 8 5 113 21 2 2 2 2 10 Distributa. 29 57 66 6 8 57 13 2 13 2 14 2 15 1 Distributa. 29 57 66 77 14 2 2 57 17 Distributa. 29 57 68 69 57 17 15 Distributa. 29 57 69 57 15 15 15 15 Distributa. 29 57 69 57 15 15 15 15 Distributa.	20 21 20 21 21 21 21 21 21 21 21 21 21 21 21 21
Males	29 9 76 6 8 4 11 11 Distributa. 29 5 76 6 8 8 9 2 8 75 100 Distributa. 29 77 6 8 8 9 2 8 75 100 Distributa.	
Males Accidents and Paralysis, Accidents and Paralysis, Accidents and Paralysis, Accidents and Paralysis, Accidents and Paralysis, Apoplexy and Paralysis, Apoplexy and Paralysis, Apoplexy and Paralysis, Accidents and	29 9 5 6 6 8 417 23 8 6 Cholera Infantum. 29 5 6 6 8 417 29 8 5 6 22 Consumption. 25 7 7 8 6 9 2 3 7 11 Diarrhea.	0 12 22 25 to 22
Majes Appeller	29 or 6 6 6 8 45 13 21 2 2	
Males Accidents and Paralysis	23.2 60 Cholera Infantum.	- 22 24 22 25 25
Males Angust Angust March Ma	23.2 60 Cholera Infantum.	52485588
Males	0 824 14	882288
Males Accidents and Megligence	125621 22 52 6 Cancer.	
Males Accidents and Negligence Permales Accidents and Negligence Permales Accidents and Paralysis Permales April April April April April April April April April April April Arch August A	8455 88 105 316 15 bronchitts	0.0000000000000000000000000000000000000
Males Males Males Males Males Males Males Males Males Males Males March March May Ma	22 22 22 24 10 24 Brain Diseases.	
Males Accidents and Megligence Accidents and Megligence March May	SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	
Males Males Males Mative Foreign March March May June		
otal mortality { Males. { Females. } Foreign. } Foreign. January February March. April. May June. July. August. September. October. November. November.	A STO WELL STANFORM	
otal mortality. { Males. { Females. { Fereign. } Foreign. January. February. March. March. March. April. May. June. June. July. August. September. October. November.	1 11 11 1111	
otal mortality. { Males. { Females. } Foreign. { Native. } Foreign. April. March. April. May. June. July. August. September. October. November.		
Males. Females. Females. Females. Foreign. Foreign. March. May. June		
Males. Females. Females. Females. Foreign February February February March March March May June July June July August October November October November October November December December November October November Nove	: :: :: :::::	
otal mortality Males. Females. Foreign Foreign January February March May June July July August September October November		· · · · · ·
otal mortality Males. Females. Foreign Foreign Foreign Antihe April May June		
otal mortality Males. Males. Native. Foreign. January February March. April. May June. July July August. September. October. November.		
otal mortality { Males. Females. February February February March May June July June July September November November November December Dece		
otal mortality { Males		
otal mortality Males Females Foreign Foreign February March May June Jun		
otal mortal Males Females Foreign February March May July July August. Septembo October. Novembo October.		
otal mort Males. Femal March April. May July July Augus Septem Octobe Noveem Decem	1	er er
otal m otal m Mail Fen Fen Fen Mar Apr May July July July July Sept Octo	tali tali ;n. ;n. ;n. ;n. ;n.	tt nber. 2r. 1ber. Der.
THE NEW PRESENTATION OF THE PROPERTY OF THE PR	ortali ss nales. inary. characteristics	ust. em ber. em ber. em ber.
\$ ~~ ~~ <u></u>	mortali ales emales. oreign. oreign. sbruary sbruary ariu ay	libe
	al mortali Males Females. Native Foreign. January. February March April	June. July. August. September. October. November.

TABLE LX.—Continued.

W hooping Cough.	25 cs : : : : : : : : : : : : : : : : : :	: @ # # # # # # # # # # # # # # # # # #
В физик В развен В при В развен В разве	Ø : :: : : : : : : : : : : : : : : : :	
Scarlatina.	106 59 16 3 5 5 7 7 10 10 10 10 10 10 10 10 10 10 10 10 10	1821864751
Rheumstism.	- 01 4 20 TO 1 4 20 H	<u> </u>
Pnenmonia.	25 8 8 49 68 68 96 10 70 70 70	18 20 20 20 20 20 20 20 20 20 20 20 20 20
Pleurisy	<u> </u>	<u> </u>
Peritonitis.	4 6 6 8 5 6 5 5 4 6 8 8 5 5 5 5 6 5 6 5 6 5 6 6 6 6 6 6 6	ಬ ಹಬಬಲಲ≎ ⊱_4
Old Age.	112	20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Measles.	88 110 110 110 110 110 110 110 110 110 1	
Гічет Дівсянсв.	2 - 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	_ 4000140128012
Kidney Discases.	o 2 2 2 2 2 3 3 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	19 15 15 147 111 15
Influenza.	51 10 10 10 10 10 10 10 10 10 10 10 10 10	5 00 00 00 17 00 00 00 00 00 00 00 00 00 00 00 00 00
Heart Diseases,	#4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	800 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Fever, Typhoid.	. a - a 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4688118865
Enteritis.	± 0 : : : : : : : : : : : : : : : : : :	: 88188848
Dysentery.	_ 20 4 :	ფფ₁ : <mark>.</mark> ფფ - ფ
Diphtheria.	84 8 8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	111 111 80 83 83 85 4
Diarrhæa.	\$ 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Croup.	301 :1 : : : : : : : : : : : : : : : : :	411 : 88 85 2 2 :
Coneumption.	82 22 22 22 22 22 22 22 22 22 22 22 22 2	18 55 68 88 88 88 77
Cholera Infantum.	ê : <u>: : : : : : : : : : : : : : : : : :</u>	1183 88 8.55 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1
Сапсет.	4	9 2 4 2 4 4 6 8 9 9
Bronchitis.	158 38 88 89 89 133 133 148	200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Втаіп Dівсавев.	88 99 77 11 11 88 12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	211 212 213 213 213 214 215 217
Apoplexy and Paralysis.	62 45 45 45 45 45 45 45 45 45 45 45 45 45	23 24 24 23 23 23
Accidents and Negligence.	10 11 10 11 10 10 10 10 10 10 10 10 10 1	20 21 20 113 128 128 128 128 128 128
	Cuder 5 years. 5 to 10. 10 to 15. 15 to 20. 15 to 20. 15 to 20. 15 to 20. 16 to 80. 50 to 60. 69 to 70. 70 to 80. 80 and over. Not stated.	Rristol County Kent County Newport County Towns Newport City Providence County Towns Pawtucket. Providence City Woonsocket.
11	Vors.	LOCALITIES.

DEATHS FROM ACCIDENTS.

The number of deaths from accidental causes of all kinds, reported in Rhode Island, in 1893, was 264. This number is 45 less than during 1892.

Among the 264 deaths from accident there were 14 from asphyxia; 26 from burns and scalds; 47 from drowning; 25 from falls; 25 from fractures and contusions of various kinds; 14 from poison; 39 from accidents of various forms on railroads; and 74 from numerous other accidental circumstances.

Of the whole number of deaths by accident 195 were males and 69 were females; 88 were of native, and 176 were of foreign parentage.

Of the sexes the proportion was 73.86 per cent. of male decedents to 26.13 per cent. of female decedents.

Of parentage, 67 per cent. was of foreign, and 33 per cent. of native. The number of deaths in each division of the year was as follows:

First Quarter	Third Quarter 69
Second Quarter	Fourth Quarter 68
First half	Second half
Whole Year	264

In regard to periods of life, the decedents from accidental causes were divided as follows: Under 5 years, 61; 5 and under 10, 10; between 10 and 20, 29; between 20 and 40, 75; between 40 and 60, 52; over 60, 34; and 3, age not stated.

In regard to sectional divisions of the State, 9 of the deaths from accidental causes were in Bristol county; 21 in Kent county; 21 in Newport county; 12 in Washington county, and 201 in Providence county.

The whole number of deaths from accidental causes, in 1893, in proportion to the whole number of deaths in the State, was about 35 in every one thousand. The number in proportion to the whole population was .69 in every one thousand.

Of the 74 various accidents, there was one caused by being run over by electric car, one from electric light current. Of the deaths by asphyxia, one was from caving in of bank, four by smoke, two were infants being overlaid in bed. Of deaths from poisoning, three were from overdose of medicine, one being "Arnold's Balsam," and another "Russell's White Drops."

In the following Table may be found the number, sex, parentage and locality of mortality from accidents, for twenty-nine years, ending December 31, 1893:

TABLE LXI.

Mortality in the State from Accidents, with the Percentage of the Whole Number of Deaths; Sex, Parentage, and Locality, for twenty-nine years, from 1865 to 1893, inclusive, in three periods of fire years each, and for each of the last fourteen years.

				v	ARII	STIE	s.			()		se.	х.	PAR			STA	TE :	DIVIS	ions.	
YEARS.	Whole Number.	Burns and Scalds.	Drowning.	Falls.	Fractures and Contusions.	Poisoning.	Railroad.	Suffocation.	Various and Unspecified.	Don goost	rer cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County	Providence County.*	Providence City.	Washington County.
5 years, 1865- 1869	515	81	114	70	1	14	32	1	203	3.	31	397	118	245	270	26	36	52	192	166	48
5 years, 1870- 1874	612	78	159	89		17	68	10	196	3.	16	493	119	284	328	22	45	49	219	233	44
5 years, 1875- 1879	658	71	168	75		31	52	19	242	3.	02	487	171	283	375	20	45	50	192	303	48
1880	146	21	33	14		5	18		55	3.	02	108	38	57,	89	5	17	10	39	71	. 4
1881	155	16	29	D.		9	20	19	43	3.		107	48	62	93	5	17		60	56	,
1882	178	17	40	1	Sec.	6	16	8	60	3.	1	130	48	72:		5	9	15	60	80	٩
1883	153	18	27		571	6	16	12	53			117	36	61	92	4	8	9	63	66	,
1884	197	20	41			7	16	11	71	3.	Ε.	147	50	90	107	5	19	14	65	76	18
5 years, 1880- 1884	829	92	170	116		33	86	50	282	3.	26	609	220	342	487	24	70	60	287	349	
1885	173	19	42	25		9	15	9	54	3.	20	135	38	72	101	5	6	8	58	83	18
1886	190	23	58			6	20	9	55	8.		141	49	84	106	16	11	16	62	72	18
1887	206	17	39	17	23	7	24	14	65	3.		158	48	92	- 1	5	11	23	81	71	18
1888	190	27	46	18	8	12	25	8	46	2.	8	' 145	45	63	127	4	6	14	70	88	
1889	216	20	52	31	25	7	23	9	49	4.	10	146	70	88	128	2	14	13	73	101	18
5 years, 1885- 1889	975	106	287	110	56	41	107	49	269	8.	55	725	250	399	576	32	48	74	344	415	
1890	250	20	71	82	26	11	31	12	47	3.	60	199	51	99	151	7	17	24	75	111	16
1891	233	18	52	21	29	16	30	17		3.		174	59	78	155	5	13	16	95	89	10
1892	309	21	48	33	60	20	29	8	90	4.	1	225	84	115	194	8		21	100	158	3
1898	264	26	47	25	25	14	39	i	74	3.		195	69	88	176	9	21		75	126	12
,					196	:		į	i		83			į	2712		1	İ			288

^{*} Exclusive of Providence city.

TABLE LXII.

Mortality in the State from Alcoholism, with the Percentage of the Whole Number of Deaths, Sex, Parentage and Locality for twenty-nine years, from 1865 to 1893, inclusive.

	ц		SE	x.	PAREN	TAGE.		81	ATE DI	VISION	8.	
YEARS.	Number of Deaths from Alcoholism.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 years, 1865–1869	55	.38	48	7	27	28	1	4	5	12	29	*4
5 years, 1870–1874	93	.51	74	19	. 40	53	4	7	9	33	87	3
5 years, 1875–1879	81	.39	56	25	27	54	2	4	7	17	48	3
1880	15	.32	9	6	5	10	1		1	4	8	1
1881	24	.51	17	7	5	19	1		1	7	14	1
1882	28	.58	16	12	8	20		****		9	18	1
1883	29	54	17	12	7	22	4500	1	1	10	16	1
1884	27	.53	19	8	10	17		1	4	9	12	1
1880-1884	123	.50	78	45	35	88	5	2	7	39	68	5
1885	22	.41	16	6	 ! 6	16	2	1		11	7	1
1886	12	.20	9	8	2	10	1	44,544	1	3	7	
1887	16	.25	14	2	. 4	12	2	2	2	5	4	1
1888	16	.32	10	6	5	11			2	5	9	
1889	31	.50	23	8	12	19	2	1	1	13	14	
1885–1889	97	.34	72	25	29	68	7	4	6	37	41	2
1890	25	.37	20	5	8	17	2			11	11	1
1891	29	.47	22	7	8	21	1	1	4	10	13	
1892	36	.48	27	9	8	28	1		4	12	17	2
1893	44	.59	34	10	15	29		-3	7	9	23	2
Total, 29 years	583	.43	431	152	197	386	20	25	49	180	287	22

^{*} Exclusive of Providence city.

APOPLEXY AND PARALYSIS.

There were 407 deaths from apoplexy and paralysis in Rhode Island, in 1893, according to the returns. The number reported is 45 more than in the year 1892.

The whole number of deaths from these two causes represents 5.47 per cent. of all causes, and a proportion of 1.07 to every one thousand of the population.

Of the sexes, there were 206 males and 201 females.

Of parentage, 227 were of native parentage, and 180 of foreign.

As observed in previous reports, the older native population has steadily been, in a very large proportion, more prone to apoplexy than the foreign, or the children of the foreign population.

It will be observed that the proportion of deaths from apoplexy and paralysis, to the whole mortality from all causes, has steadily increased from about three and one-half per cent., during the first quinquennial (1865–1869), to nearly five and one-half per cent. during the quinquennial 1885–1889.

The following Table will present the sex, parental and local relations of apoplexy and paralysis, as causes of death, during the last twenty-nine years: (Providence city not included in the Providence county statement.)

Table LXIII.

Mortality in the State from Apoplexy and Paralysis, 1865 to 1893, inclusive.

	1 1	<u>ე.ფ</u>		1	= ==	ī		Ţ			· · · -		
	for	Apc		SI	x.	PARE	NTAGE.	-	DIVISI	ONS OF	THE	RTATE	
YEARS.	Total Deaths for Year.	Number from Apoplexy and Paralysis.	Per cent.	Males.	Females.	Native.	F reign.	Bristol County.	Kent County.	Newport County.	Providence County.	Providence City.	Washington County.
1865-1869.	15,558	544	3.48	268	276	440	104	47	51	81	129	210	36
1870	3,238	130	4.32	: 68	62	105	25	14	10	10	39	52	5
1871	3,344	156	4.66	73	83	113	43	10	17	15	49	61	18
1872	4,247	125	2 97	62	63	96	29	17	9	10	27	52	10
1873	4,403	134	3.04	59	75	109	. 25	9	8	17	26	57	17
1874	4,229	156	3.69	81	72	120	36	14	10	16	42	59	15
1870-1874.	19,461	701	3.60	346	355	543	148	64	54	68	174	281	60
1875	4,317	166	3.61	79	87	133	33	7	13	17	46	75	
1876	4,116	165	4.01	79	86	130	35	13	11	13	45	68	15
1877	4,450	181	4.07	87	94	123	58	10	10	16	52	74	19
1878	4,441	188	4.23	104	84	145	43	12	16	21	58	66	15
1879	4,472	220	4.92	114	106	. 146	74	12	9	29	71	89	10
1875-1879.	21,796	920	4.22	463	457	677	243	54	59	96	272	372	67
1880	4,829	215	4.67	109	106	157	58	18	! · 13	22	71	78	13
1881	5,016	244	4.86	116	128	170	74	17	15	25	70	101	16
1882	5,074	265	5.22	139	126	168	97	15	29	24	65	117	15
1883	5,282	275	5.22	138	137	192	83	11	28	22	75	118	21
1884	5,141	298	5.80	135	163	176	122	21	14	28	108	105	22
1880-1884.	25,342	1,297	5.12	637	660	863	434	82	99	121	389	519	87
1885	: . 5,389	289	5.38	114	145	183	106	16	18	28	99	110	18
1886	5,849	333	5.70	173	160	230	103	11	27	32	108	120	35
1887	6,340	328	5.17	161	167	213	115	51	27	23	101	128	28
1888	6,594	367	5.41	164	203	234	133	29	26	29	113	137	88
1889	6,259	323	5.17	140	183	204	119	23	32	28	101	106	33
1885-1889.	30,431	1,640	5.39	782	858	1,064	576	100	130	140	522	601	147
1890	6,934	341	4.91	168	173	206	135	21	21	23	110	144	22
1891	6,620	335	5.08	160	175	207	128	17	29	32	118	118	21
1892	7,396	362	4.89	176	186	195	167	12	29	39	124	134	24
1893	7,440	407	5.47	206	201	227	180	21	28	26	138	171	23
	<u>'</u> '-					<u></u> -'	'	<u></u>				!	

TABLE LXIV.

Ages of Decedents from Apoplexy and Paralysis, in each of the last twenty-nine years.

$\boldsymbol{z} = \boldsymbol{z} \cdot $	-		::	: ::		-		·	::
:				Perio	DS OF	LIFE.			
		' 1							
APOPLEXY AND PARALYSIS.			,					e.	
	. 50	8	. 6	20	.09	7.0	30.	and over	Not stated
	Under 20.	2	\$	\$	5	to	\$		ot %
	٠	8	- S	유	. 22	9	55	. 8_	Z
1865		3	5	6	19	20	28	19	· . .
1866	1	1	7	16	9	24	27	7	
1867	2	·	6	6	15	38	40	17	, . .
1868	2	3	3	11	16	27	31	16	2
1869	1	1	5 !	12	20	28	34	15	1
1870	4	1	10	9 !	12	33	41	20	
1871	3	4	7 1	14	21	46	45	15	. 1
1872	1	4	5	17	20	26	41	11	·
1873	2	3	4	14	22	35	37	16	. 1
1874	1	2	9	9	30	39	40	25	1
1875	6	2	8	19	23	40	45	22	1
1876	4	4	4	13	25	43	49	23	
1877	1	2	9 ;	12	24	50	61	22	
1878	4	2	7 1	14	41	40	53	26	. 1
1879	4	6	11	18	27	57	59	38	٠
1880	1	2	8	18	21	59	70	34	2
1881	1	7	11	20	36	55	70	42	į 2
1882	4	5	14	28	41	57	77	38	1
1883	8	4	11	19	45	56	83	49	
1884	10	7	16	21	32	68	95	45	4
1885	8	5	7	25	29	76	94	44	1
1886	7	8	10	25	52	65	112	51	3
1887	12	6	13	26	50	90	96	35	
1888	10	4	18	29	61	85	100	60	
1889	6	6	11	36	45	87	92	39	. 1
1890	7	5	13	29	52	84	100	50	1
1891	4	6	15	24	61	! 88	90	47	;
1892	3	6	17	40	60	91	95	49	1
1898	13	6	19	45	62	110	108	43	1
				- :					ļ
Total	130	115	283	575	971	1,617	1,913	918	25
		<u> </u>	l	[<u> </u>		

BRAIN DISEASES.

The number of decedents from diseases of the brain proper, for 1893, was 257.

This number represents 3.46 per cent. of all causes, and a proportion of .66 to every one thousand of the whole population.

Of the 257 decedents, 139 were males, and 118 were females.

In regard to parentage, 116 were of native, and 141 of foreign parentage.

The deaths in the different seasons of the year were as follows:

•
Third Quarter 74
Fourth Quarter

Last half 121
Last Hall 121

Brain diseases occur largely in children. Of the 257 decedents from those causes, in 1893, 138 and more than one-half were under five years of age, and 29 were from five to ten years of age.

The following Table will present the statistics of mortality from diseases of the brain, for twenty-nine years:

TABLE LXV.

Mortality in the State from Brain Diseases, with the Percentage Sex, Parentage, and Locality for twenty-nine years, from 1865 to 1893, inclusive.

							<u> </u>							
YEARS.	g .		SE	SEX. PARENTA			E. DIVISIONS OF THE STATE.							
	Number of Deaths from Brain Diseases.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.		
1865–1869	444	2 85	248	201	281	163	17	23	37	128	209	30		
1870-1874	584	2.99	817	267	335	249	13	31	44	168	314	14		
1875	. 118	2.73	63	55	69	49	: 3	6	5	30	65	9		
1876	150	3.64	92	58	89	61	3	11	7	39	85	5		
1877	160	3.59	88	72	91	69	3	7	11	49	85	5		
1878	142	3.19	75	67	76	66	. 1	13	12	45	68	8		
1879	163	3.65	82	81	88	75	8	13	15	51	75	6		
1875-1879	733	3.36	400	388	418	320	13	5 0	50	214	378	28		
1880	164	3.39	87	77	89	75	3	6	12	56	81	6		
1881	186	3.69	103	83	85	101	7	11	14	58	91	5		
1882	181	3.50	98	88	92	89	4	10	10	71	80	6		
1883	187	3.54	96	91	100	87	8	14	15	52	94	4		
1884	148	2.88	90	58	77	71	4	ρ	8	41	83	3		
1880-1884	866	3.40	469	397	443	423	; 26	50	59	278	429	24		
1885	189	3.51	98	91	94	95	2	11	20	58	100	8		
1886	182	8.09	108	74	84	98	4	14	13	69	78	4		
1887	203	3.21	120	83	103	100	8	9	14	75	95	2		
1888	212	3.21	114	98	109	103	4	19	12	76	90	11		
1889	189	3.58	91	98	96	93	5	12	17	72	78	5		
1885-1889	975	3.30	531	444	486	489	23	65	76	345	441	25		
1890	217	8.13	118	104	119	98	7	18	17	90	85	5		
1891	222	3.86	135	87	108	114	i 8	19	19	98	78	5		
1892	246	3.83	130	116	122	124	; 8	22	27	96	83	10		
1893	257	3.46	139	118	116	141	12	. 17	23	100	98	7		
Total, 29 years.	4,544	3.59	2,477	2,067	2,423	2,121	. 127	290	352	1,512	2,115	148		

^{*} Providence city not included.

BRONCHITIS.

The number of decedents, in 1893, whose deaths were reported as having been caused by bronchitis, was 315. This is a larger number than was ever returned in a single year, and is 69 more than in 1892.

This number represents 4.24 per cent. of all causes, and a proportion of .83 to every one thousand of the population.

Of the 315 decedents, 164 were males, and 151 were females; or at the rate of 100 males to each 92 females.

In relation to parentage, 105 were of native, and 210 of foreign parentage.

In regard to age, 158 of the decedents were under 5 years of age, 9 were between 5 and 20 years, 16 between 20 and 40 years, 44 between 40 and 60 years, and of the remaining 88 decedents above 60 years of age, there were 28 deaths from chronic bronchitis.

During the first four months of the year the decedents from bronchitis numbered 160; during the last four months the number was 84.

The very large increase in the proportionate mortality from bronchitis, during the last twenty years, will scarcely fail to be noticed in Table LXVI.

The following Table will show various facts in relation to the mortality from bronchitis, for twenty-nine years:

TABLE LXVI. Mortality in the State from Bronchitis, twenty-nine years, 1865 to 1893, inclusive.

1	athe.	:	8E	BEX. PARENTAGE.			1	DIVISIONS OF THE STATE				
YEARS.	Į D		4							9.	93	no.
I RANS.	Number of Deaths.	Per cent.	Males.	Females	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
865-1869	82	.53	82	50	42	40	2	4	9	21	44	-
1870	26	.84	15	11	11	15			1	8	17	G # # # # #
871	24	.78	10	14	11	18		1	1	5	17	
1872	25	.65	10	15	11	14	1	1	1	6	16	
1878	27	.64	12	15	11	16		24 64	1	7	18	
1874	39	.96	22	17	12	27				6	32	
1870-1874	141	.72	69	72	56	85	1	2	4	32	100	
1875	57	1.39	32	25	29	28	41141		1	21	33	
1876	57	1.46	23	34	26	31	1	2		7	46	1
1877	69	1.62	32	37	35	84	1	1	1	22	44	****
1878	80	1.89	30	50	87	43	1	2	6	22	48	1
1879	62	1.47	31	31	31	31	1	1	5	21	34	
1875-1879	325	1,49	148	177	158	167	8	6	18	98	205	
1880	91	1.86	49	42	44	47	1	6	6	21	56	
1881	84	.67	48	86	39	45	1	1	2	25	53	3
1882	100	1.27	39	61	47	53	3	2	6	25	60	4
1883	111	2.10	56	55	51	60	5	2	3	42	57	1
1884	118	2.29	58	60	40	78	6		8	42	62	***
1880-1884	504	1.98	250	254	221	283	16	11	25	155	288	
1885	168	3.08	82	86	91	77	5	3	13	71	76	
1886	174	2.96	75	99	81	93	3	4	9	74	83	
1887	176	2.77	90	86	60	116	3	6	19	63	84	
1888	228	3.45	105	123	79	149	3	4	17	110	88	1. 7
1889	260	4.20	128	132	90	170	4	8	18	109	110	1
1885-1889	1,006	8.30	480	526	401	605	. 18	25	76	427	441	1
1890	275	4.01	140	135	116	159	5	4	15	107	138	1
1891	247	3.74	108	139	95	152	18	15	21	85	111	1
1892	308	4.16	147	161	117	191	5	15	21	130	130	ì
1893	315	4.24	164	151	105	210	4	9	21	150	126	

^{*} Not including Providence city. 28

CANCER.

There were 205 decedents, in 1893, whose deaths were caused by cancer, according to the returns. The term cancer includes all the various kinds, and in whatever place located.

This number represents 2.75 per cent. of all causes, and a proportion of .54 to every one thousand of the population.

The varieties of cancer, as reported, may be found in Tables VII and VIII, on pages 21, 22, 35 and 36. They are classed in Table IX as follows: Cancer in various localities, or cancer (various), 68; cancer of the breast, 27; of the liver, 27; of the stomach, 41; of the uterus, 42.

In 1893 the deaths from cancer, in the several divisions of the year, were as follows:

First Quarter 54	Third Quarter 48
Second Quarter 55	Fourth Quarter
·	
First half109	Last half 96
Whole Year	205

Sex.—Of the 205 decedents from cancer, 54 were males and 151 were females; or 26 males and 74 females in every 100.

Parentage.—There were 124 of native parentage, and 81 of foreign.

The following Table will show the facts of mortality from cancer, in relation to sex, parentage and locality, for twenty-nine years:

TABLE LXVII. Mortality in the State from Cancer, 1865 to 1893, inclusive.

	. · ·			- 1		t						- =
	eath		. 8E	x. .	PAREN	TAGE.:	E.; DIVISIONS OF THE STATE.					
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	 Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs. 1865-1869.	303	1.95	94	219	248	55	19	28	38	78	121	19
1870	80	2.58	27 1	53	66	14	5	12	8	25	27	8
1871	66	2.13	25	41	47	19 '	! . 	7	5	2 5	25	. 4
1872	95	2.46	26	69	66	29	4	7	9	21	50	4
1873	106	2.53	45	61	76	30	4	6	12	32	44	8
1874	87	2.13	23	64	67	20	4	6	12	24	38	3
1870-1874	434	2.23	146	288	322	112	17	38	46	127	184	22
1875	95	2.31	24	71	62	33	8	6	7	25	49	5
1876	106	2.72	27	79	72	34	5	6	8	27	58	7
1877	135	3.17	29	106	87	48	8	ำ	9	87	66	18
1878	119	2.82	38	81	79	40	5	11	8	37	48	
1879	125	2.96	89	86	70	55	9	6	9	28	66	า
1875-1879	580	2.66	157	423	370	210	25	86	41	154	282	42
1880	125	2.72	45	80	78	52	5	10	12	26	68	4
1881	145	2.90	40	105	90	55	8	10	12	42	65	ε
1882	182	2.75	40	85	. 82	50	5	15	9	43	52	8
1883	169	3.20	51	118	105	64	8	17	12	49	86	2
1884	156	8.05	39	117	· 88	68	2	18	21	41	70	4
1880-1884	727	2.87	215	512	438	289	28	70	66	201	341	20
1885	198	3.59	52	141	114	79	8	9	8	67	88	18
1886	162	2.77	12	120	75	87	6	11	9	37	87	12
1887'	159	2.50	49	110	96	63	8	5	10	49	80	7
1888	193	2.93	67	126	128	65	9	10	12	57	88	17
1889	189	8.08	65	124	104	85	4	10	13	57	82	23
1885-1889	896	2.94	275	621	517	879	35	45	52	267	425	72
1890	165	2.41	56	109	92	78	14	10	18	46	74	5
1891	177	2.67	48	129	104	78	8	11	15	46	83	14
1892	181	2.45	53	128	103	78	7	16	16	57	75	10
1893	205	2.75	54	151	124	81	6	15	17	56	92	19

^{*} Not including Providence city.

CHILD-BIRTH.

Under the head of "Child-birth" are included, in this connection, puerperal fever, puerperal convulsions, and whatever causes of death that may have occurred as the direct result of child-birth, or parturition.

The number reported in 1893 was 57, 28 of which were from the immediate effects of child-birth, including metritis, hemorrhage, rupture of uterus, &c., 6 from peritonitis, 3 from puerperal convulsions, 7 from puerperal fever, 8 from septicæmia, and 5 from other causes.

Of the whole number, 23 were of native and 34 of foreign parentage. This number represents .76 per cent. of all causes, and a proportion of .07 to every one thousand of the population.

The proportion of deaths from child-birth had largely decreased, during the last ten years previous to 1892, but in 1892 there was an increase of over 100 per cent. There were 18 less deaths from child-birth in 1893 than in 1892.

The following Table will present the various relations in regard to the mortality from child-birth, for twenty-nine years, 1865-1893:

TABLE LXVIII.

Mortality in the State from Child-Birth, with the Percentage of the Whole Number of Deaths, Parentage, and Locality, for twenty-nine years, from 1865 to 1893, inclusive.

	٠.											
	the th		PARE	TAGE	DIVISIONS OF THE STATE.							
YEARS.	Number of Deaths from Child-Birth	Per cent.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.		
1865–1869	145	1.00	59	86	7	. 8	12	58	51	9		
1870-1874	230	1.19	104	126	6	15	17	77	96	19		
1875	.53	1 30	26	27	1	· 6	1		31	4		
1876	48	1.24	21	27	3	•••••	1	18	28	3		
1877	46	1.09	18	28	4	8	5	17	17			
1878	48	1.01	23	20	2	4	3	9	21	4		
1879	43	1.02	21	22	1	7	2	6	23	4		
1875–1879	283	1.13	109	121	11	20	12	60	115	15		
1880	51	1.11	23	28	4	. 4	8	10	27	3		
1881	60	1.28	26	34	! 1	1	8	22	29	4		
1882	50	1.03	18	32	i	5	1	16	27	1		
1883	58	1.10	26	32	1	5	9	14	27	. 2		
1884	47	.91	17	30	 	. 8	. 8	19	18	4		
1880–1884	266	1 09	110	156	6	18	19	81	128	14		
1885	47	.87	21	26		8	4	15	24	1		
1886	41	.70	17	24	'	4	4	15	17	1		
1887	58	.71	15	38		5	4	18	26			
1888	51	.77	13	88		8	 •••••	25	20	8		
1889	41	.65	14	27	1	5	2	16	18	4		
1885–1889.	288	.74	80	158	1	20	14	89	100	9		
1890	41	.58	12	29		4	4	10	17	 8		
1891	82	.85	8	24		8	. 1	8		. 2		
1892	75	1.01	' 29	46	1	وا	8	24		. ~		
1898	57	.76	23	34		5	4	15	29	. 4		
1000	31 		40	J-1	;	,	. *	15	. ***	*		
Total, 29 years	1,812	.99	584	778	85	102	85	422	584	84		

^{*} Not including Providence city.

[1893.

CHOLERA INFANTUM.

The number of deaths from cholera infantum, according to the returns for 1894, was 603.

This number represents 8.10 per cent. of deaths from all causes, and a proportion of 1.59 to every one thousand of the population.

Of the 603 decedents, 324 were males, and 279 were females.

Of parentage, 186 were of native, and 417 of foreign parentage; or about 224 of foreign to every 100 of native parentage.

The mortality from cholera infantum, during 1893, was about 4.7 per cent. less than during the year 1892.

As may be seen on the following page, the number of decedents from cholera infantum, during the twenty-nine years from 1865 to 1893, inclusive, was 8,776.

The proportion to total mortality, for the period of twenty-nine years, was nearly 7 per cent. For 1889 the proportion was 6.8 per cent.; for 1890, 8.4 per cent.; for 1891, 8.2 per cent.; for 1892, 8.5 per cent.; and for 1893, 8.1 per cent.

There were 110 males to every 100 females among the decedents during the twenty-nine years; and 149 decedents of foreign parentage to every 100 of native, during the same period.

The following Table shows the whole number of reported deaths from cholera infantum; the sex and parentage of the decedents; and the number in each of the larger divisions of the State, in each of the last twenty-nine years: It will be observed that the percentage of deaths from all causes has greatly increased in the last four years.

Table LXIX.

Mortality in the State from Cholera Infantum, 1865 to 1893, inclusive.

	ths.		SE	x.	PARE?	TAGE.	i 	DIVISI	ons or	THE !	STATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs, 1865–1869.	677	4.10	360	317	318	359	41	36	47	224	281	48
1870	213	6.18	106	107	95	118	15	15	18	69	93	8
1871	172	4.82	85	87	82	90	14	12	12	59	62	18
1872	891	8.71	195	196	167	224	16	16	21	157	151	30
1873	285	6.19	148	187 .	165	120	17	14	16	120	99	19
1874	265	5.86	140	125	115	150	4	12	5	84	184	26
1870-1874	1,826	6.48	674	652	624	702	66	69	67	489	539	96
1875	818	6.97	156	162	155	168	20	16	20	108	186	18
1876	250	5.75	131	119	105	145	5	12	29	68	124	12
1877	259	5.5%	139	120	96	163	12	13	9	96	122	่ ร
1878	168	3.58	96	72	73	95	7	14	7	64	71	
1879	161	8.43	88	78	71	90	8	16	21	51	59	€
1875-1879	1,156	3.03	610	546	500	656	52	71	86	387	512	48
1880	247	5.12	123	124	109	188	13	11	10	; 93	100	20
1881	240	4.54	130	110	102	138	10	22	14	75	102	. 17
1882	325	6.10	178	152	133	192	20	11	19	132	130	18
1888	242	4.87	124	118	104	138	12	7	22	88	108	1
1884	325	6.00	177	148	189	186	10	12	26	114	144	19
1880-1884	1,879	5.16	727	652	587	792	65	63	91	502	584	74
1885	279	4.92	150	129	128	151	5	23	16	133	86	10
1886	877	6.14	179	198	148	234	4	29	15	194	120	18
1887	355	5.36	200	155	145	210	16	16	35	160	119	٤
1888	467	6.78	239	228	184	283	18	35	28	219	149	18
1889	896	6.01	209	187	182	264	18	32	20	199	116	1
1885–1889	1,874	5.87	977	897	782	1,142	61	135	114	905	590	69
1890	582	8.01	282	300	202	380	19	57	33	245	209	19
1891	546	7.92	298	248	170	876	21	68	50	255	137	18
1892	688	8.18	336	297	210	423	18	77	43	281	201	18
1898	608	8.10	324	279	186	417	11	82 i	44	267	183	ļ 16
Total, 29 years .	8,776	5.93	4,588	4,188	3,529	5,247	354	658	575	3,555	3,236	398

^{*} Not including Providence city.

CONSUMPTION.

The decedents from consumption, during 1893, numbered 722. The number is 37 less than in the preceding year.

This number represents 9.72 per cent. of all causes, and a proportion of 1.9 to every one thousand of the population.

Sex.—Of these 722 decedents 364 were males, and 358 were females; being about 102 female decedents to every 100 male decedents.

For the period of twenty years (1865-1884), there were one hundred and twenty or more females to every 100 male decedents from consumption, and a very considerable excess every year since, excepting 1890, 1891 and 1893.

Parentage.—There were 230 decedents of native parentage, and 492 of foreign; a proportion of 214 of foreign parentage to every 100 of native.

Season.—The largest number of deaths in any one month, 86, occurred in March; the next largest, 77, in April; the smallest number, 48, in February and in October.

The number in each quarter of the year was as follows:

First Quarter 195	Third Quarter 170
Second Quarter 200	Fourth Quarter157
	-
First half 395	Last half 327
Whole number	722

There was less uniformity of the number of deaths in each quarter of the year than in the preceding year.

Ages.—During 1893, of the 722 decedents from consumption, 222 were between the ages of 20 and 30; and 172, or nearly one-fourth, were between the ages of 30 and 40.

In order to show more concisely the relation of age to mortality from consumption, during 1893, the following age periods and numbers are presented:

Under 10 years of age	37
Between 10 and 20 years	82
Between 20 and 30 years	22
Between 30 and 40 years 1	72
Between 40 and 50 years	04
Between 50 and 70 years	78
Over 70 years, and not stated.	27
Total	22

The following Table shows the total deaths from all reported known causes, with the number and percentage of deaths from consumption of the same, in each of the large divisions of the State, and in the whole State, in each of the last seventeen years; and also the aggregate for a period of thirty years, from 1860 to 1889, inclusive:

CONSUMPTION.

STATISTICS BY COUNTIES.

NUMBER AND PERCENTAGE,

THIRTY-THREE YEARS.

Table LXX.—CONSUMPTION.—Number, Locality and Percentage.

COUNTIES	1877.	1878	1879.	1880.	1881.	1882	1883.	1884.	1885	1886.	1887.	1888.	1889	1890.	1891.	1892.	1893.	Total 30 years, 1860-1889.
BRISTOL COUNTY. Total deaths, stated causes	201	28.	¥	508	203	86	197	199	25.	221	217	251	208	253	239	233	257	5.217
					25	36	19	21	12	33	8	88	20	31	17	29	18	646
Percentage	13.43	13.	11.35	9.09	12.	19.68	9.64	10.50	6.48	10.35	9.22	11.15	9.63	11.85	7.11	12.50	7.93	12.19
KENT COUNTY.																		
Total deaths, stated causes.	251	249	277	293	313	288	283	268	355	385	343	408	454	470	200	598	572	8,151
Consumption	42	41	88	45	36	51	39	37	45	43	3	55	45	38	47	51	55	1,300
Percentage	16.73	16.47	13.72	15.35	11.20	17.71	13.78	13.43	12 70	11.20	9.91	13.44	9.4	8.08	9.40	8.53	9.65	15.94
NEWPORT COUNTY.																•		
Total deaths, stated causes.	243	265	330	334	346	373	401	403	408	433	435	458	440	470	597	290	206	10,043
Consumption	33	83	45	34	51	46	55	43	47	57	41	33	37	51	51	45	35	1,300
Percentage	13.58	11.69	13.64	10.40	14 74	12 17	13.72	10.67	11.52	13.16	9.19	7.00	8.41	10 85	8.51	7 63	6.92	13.04
PROVIDENCE COUNTY,*																		
Total deaths, stated causes.	1,301	1,308	1,233	1,437	1,451	1,509	1,656	1,723 1.918	1.918	2,087	2,345	2,465	2,236	2,874	2,344	2,633	2,634	39,263
Consumption	222	229	197	189	220	224	257	248	273	276	246	273	257	302	236	265	259	6,124
Percentage	15 96 1	17.51	15.98	15 35	15.16	14.82	15 52	14.13	14.20	13 05	10.49	11.07	11.24 13.84	13.84	10.00	10.07	9.83	15.59
······································																		

Table LXX.—CONSUMPTION -Number, Locality and Percentage.—Continued.

Total 30 years, 1860-1869.	51,462	8,090	15.71		7,405	1,296	17.48		121,740	18,755	15.38
1893.	3,127	328	10.49		306	128	8.83		7,372	725	9.79
	2.615 2.950	343	11 59		366	25	38		6,586 7,368	759	10.30
1891.	2.615	347	13.19		307	43	13.61			740	12.29 11.18 10.30
889, 1890, 1891, 1893,	2,859	394	13.69	-	316	33	10 38		6.891	852	12.29
· · · · · · · · · · · · · · · · · · ·	2,495	315	12.55		337	53	15.68		6,220	727	11.61
1888.	2,644	362	13.66		368	20	13.10 13.58		6.594	800	12.13
1887.	2,630	323	12.23		351	46	13.10		6,321	710	11.19
1886.	2.341	36×	15.65		331	99	17.53		5,798	826	14 42 14.12
1885.	2,157	248	16.10		307	26	17.93		5,099 5,330	781	14 42
1883, 1884,	2,227	344	15.43		279	46	13.49 15.40 16.28		5,099	739	15.33 15.03 14.34
* 1	2,351	364	15.48		308	32	15.40		5,096	992	15.03
1882.	2,230	351	15.73		215	53			4,804	737	
1881.	1,973 2,017 2.063 2.130	344	15.60 16.15		526	30	13 27		4.669	206	15 12
1879. 1880.	2.063	322			270	88	12.22		4,596	643	15.10 14.01
	2,017	293	14.53		220	84	21.82		4,218	637	15.10
1878.		305	15.46		249	47	18.88		4,231	929	15 98
1877	1,932	294	15.22		240	£ 1 3	17.91		4.258	661	15.52
COUNTIES.	PROVIDENCE UITY. Total deaths, stated causes.	Consumption	Percentage	WASHINGTON COUNTY.	Total deaths, stated causes.	Consumption	Percentage	WHOLE STATE.	Total deaths, stated causes.	Consumption	Percentage,

TABLE LXXI.

Mortality in the State from Consumption, with the Percentage of the Whole Number of Deaths, from all Causes, and the Sex, Parentage and Locality in the Aggregate of Different Periods, 1865–1893.

	4		81	x.	PARE	NTAGE.		DIVISI	ONS O	THE	STATE.	
YEARS.	Total Deaths from Consumption.	Per cent.	Males.	Females.	Native,	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1865-1869	2,690	17.29	1,244	1,446	1,575	1,115	116	226	233	909	1,004	202
1870–1874	2,808	14,43	1,217	1,591	1,507	1,301	99	216	159	924	1,175	170
1875-1879	3,279	15 04	1,436	1,843	1,499	1,780	106	192	195	1,060	1,473	253
1880-1884	3,590	14.16	1,597	1,993	1,399	2,191	120	208	229	1,138	1,725	170
1885	781	14 49	382	899	815	466	12	45	47	273	348	56
1886	826	14.12	382	444	308	518	23	43	57	276	368	59
1887	710	11.19	312	398	266	444	20	34	41	246	323	46
1888	800	12.13	391	400	284	516	28	55	32	273	362	50
1889	727	11.61	356	871	239	488	20	45	37	257	815	58
1885-1889	3,844	12.63	1,823	2,021	1,412	2,432	108	222	214	1,325	1,716	264
1890	852	12,29	422	430	280	572	31	38	51	305	394	38
1891	740	11.18	380	360	248	492	17	47	51	236	347	42
1892	759	10.26	360	396	249	510	29	51	45	265	342	27
1893	722	9.72	364	358	230	492	18	55	35	259	328	27
Total, 29 years.	19,284	14.18	8,843	10,441	8,399	10,885	639	1,255	1,212	6,421	8,504	1,259

CONSUMPTION. Proportion of Deaths to Population.

The proportion of deaths from consumption to the *population* in the different localities in the State, during the last nine years, may be seen in the following summaries:

^{*} Not including Providence city.

For five years, 1885 to 1889, inclusive.

	Persons,		In every 1,000
	One Death to every.		of Population.
Bristol County		or	1 64
Kent County	518	or	1.93
Newport County		or	1.40
Providence County*		or	2.43
Providence City		or	2.61
Washington County		or	
Whole State	400	or	2.51

1890.

	Persons,	In ev	ery 1,000
	One Death to every	of Po	pulation.
Bristol County	368,	or	2.71
Kent County	764	or	1.42
Newport County	560	or	1.78
Providence County Towns	333	or	. 8.00
Pawtucket		or	. 2.14
Providence City		or	. 8.00
Woonsocket	285	or	. 8 50
Washington County	716	or	. 1.40
Whole State	410	or	2 44

1891.

	Persons,	1	n every 1,000
One I	Death to every	o	f Population.
Bristol County	. 684	or	1 46
Kent County	592	or	1.69
Newport County	. 572	or	1.74
Providence County Towns	575	or	1.78
Pawtucket	. 572	or	1.74
Providence City	889	.or	2.57
Woonsocket	400	. or	2.50
Washington County	583	or	1.71
Whole State	484	or	2.06

^{*} Not including Providence city.

1892.

	Persons,		In every 1,000
	One Death to every		of Population.
Bristol County	400	or	
Kent County	566	or	
Newport County	652	or	1.53
Providence County Towns	472	or	
Pawtucket	58	or	1.72
Providence City	413	or	2.42
Woonsocket	447	or	2.23
Washington County	895	or	1.12
Whole State	484	or	

1893.

	Persons,		In every 1,000
	One Death to every		of Population
Bristol County	638	or	1.57
Kent County	543	or	1.84
Newport County	821	or	1.22
Providence County Towns	501	or	2.00
Pawtncket	762	or	1.81
Providence City	457	or	2.19
Woonsocket	414	or	2.42
Washington County	903	or	1.11
Whole State	526	or	

There was a decrease in the mortality from consumption, in 1893, as compared with the preceding year, not only in numbers, but still greater in proportion to the population.

A small increase was returned in Kent county only.

CROUP.

There were 50 decedents from croup, in 1893, as against 89 in 1892.

Sex.—Of the 50 decedents from croup, in 1893, there were 29 males and 21 females, a proportion of 138 males to each 100 females, which is in accordance with the rule of previous years, in which there has been a preponderance of males.

Parentage.—There were 13 decedents of native parentage, and 37 of foreign parentage. The proportions were in the ratio of 285 of foreign to each 100 of native parentage.

Age.—There were	18 of the decedents under	one year of age, 8 of
one year and under	two, 16 of two years and	under five, 6 between
five and ten, 1 between	en ten and fifteen, 1 betwee	n twenty and thirty.

Season.—

First Quarter	Third Quarter
Second Quarter 8	Fourth Quarter19
_	_
First half	Last half 25
Whole Year	50

The following Table will exhibit various facts in relation to mortality from croup for twenty-nine years:

Table LXXII.

Mortality in the State from Croup, from 1865 to 1893, inclusive.

	hs.		SE	x.	PARE	NTAGE.		DIVISI	ons or	THE	STATE	•
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1865-1869	268	1.73	127	141	103	165	22	14	20	102	101	9
1870-1874	324	1.66	174	150	146	178	12	30	10	125	140	7
1875	96	2.33	53	43	43	53	1	3	4	.26	56	· 6
1876	102	2.61	50	52	42	60	1	6	· 	26	65	4
1877	95	2.23	48	47	84	61	4	3	1	47	40	
1878	93	2.20	45	48	43	50	14	3	7	25	39	5
1879	96	2.28	58	38	40	56	3	6	15	25	43	4
1875–1879	482	2 21	254	228	202	280	23	21	27	149	243	19
			ļ ,	. !			j					
1880	66	1.45	32	34	27	39	3	3	4	20	30	6
1881	101	2.16	45	56	38	63	2	6	4	38	49	2
1882	77	1,60	41	36	32	45	1	2	6	33	32,	3
1883	71	1.40	32	39	33	38	1	6	4,	25	35	
1884	80	1.55	40	40	32	48	2	11	4	29	34	·
1880-1884	395	1.56	190	205	162	233	9	28	22	145	180	11
1885	94	1.74	45	49	42	52	4	8	6	46	28	i . 2
1886	90	1.53	45	45	39	51	2	18	12	24	32	2
1887	113	1.79	58	55	43	70	9	12	4	43	39	6
1888	79	1.19	43	36	34	45	4	2	7	34	27	5
1889	80	1.28	37	43	24	56	3	15	1	27	33	1
1885–1889	456	1.50	228	228	182	274	22	55	30	174	159	16
1890	83	1.19	53	30	28	55	2	14	2	32	31	2
1891	67	1.46	40	27	17	50	1	11	11	27	16	. 1
1892	89	1.20	52	37	44	45	1	10	21	21	33	3
1893	50	.67	29	21	13	37	4	11	8	25	7	
Total, 29 years	2,214	1.56	1,147	,067	897	1,317	96	194	146	800	910	68

^{*} Not including Providence city.

DIARRHCEA AND DYSENTERY.

There were 159 decedents from diarrhoa and dysentery in 1893.

This number represents 2.14 per cent. of all causes and a proportion of .42 to every 1,000 of the population.

Sex.—Of the 159, 79 were males, and 80 were females, or a nearly equal proportion.

Parentage.—There were, of the 159 decedents, 56 of native parentage, and 103 of foreign parentage, or a proportion of about 184 of foreign parentage to every 100 of native.

Age.—There were 97 of the decedents from diarrhæa and dysentery under 5 years of age, and there were 40 over 50 years of age, leaving 22 for all the 45 years between 5 and 50.

Locality.—Of the 159 decedents, 126 were in Providence county, and 7 in Newport county. Fourteen were reported from Kent county, 7 from Washington county, and 5 from Bristol county.

Season.—There were 94 of the deaths from diarrhœa and dysentery that occurred during the months of July, August and September.

The decrease in mortality from diarrhoea and dysentery, in 1893, compared with the previous year, was 20.1 per cent.

The following Table will show the deaths from diarrhea and dysentery, with the percentage, sex, parentage, etc., for each of twenty-nine years, beginning with 1865:

Table LXXIII.

Mortality in the State from Diarrhæa and Dysentery, 1865 to 1893, inclusive.

			SE	IX.	PARES	TAGE.		DIVISIO	ONS OF	THE	STATE.	
YEARS.	Total Deaths.	Per cent.	Males.	Females.	Native.	Foreign,	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs, 1865–1869.	839	5.39	429	410	410	429	35	63	103	264	812	6
1870-1874	576	2.96	317	259	291	285	18	47	34	187	276	1
1875	106	2.46	60	46	60	46	9	6	1	84	51	
1876	122	2.96	66	56	52	70	3	6	2	41	65	
1877	142	8.19	64	78	73	69	8	6	9	54	55	1
1878	93	2.09	42	51	51	42	5	8	2	34	39	
1879	97	2.17	48	49	47	50	9	6	10	27	42	
1875-1879	560	2.57	280	280	283	277	34	82	24	190	252	2
1880	98	2.03	49	49	50	48	4	6	10	82	42	
1881	119	2.87	56	63	54	65	2	4	8	47	57	
1882	158	3.11	75	83	69	89	2	4	28	57	64	
1883	182	3.45	86	96	88	94	7	7	16	74	75	
1884	153	2.98	74	79	69	84	10	5	11	66	56	
1880–1884	710	2.80	340	370	330	380	25	26	68	276	294	2
1885	120	2.23	61	59	51	69	7	6	6	62	85	
1886	159	2.72	64	95	70	89	7	11	1	78	59	
1887	199	8.11	107	92	70	129	6	16	4	92	72	
1888	157	2.81	69	88	97	60	6	8	8	54	71	1
1889	159	2.54	78	86	67	92	1	12	17	71	50	
1885–1889	794	2.61	374	420	355	439	27	53	31	85%	287	4
1890	182	2.62	84	98	74	108	5	9	22	77	68	
1891	143	2.16	69	74	51	92	4	15	18	48	58	
1892	199	2.69	100	99	82	117	6	14	8	76	89	
1893	159	2.14	79	80	56	103	5	14	7	60	66	
Total, 29 years.	4.162	8.06	2,072	2,090	1,932	2,230	159	278	810	1,530	1,697	19

^{*} Not including Providence city.

DIPHTHERIA.

The number of deaths from diphtheria, in 1893, was 157, which was 68 more than in 1892, or an increase of over 76 per cent.

This number represents 2.11 per cent. of all causes or a proportion of .41 to every one thousand of the population.

Sex.—Of the 157 decedents, 75 were males, and 82 were females. As a rule there is a considerable preponderance of females.

Parentage.—There were 57 of native, and 100 of foreign parentage, a nearly equal proportion.

Season.—There were 37 deaths from diphtheria in the first quarter, 34 in the second quarter, 28 in the third quarter, and 58 in the fourth quarter.

Age.—There were 100 deaths under five years of age, 45 between five and ten, 8 between ten and fifteen, 2 between fifteen and twenty, and 2 above twenty years of age.

Locality.—Of the 157 decedents, 132 were in Providence county; 11 in Kent county; 1 in Bristol county; 13 in Newport county; and none in Washington county.

The following Table shows the mortality in the State from diphtheria for twenty-nine years, beginning with 1865, also the percentage of deaths, the sex, parentage, etc.:

Table LXXIV.

Mortality in the State from Diphtheria—1865-1893.

	r of	aths,		SE	x.	PARES	NTAGE.	1	DIVISI	ONS OF	THE :	STATE.	
YEARS	Whole Number of Deaths, all Causes.	Number of Deaths, Diphtheria.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1865-'69	15,558	230	1.48	107	123	147	83	13	30	33	55	50	49
1879-'74	19,461	242	1.24	118	124	154	88	3	40	20	50	101	28
1875	4,317	33	.80	17	16	18	15	1	4	3	8	14	, 8
1876	4,116	159	3.86	77	82	69	90	1	2	9	29	111	7
1877	4,450	492	11.56	239	253	233	259	12	44	2	122	295	17
1878	4,441	435	9 80	224	211	201	234	21	29	28	106	245	11
1879	4,472	259	5.79	121	138	143	116	7	19	20	95	106	19
1875-'79	21,796	1,378	6.33	678	700	664	714	42	98	57	360	771	50
1880	4,829	152	3.40	73	79	75	77	3	6	2	63	61	17
1881	5,016	216	4.63	106	110	118	98	10	16	8	58	116	13
1882	5,074	101	1.99	48	53	55	46		3	4	29	48	17
1883	5,282	95	1.88	39	56	45	50	1	7	8	26	54	4
1884	5,141	119	2.31	65	54	47	72	8	1	9	39	58	4
1880-'84	25,342	683	2,66	331	352	340	343	22	38	26	210	337	50
1885	5,389	99	1.83	47	52	48	51	.5	-5	6	71	87	
1886	5,849	288	3.90	98	130	101	127	20	21	23	64	98	5
1887	6,340	287	4.53	135	152	101	186	1 15	11	4	114	108	35
1888	6,594	191	2.86	87	104	79	112	18	8	9	58	98	10
1889	6,259	184	2.93	80	104	89	95	8	10	11	56	97	7
1885-'89	30,431	987	3,25	447	542	418	571	56	50	53	331	438	61
1890	6,934	211	3.04	112	99	93	118	1	9	16	86	94	
1891	6,620	102	1.50	52	50	48	54	2	7	6	40	47	
1892	7,396	89	1.20	48	41	44	45	1	1	8	28	39	17
1893	7,440	157	2.11	75	82	57	100	1	11	13	67	65	
Total, 29 yrs.	140,978	4,081	2.89	1,968	2,113	1,965	2,116	141	279	232	1,222	1,942	260

^{*} Not including Providence city.

FEVER, MALARIAL.

The number of deaths, during 1893, from diseases classed as fever malarial, was 20. The number in 1892 was 36; in 1891 was 31; in 1890, 42; in 1889, 40; in 1888, 71; in 1887, 85; in 1886, 43; in 1885, 30; in 1884, 25.

Sex.—Of the 20 decedents from malarial fevers, in 1893, 8 were males and 12 were females, or 67 males to every 100 females.

Parentage.—There were, of the 20 decedents from malarial diseases, 7 of native parentage, and 13 of foreign, or 186 of foreign parentage to every 100 of native.

Season.—The deaths from malarial diseases occurred in the different seasons of the year as follows:

First Quarter	8	Third Quarter	5
Second Quarter	5	Fourth Quarter	7
First half	 8	Last half	12
Whole Year			

Age.—The number of decedents in the different periods of life was as follows:

Under 5 years of age	5
From 5 to 20 years of age	8
From 20 to 40 years of age	5
From 40 to 60 years of age	4
60 and over	3
-	_
	20

Localities.—Bristol county, 0; Kent county, 1; Newport county, 1; Providence county, 17; Washington county, 1.

FEVERS, TYPHOID, ETC.

The number of decedents whose deaths were returned as having been caused by "fever" of some form, not malarial nor cerebro-spinal, was 119. Deaths from puerperal fever are not included.

The term "fever" includes the several types of febrile diseases, as may be seen in Table VII, on page 24: "fevers unspecified," 1; "gastric," 3; "typhoid," 115.

The following Table exhibits, for each of the last twenty-nine years, the number and the percentage, and the sex and parentage of the decedents from fevers returned as from typhoid, and the number in each division of the State:

Table LXXV.

Mortality in the State from Fevers, Typhoid, etc.—1865 to 1893, inclusive.

	ths.		SE	x.	PAREN	TAGE.		DIVISI	ONS OF	THE S	TATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign,	Bristol County,	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs, 1865-1869.	683	4.4	345	338	451	232	35	44	79	250	211	64
1870-1874	746	3.8	843	403	409	337	16	50	42	271	279	88
1875	147	8.4	78	74	90	57	1	4	6	49	69	18
1876	126	3.0	65	61	71	55	5	9	13	44	33	25
1877	134	3.0	63	71	65	69	8	10	8	52	44	15
1878	150	3.4	68	82	77	73	13	13	6	59	47	15
1879	114	2.7	47	67	63	51	4	13	6	44	40	1
1875-1879	671	3.1	316	355	366	805	31	49	39	248	233	73
1880	158	3.4	74	84	94	64	8	12	5	66	52	18
1881	143	2.8	74	69	74	69	4	13	14	58	41	13
1882	229	4.7	111	118	100	129	6	11	5	56	145	
1883	258	4.8	146	112	117	141	9	16	10	82	134	1
1884	165	3.2	83	82	78	87	7	7	12	66	64	
1880-1884	953	3.7	488	465	468	490	34	59	46	328	436	5
1885	158	2.9	71	87	70	88	6	14	8	69	58	
1886	169	2.9	78	91	76	93	6	8	11	66	70	19
1887	127	2.0	67	60	58	69	2	14	9	49	38	1
1888	235	3.6	125	110	88	147	20	24	14	66	102	1
1889	143	2.3	85	58	56	87	2	17	9	46	60	
1885–1889	832	2.7	426	406	348	484	36	77	51	296	323	4
1890	107	1.5	58	49	39	68	7	8	5	37	43	0
1891	149	2,2	86	63	56	93	5	8	17	46	63	1
1892	133	1.8	75	58	55	78	5	12	9	49	51	19
1893	115	1,6	65	50	41	74	4	7	.5	40	52	1 2
Total, 29 years .	4,389	3.1	2,202	2,187	2,228	2,161	178	314	293	1,565	1,691	35

^{*} Not including Providence city.

During 1893, of the 115 decedents from typhoid fever, there were 65 males and 50 females, a proportion of about 130 males to every one hundred females. The difference in the sexes of the mortality from fevers is not usually very great.

During the period of twenty-five years, 1865 to 1889, inclusive, the proportions of the sexes of the decedents from "fever," in the State, were 102 females to every 100 males.

Parentage.—There were 41 decedents from enteric fever, of native parentage, in 1893, and 74 of foreign parentage, a proportion of about 64 of foreign and 36 of native in every 100 decedents.

Season.—		
First Quarter 19	Third Quarter	8
Second Quarter	Fourth Quarter	4
	_	_
First half	Last half	7
Whole Veer	115	

The following Table shows the number of decedents from fevers, in each division of ages, in each of the last twenty-nine years, in the State of Rhode Island:

Table LXXVI.

Mortality from Typhoid Fever in Age Periods.

TYPHOID FEVER.				Pı	RIO	DS O	F LII	FE.			
YEARS.	Under 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.
65	35	18	46	54	30	14	18	7	5	2	
66	23	10	21	26	21	16	9	14	10	ļ. .	١
67	17	6	23	33	12	11	8	4	2	2	
68	10	7	10	21	8	8	10	5	5		١.
69	10	8	14	28	9	7	9	8	6	2	
70	16	13	28	39	16	20	7	7	6	1	į
71	13	10	20	28	18	16	9	4	5	2	ļ.,
72	17	18	84	54	20	9	12	11	3	1	١.,
73	27	12	34	31	25	13	13	7	8	2	
74	10	14	26	32	9	5	10	8	6	2	١.,
75	23	14	19	43	18	10	10	6	4		
76	21	10	15	24	14	9	6	16	6	8	
77	22	13	18	36	20	8	5	7	2	2	
78	17	16	27	47	13	11	12	2	8	2	
79	19	7	14	26	15	6	, 3	12	8	9	Ì
80	25	12	24	43	23	12	10	5	3		ĺ
81	25	9	19	29	14	11	9	12	11	4	!
82	24	22	44	69	27	14	9	10	9	1	
83	36	25	46	75	31	12	11	10	8	2	Ì
84	24	13	19	47	22	9	12	10	5	8	
85	35	12	16	25	26	11	11	12	6	4	
86	29	9	25	41	20	14	17	8	5	1	
87	24	8	16	31	16	10	5	8	4	4	
88	27	27	42	75	29	16	12	8	4		ļ.,
89	18	12	29	41	18	8	9	5	8		
90	13	11	13	35	14	5	6	6	4	••••	ļ.,
91	12	10	25	50	26	10	7	6	2		
92	10	11	18	42	20	15	10	6	1		
98	6	7	16	43	15	10	10	6	2	••••	
	_				—	<u> </u>		_	-	_	-

TABLE LXXVII.

Comparative Exhibit of the Percentage of Deaths from Typhoid Fever to Total Deaths from Specified Causes, in Five New England States, for eighteen years, 1876 to 1893.

	<u> </u>	-7:"	<u>-</u>	.::	 :		i	Ī	,		!	 !		; —	:=	 	 I
1876	1877	1878	1879	1880	1881	1882	 1883	1884 	! 1885	1886	1887	1888 	i ·1889	1890	1891	1892	1893
	!	_			_	<u> </u>	' .—	! 	i		<u> </u>					_	
Rhode Island. 3.0	3.0	3.4	27	3.4	28	4.7	4.8	3.2	2.9	2.9	2.0	3.6	2.2	1.5	2.2	1.8	1.6
Massachusetts 2.7	2.7	2.3	1.9	2.5	2.9	2.9	2.3	24	20	2.1	2.3	2.2	2.2	1.9	1.8	1.7	1.5
Connecticut 3.6	3.3	2.7	1.8	2.5	25	8.1	2.1	2.5	1.1	2.2	1.2	2.2	2.2	2.3	2.3	2.0	
New Hamp- shire							 ₁	2.2	2.2	8.0	21	2.2	2.4	1.9	2.4	1.3	1.4
Vermont 4.2	4.8	3.4	2.7	3 5	5.5	3.4	3.1	8.0	2.2	2.5	2.5	2.2	2.7	1.6	1.6	1.4	2.5

DISEASES OF THE HEART.

The number of decedents from the various forms of diseases of the heart, as reported in 1893, was 535. The number is 29 more than that of 1892.

This number represents 7.19 per cent. of all causes, and a proportion of 1.40 to every one thousand of the population.

Sex.—There were 264 male decedents, and 271 female decedents; a proportion of about 97 males to every 100 females, but these proportions, although varying from year to year, are not greatly different.

Parentage.—Of the 535 decedents from diseases of the heart, in 1893, there were 264 of native parentage, and 271 of foreign, a proportion of about 97 of native parentage to every 100 of foreign. Until 1892 it has been the invariable rule of the whole period of registration that the native population is more subject to heart diseases than the foreign.

The following Table exhibits, for each of the last twenty-nine years 1865 to 1893, inclusive, the number and percentage, and the sex and parentage of the decedents from diseases of the heart, and the number of the same in each division of the State:

Table LXXVIII.

Mortality from Diseases of the Heart, 1865 to 1893, inclusive.

			1			====						
	ths.		SE	x.	PARE	TAGE.		DIVISI	ONS 01	THE	STATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs, 1865-1869.	571	3.67	309	262	394	177	24	43	48	176	250	30
1870-1874	853	4.38	451	402	559	294	23	43	68	234	436	49
1875	186	4.31	84	102	113	73	2	13	22	49	88	12
1876	166	4.03	86	80	109	57	. 9	11	10	38	86	12
1877	182	4.09	94	88	110	72	3	7	9	57	93	13
1878	166	3.73	88	78	109	57	5	11	15	38	83	14
1879	202	4.78	114	88	127	75	. 8	20	16	38	111	9
1875-1879	902	4.14	466	436	568	334	27	62	72	220	461	60
1880	231	5.03	125	106	146	85	9	21	29	59	104	9
1881	264	5.65	131	133	154	110	. 9	21	24	73	121	16
1882	255	5.81	116	139	162	93	. 8	16	23	55	142	11
1883	325	6.20	167	159	179	146	8	27	30	70	172	18
1884	285	5.60	135	150	163	122	6	16	25	87	139	12
1880-1884	1,360	5.36	674	686	804	556	40	101	131	344	678	66
1885	349	6.48	162	187	198	151	13	27	25	94	159	31
1886	330	5.20	152	178	184	146	12	20	18	82	168	30
1887	406	6.40	205	201	240	166	7	21	36	123	193	26
1888	436	6.56	196	240	240	196	11	22	40	122	210	31
1889	460	7.35	233	227	258	202	19	31	39	143	199	29
1885–1889	1,981	6.51	948	1,033	1,120	861	65	121	158	564	929	147
	,	i			ì							
1890	405	5.84	222	183	219	 186	15	49	27	114	172	28
1891	480	7.25	248	232	244	236	21	37	38	137	210	37
1892	506	6.84	260	246	252	254	22	47	48	163	500	26
1893	535	7.19	264	271	264	271	20	43	30	174	238	30
Total, 29 years.	7,593	6.51	3,842	3,751	4,424	3,169	254	546	620	2,126	3,574	473

^{*} Not including Providence city.

Sex.—Of the 7,593 persons deceased from diseases of the heart, in the last twenty-nine years, 3,842 were males, and 3,751 were females; or 102 males to each 100 females.

Parentage.—Of the 7,593 decedents, during twenty-nine years, 4,424 were of native parentage, and 3,169 of foreign. The proportions would, therefore, stand as follows: To every 100 of foreign parentage there were about 140 of native; or about 58 native and 42 of foreign parentage in every 100 deaths. This difference has been gradually diminishing. In 1892 there were two more deaths of foreign than of native parentage, and in 1893 there were seven more deaths of foreign than of native parentage.

Diseases of the heart rank fourth in the order of causes in 1893, and have for the average of the past twenty-nine years.

The following Table shows the number of decedents from diseases of the heart, in each divisional period of life, in each of the last twentynine years:

Table LXXIX.

Mortality from Diseases of the Heart, in Age Periods.

APOPLEXY AND PARALYSIS.	Under 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70	70 to 30.	80 and over.	Not stated.
1865	14	4	6	7	22	17	19	9	ļ
1866	18	8	14	17	10	23	21	4	į
1867	11	11	10	18	22	16	27	4	ļ.
1868	15	5	13	11	14	28	25	5	ļ
1869	21	4	14	18	20	22	21	7	. 1
1870	19	6	11	13	20	21	23	3	1
1871	9	12	10	19′	23	36	28	6	1
1872	27	12	22	19	31	36	29	13	! ,•••••
1873	19	11	28	18	25	35	42	9	2
1874	20	16	26	21	27	50	40	12	2
1875	14	16	25	20	32	29	41	9	İ
1876	14	10	15	19	20	38	39	10	1 1
1877	15	11	20	18	27	45	33	13	i •••••
1878	16	8	18	16	26	36	35	11	·
1879	19	9	13	25	33	51	86	16	١
880	15	10	18	23	38	49	49	28	. 1
881	32	13	26	23	37	49	53	21	! ; • • • • •
882	22	17	24	25	36	51	61	17	! 2
883	39	13	21	33	52	65	76	26	
884	15	25	21	32	45	61	50	32	4
885	38	13	24	42	61	69	78	24	İ
886	39	18	28	38	52	68	69	18	١
887	52	30	23	35	61	79	87	39	i
888	39	25	30	54	84	97	74	88	·
869	45	25	37	45	69	85	118	85	. 1
890	34	15	24	53	69	78	96	36	: • • • • • •
891	40	18	45	41	85	109	101	38	8
892	54	21	35	59	93	111	104	31	1
893	55	27	48	68	81	116	97	42	1
Fotal, 29 years	770	413	646	835	1,215	1,570	1,572	551	21

The results of twenty-nine years of registration, with record of ages of decedents from diseases of the heart, show in periods of twenty years each of life, the following percentages:

Under 20 years of age	10.1 per cent.
Between 20 and 40	18.9 per cent.
Between 40 and 60,	27.0 per cent.
Between 60 and 80	
Over 80	7.8 per cent.
Not stated.	3 per cent.

100.0 per cent.

It will be seen that more than 41 per cent. of all the deaths from diseases of the heart were of persons over sixty years of age, and under eighty.

Diseases of the heart have acquired large importance as a cause of death. From 30.0 in every 1,000 deaths from all causes, in 1865, heart diseases gradually increased to about 73 in every 1,000, in 1889, and falling back to slightly less than 60 per 1,000 in 1890, and rising to 72.5 per thousand in 1891, and falling to 68.4 in 1892. In 1893 there were 71.9 deaths from heart diseases, in every 1,000.

INFLUENZA.

The event, during the first four months of the year 1890, of a very extraordinary and perhaps unprecedented prevalence of a form of influenza, which was unlike that of ordinary occurrence in that it affected indiscriminately all the functions and nearly all the organs of the body, varying with the individuals attacked, and the reappearance of the same, although in greatly lessened numbers, in 1891, warrants a continued notice not given previous to 1890, in the Registration Reports, to the affection so named.

The disease was, in 1890, most largely confined to the respiratory passages, and resulted in a largely increased mortality from bronchitis and consumption. During 1891 the disease was equally as severe, affecting in a larger measure the brain and other nerve centres, and the direct mortality was even larger than that of 1890. The prevalence was largest during the second quarter of the year, and again in December.

There were 85 deaths reported, in 1893, as resulting from influenza. This was 251 less than in 1892.

The increase in December of 1891 was followed by a sudden augmentation in the first four months of the following year 1892, the greatest number of deaths, 198, occurring in January of 1892. The total for 1892 was 336, or about twice as much as for either of the previous years.

Sex.—Of the 85, 34 were males and 51 were females, a proportion of 67 males to every 100 females.

Parentage.—The parent nativity of the decedents was 47 of native and 38 of foreign.

Season.—Of the 85 deaths from influenza, during 1893, 8 occurred in the first quarter of the year, 35 in the second, 4 in the third, and 38 in the fourth quarter.

Age.—There were 15 under 5 years of age, 4 from 5 to 20 years, 7 from 20 to 40, 11 from 40 to 60, 29 from 60 to 80, 18 from 80 years of age and over, and 1 age not stated.

The following Tables will show the proportionate nativity, sex and location of the disease.

The greatest mortality appears to be among females, there being 143 females to every 100 males. The nativity appears equally divided between native and foreign, there being about 103 foreign to 100 native.

The largest number of deaths occurred in Providence city, but this is not out of proportion to the proportionate number and density of population.

Referring to the age periods, it will be seen that the greatest age is 70 to 80, there being 149, or 19.43 per cent. of the whole number of deaths from this disease. Taking the three decennials including 60 to 90 we have 371 deaths, or 48.43 per cent. of all by ages.

By season, the greatest number of deaths occurred during the winter months, the most severe being during January, December and February. The number in January and February make a total of 398, or 51.96 per cent. of all.

Mortality	in	the	State	from	Influenza	(epidemic),	1890	to	1893,
				i	nclusive.				

	Deaths.		SE	x.	PAREN	TAGE.		DIVISI	ONS OF	THE	STATE.	
YEARS.	Number of De	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1890	168	2.42	72	96	68	100	6	14	12	61	70	5
1891	177	2.67	67	110	91	86	7	14	14	60	69	13
1892	336	4.54	142	194	170	166	11	27	13	115	144	. 26
1893	85	1.14	34	51	47	38	7	3	5	33	32	5
1890-1893	766	2.69	315	451	376	390	31	58	44	269	315	49

^{*} Not including Providence city.

Influenza by	Age	Periods,	<i>1890–1893</i> ,
--------------	-----	----------	--------------------

				==									
YEARS.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Not stated.
1890	14	20	4	8	14	22	18	17	19	17	11	5	
1891	11	12		8	14	6	14	21	29	42	19	1	
1892	26	20	ສ່	6	13	19	25	33	74	74	41	3	· • • • • • • • • • • • • • • • • • • •
1893	7	5	4	3 [6	1	7	4	13	16	16	2	1
,	<u>.</u>		i						ļ				
1890-1893	58	57	10	25	47	48	64	75	135	149	87	11	1
Per cent. of all ages	7 57	7.44	1.30	3.26	6.13	6.26	8.35	9.79	17.62	19.43	11.35	1.43	

Influenza by months, 1890-1893.

				-									
YEARS.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1890	108	27	11	8	4	2	2		1	3	1	1	168
1891	4	3	1	22	19	19	2	2	2	4	1	98	177
1892	198	52	31	27	9	6		2	3	2	1	5	330
1893	5	1	2	19	12	4	1	9	1	1	1	36	85
1890–1893	315	83	45	76	44	81	5	6	7	10	4	140	766

INSANITY.

There were 39 deaths from insanity, in 1893, an increase of 12 from 1892. The percentage to the whole number of deaths was a little more than one-half of one per cent. The percentage during the last four years has been less than the average of the twenty-five years preceding. These deaths occurred chiefly at the Cranston institutions, and in the Butler hospital.

Sex.—There were 14 male and 25 female decedents.

Parentage.—The number of native decedents from insanity was 13, and of foreign parentage 26.

The following Table shows the mortality in the State from insanity, for twenty-nine years, with percentage to deaths from all causes, sex, parentage, etc., from 1865 to 1893, inclusive:

Table LXXX.

Mortality in the State from Insanity.

	the .		81	ex.	PARE	NTAGE.	: 	DIVISI	ONS OF	THE	STATE	
YEARS.	Number of Deaths from Insanity.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs, 1865–1869.	74	.49	36	38	55	19		8	3	7	54	2
1870-1874	92	.48	43	49	64	28	3	1	5	26	57	ļ
1875	32	.78	18	14	25	7		1	4	9	16	2
1876	12	.28	5	7 .	9	3	1	2	1	1	6	1
1877	19	.49	9	10	9	10		1	·····	5	12	1
1878	22	.50	5	17 :	16	6			1	3	17	1
1879	17	.40	11	6	10	7				5	11	1
1875-1879	102	.49	48	54	69	33	1	4	6	23	62	6
1880	19	.39	9	10	13	6		1	2	6	9	1
1881	32	.63	15	17	22	10	1	1	3	10	16	1
1882	23	.45	9	14	18	5		1		8	12	2
1883	29	.55	12	17	17	12	1	2		7	18	1
1884	36	.69	17	19	24	12	2	3		21	9	1
1880-1884	139	.54	62	77	94	45	4	8	5	52	64	6
1885	35	.67	16	19	18	17	::		2	23	10	
1886 ;	49	.83	21	28	28	21	3	1	1	37	7	
1887	64	1.01	3 5 ·	29	33	31	1		1	56		6
1888	43	.64	21	22	24	19	1	2		33	7	
1889	22	.35	14	8	12	10	· · · · · · · · · · · · · · · · · · ·			14	8	
1885-1889	213	.70	107	106	115	98	5	3	4	163	82	6
1890	80	.44	19	11	16	14	1	1	1	13	14	
1891	21	.32	10	11	16	5		1		5	13	2
1892	27	.37	17	10	15	12	3	1		8	14	1
1893	39	.53	14	25	18	26				30	9	••••
Total, 29 years.	737	.53	356	381	457	280	17	27	24	327	319	23

^{*} Not including Providence city.

DISEASES OF THE KIDNEYS.

There were 302 deaths returned, during 1893, with diseases of the kidneys assigned as the cause.

This number represents 4.06 per cent. of all causes or a proportion of about .79 to every one thousand of the population.

Sex.—Of the 302 there were 154 males and 148 females.

Parentage.—There were 141 of native parentage and 161 of foreign, or about 88 of native to every 100 of foreign parentage.

In 1890 it occurred for the first time in twenty-six years, that the decedents from diseases of the kidneys, of foreign parentage, outnumbered those of native parentage.

Age.—Of the 302 decedents from kidney diseases 9 were under five years of age, 13 from five to twenty, 63 from twenty to forty, 96 from forty to sixty, 112 from sixty to eighty, 7 eighty and over, and 2 ages not stated.

Diseases of the kidneys have largely increased in number, and much larger still in proportion, during the last twenty-nine years.

During the ten years from 1865 to 1874, inclusive, the proportion of deaths from kidney diseases, to whole number of deaths from all causes, was but little more than one per cent., while during the ten years from 1884 to 1893, inclusive, the proportion was three and eight-tenths per cent.

The following Table will present various facts in relation to the mortality from diseases of the kidneys, in Rhode Island, for twenty-nine years, 1865-1893:

TABLE LXXXI.

Mortality in the State from Kidney Diseases, with the Percentage of the Whole Number of Deaths, Sex, Parentage and Locality, for twenty-nine years, from 1865 to 1893, inclusive.

	ths		SE	x.	PARE	TAGE.		DIVISI	ONS OF	THE	STATE.	
YEARS.	Number of Deaths from Kidney Diseases.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs, 1865-1869.	117	.76	83	34	80	37	6	4	19	23	57	
1870-1874	261	1.34	154	107	162	99	11	14	19	56	144	17
1875	65	1.58	36	29	46	19	1		4	16	42	
1876	50	1.28	22	28	32	18	1	1	7	10	28	- 3
1877	67	1.57	40	27	85	32	2	1		14	49	
1878	80	1.89	50	80	49	31	4	3	3	21	47	1 5
1879	79	1.88	51	28	44	35	1	3	1	23	43	1
1875–1879	341	1.56	199	142	206	135	9	8	15	84	209	10
1880	91	2.02	52	39	51	40	1	5	10	27	46	
1881	79	1.69	40	39	47	32	7	5	4	14	48	
1882	86	1.79	50	36	45	41	2	5	10	15	52	1
1883	129	2.43	72	57	74	55	5	2	17	37	60	1
1884	118	2.29	53	65	66	52	5	11	12	28	54	-
1880-1884	503	1.98	267	236	283	220	20	28	53	121	260	2
1885	159	2.97	92	67	86	73	8	10	17	31	88	
1886	155	2.49	85	70	93	62	3	10	22	37	71	1
1887	169	2.66	92	77	, 90	79	5	6	16	43	92	3
1888	213	3.23	102	111	122	91	10	10	24	46	115	1
1889	210	3.38	119	91	122	88	14	13	15	62	96	10
1885–1889	906	2.94	490	416	518	393	40	49	94	219	462	43
1890	229	3.20	116	113	109	120	15	8	21	59	116	10
1891	245	3.06	123	122	122	123	9	12	25	72	114	12
1892	258	3.49	135	123	127	131	9	11	24	70	128	16
1893	302	4.06	154	148	141	161	19	15	25	81	147	18
Total, 29 years	3,162	2.07	1,721	1,441	1,743	1,419	138	149	295	785	1,637	158

^{*} Not including Providence city.

DISEASES OF THE LIVER.

There were 72 deaths reported, in 1893, as having been caused by structural diseases of the liver.

This number represents .97 per cent. of all causes, and a proportion of .18 to every one thousand of the population.

Of the 72 decedents there were 43 males and 29 females, or 67 females, to every 100 males.

There were 30 of native parentage and 42 of foreign, or about 71 of native to every 100 of foreign.

Forty-eight, two-thirds of the whole number, were of persons of forty years of age and over.

In the age period of from five to forty, there were but nineteen decedents from diseases of the liver.

The mortality from such diseases does not depend to any marked extent upon the influence of season.

Table LXXXII will present various facts relating to diseases of the liver during 29 years:

Table LXXXII.

Percentage to Whole Number of Deaths, Sex, Parentage and Locality of Decedents from Diseases of the Liver, 1865–1893.

	ths.	!	SE.	x. :	PARE	TAGE.	i	DIVISI	ONS OF	THE	STATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
yrs, 1865–1869.	183	1.19	103	80	122	61	14	11	33	42	67	1
870-1874	200	1.03	94	106	117	83	13	16	16	61	74	2
875	47	1.09	26	21	19	28	5	2	3	10	26	
876	45	1.09	26	19	27	18	1	5	5	11	18	
877	52	1.17	23	29	81	21	1		7	16	24	
878	49	1.10	25	24	32	17	8	1	6	14	18	
879	52	1.24	27	25	31	21	4	4	2	14	22	
875–1879	245	1.14	127	118	140	105	19	12	23	65	108	1
880	58	1.27	29	29	40	18	4	3	8	15	25	
881	46	.92	30	16	21	25	2	2	6	8	24	
882	62	1.22	34	28	36	26	3	5	10	17	24	
883	51	.94	27	24	20	31	5	6	4	16	18	
884:	48	.93	22	26	23	25	5	3	5	2	31	
880-1884	265	.106	142	123	140	125	19	19	83	58	122	1
885	61	1.18	24	37	32	29	2	6	6	21	24	
886	54	.92	29	25	26	28	4	4	4	14	28	
887	86	1.35	40	46	38	48	8	5	3	81	39	
888	68	1.03	38	30	86	32	1	5	6	28	26	
889	70	1.12	30	40	31	39	_ 1	5	10	26	29	
885-1889	339	1.11	161	178	163	176	11	22	29	120	146	1
890	65	.94	42	23	29	36	3	4	6	21	26	
891	81	1.23	41	40	28	53	3	4	9	26	38	
892	89	1.20	39	50	34	55	3	5	4	27	45	
393	72	.97	43	29	30	42	4	8	6	15	36	
otal, 29 years.	1 520	1.11	792	747	803	736	89	101	159	435	662	9

^{*} Not including Providence city.

DROPSY.

During 1893 there were 39 deaths returned as having been caused by dropsy.

This number represents .52 per cent. of deaths from all causes, and a proportion of .10 to every one thousand of the population.

It has been repeatedly observed in previous reports that although this term is a misnomer in a large measure, and conveys no definite idea of the pathological condition preceding the dropsical accumulation, it is, nevertheless, the only cause returned, and as it is in some instances the apparently immediate cause of death, it is given a place in the Registration Reports; and as a frequent result and concomitant of diseases of the kidneys and liver, it has been placed in comparison with them in the following Table.

Of the 39 decedents from dropsy, 11 were males and 28 were females. The female decedents from dropsy are in nearly every year, in a considerable number, in excess of the male decedents.

Of the parentage, 16 were of native and 23 of foreign parentage.

An examination of Table LXXXIII will serve as evidence of the greater carefulness and better judgment of the medical practitioners of the present time, inasmuch as the causes of dropsy are now better understood and reported, and for that reason the number of deaths attributed to dropsy have diminished nearly fifty per cent.

TABLE LXXXIII.

Mortality from Kidney and Liver Diseases compared with Dropsy (so returned) for forty-one years—1853-1893.

	DEAT			DEATI			FROM 1	AL DEA	AND	FROM	DRO	s PSY.	n refer- ney and ses.	Deaths
YEARS.	Total.	Males.	Females.	Total.	Males.	Females,	Total.	Males.	Females.	Total.	Males.	Females.	Excess or Diminution of Dropsy in reference to Kidney and Liver Discases.	Per cent. of Deaths
1853-1857.	26	20	6	51	28	23	77	48	29	208	89	119	+131	2.5
1858-1862.	71	38	33	168	87	81	239	125	114	270	113	157	+81	2.0
1863-1867.	99	69	80	191	104	87	290	178	117	371	169	203	+81	2.1
1868-1872.	185	119	66	183	92	91	368	211	157	274	126	148	-94	1.6
1873-1877	814	172	142	229	116	113	543	288	255	284	125	159	-259	1.3
1878	81	51	30	49	25	24	130	76	54	38	21	17	-92	
879	81	52	29	52	27	25	133	79	55	50	26	24	-83	1.
880	91	52	39	58	29	29	149	81	68	37	15	22	-112	
881	79	40	39	46	30	16	125	70	55	47	23	24	-78	
1882	88	47	41	62	84	28	150	81	69	50	22	28	-100	
878-1882.	420	242	178	267	145	122	687	387	300	222	107	115	465	
1883	117	67	50	51	27	24	168	94	74	47	21	26	-121	
884	133	58	75	52	24	28	185	82	103	40	20	20	-145	
885	168	95	73	61	24	37	229	119	110	44	30	14	-185	
886	163	91	72	71	38	33	234	129	105	49	20	29	-185	
887	169	92	77	86	40	46	255	132	123	35	14	21	-220	
1883-1887.	750	403	347	321	153	168	1,071	556	515	215	105	110	-856	
1888	213	102	111	68	38	30	281	140	141	48	18	30	-233	
889	210	119	91	70	30	40	280	149	131	42	14	28	-238	
1890	229	116	113	65	42	23	294	158	136	46	18	28	-248	
891	245	123	122	81	41	40	326	164	162	35	8	27	-291	
1892	258	135	123	89	39	50	347	174	173	39	17	22	-308	
888-1892.	1,155	595	560	373	190	188	1,528	785	743	210	75	135	-1,318	
893	302	154	148	72	48	29	374	197	177	89	11	28	835	
Totals	3,322	1,812	1510	1,855	958	897	5,177	2,770	2,407	2,093	920	1,173	-3,084	

MEASLES.

There were 100 decedents from measles as a cause of death in 1893. The number is 72 more than in the preceding year, and much larger than any previous year since 1887.

This number represents 1.34 per cent. of all causes, and a proportion of .26 to every one thousand of the population.

Of the 100, there were 56 males and 44 females. The sexes seem to be nearly equally susceptible to measles and to mortality therefrom.

Of parentage there were 33 of native and 67 of foreign.

During the last ten years the proportion of mortality from measles has been about 63 of native to every 100 of foreign parentage.

During 1893 the number of decedents under five years of age was 86

The number in the different divisions of the State may be found in Table LXXXIV:

Table LXXXIV.

Mortality in the State from Measles—1865 to 1893.

												_=
	ths.		SE	x.	PARES	TAGE.		DIVISI	ONS OF	THE	STATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign.	Brietol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs, 1865-1869.	82	.54	38	44	20	62	6	4	12	34	26	••••
1870-1874	126	.65	54	72	63	63	5	13	7	46	51	4
1875	2	.05	1	1	l 	2	!: .	ļ. 		ង		
1876	4	.10	j	4	1	8	; ;			4		
1877	11	.25	8	8	2	9	· · · · · ·	· • • • • • • • • • • • • • • • • • • •	1	8	2	··· • • •
1878	81	1.82	39-	42	25	56	i 2	. 8		26	50	
1879		'i	••••		, <u></u>				! 	<u></u>	•••••	
1875–1879	98	.44	43	55	, 28	70	2	. 3	1	40	52	
1880	9	.20	! 8	6	2	7	 			6	3	
1881	37	.74	17	20	15	22	ļ ·	1	2	9	25	
1882	6	.12	1	5	1	6			ļ. 	2	4	.
1883	14	.27	11	8	9	5	!	1	ļ. .	3	8	2
1884	18	.35	· 10	8	5	13	1	6	1	8	7	
1880-1884	84	.33	42	42	31	53	1	8	3	23	47	2
1885	45	.84	27	18	19	26	 ₁	7	2	27	8	1
1886	18	.30	11	7	4	14	···	5	 	4	9	
1887	132	2.08	69	63	57	75		5	8	26	90	3
1888	11	.22	5	6	3	8		2	١	7	2	
1889	29	.47	15	14	10	19		8	' .	7	14	
1885–1889	235	.77	127	108	93	142		27	10	71	123	4
1890	92	1.32	45	47	42	50	2	10		41	31	8
1891	12	.18	7	5	4	8	1	2	2	3	3	1
1892	28	.38	14	14	10	18		2	4	11	11	.
1893	100	1.34	56	44	33	67		11	: 	22	64	3
Total, 29 years .	857	.59	426	431	324	533	17	! 80	39	291	408	22

^{*} Not including Providence city.

OLD AGE.

The number of deaths, in 1893, attributed to old age as a cause, was 183.

This number represents 2 44 per cent. of all causes, and a proportion of .48 to every one thousand of the population.

This is 73 less than in 1892.

Of the 183 decedents from old age, 72 were males and 111 were females, or about 65 males to every 100 females.

Of the parentage of the 183, there were 113 of native and 70 of foreign parentage, or nearly 161 of native to every 100 of foreign.

The following Table will present the statistics of deaths in Rhode Island from old age, for twenty-nine years:

TABLE LXXXV.

Mortality in the State from Old Age, with the Percentage of the Whole Number of Deaths, Sex, Parentage and Locality, for twenty-nine years, from 1865 to 1893, inclusive.

	aths.		82	x.	PARE	NTAGE.		DIVISI	ONS OF	THE	STATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1865-1869	946	6.53	349	597	728	218	49	91	157	262	269	118
1870–1874	1,146	6.32	451	695	838	308	62	104	152	322	340	166
1875	216	5.25	93	123	150	66	9	23	33	69	59	25
1876	241	6.18	107	134	177	64	12	14	38	65	71	41
1877	213	5.00	96	117	145	68	12	23	29	57	63	29
1878	222	5.25	84	138	172	50	15	8	82	76	61	30
1879	220	5.22	82	138	152	68	14	19	26	69	67	20
1875–1879	1,112	5.38	462	650	796	316	62	87	158	336	821	148
1880	273	5.95	121	152	186	87	12	20	34	90	73	4
1881	247	5.29	101	146	167	80	12	24	36	98	72	10
1882	283	5.89	110	178	190	98	20	25	40	106	79	18
1883	275	5.22	105	170	184	91	17	18	44	91	84	201
1884	293	5.68	101	192	196	97	16	20	89	106	86	26
1880-1884	1,371	5,60	538	833	923	448	77	107	198	486	394	114
1885	267	4.95	86	181	183	84	9	32	47	87	70	25
1886	276	4.69	101	175	181	95	16	24	36	100	78	21
1887	278	4.38	103	175	167	111	17	19	29	109	76	28
1888	290	4.35	108	182	198	92	16	26	25	124	64	35
1889	227	3.63	75	152	136	91	10	23	23	73	71	2
1885–1889	1,338	4.40	478	865	865	473	68	124	160	493	354	189
1890	198	2.87	72	126	123	75	16	19	19	59	63	25
1891	185	2.80	83	102	121	64	18	16	26	65	41	10
1892	256	3.46	95	161	168	88	9	24	29	91	71	35
1893	188	2.44	72	111	113	70	8	16	19	88	92	18
1870	6,785	4.85	2,595	4,140	4,675	2,060	369	588	913	2,147	1,945	778

^{*} Not including Providence city.

PERITONITIS.

There were 74 deaths which were caused by peritonitis, during 1893. This number represents .99 per cent. of all causes, and a proportion of .19 to every one thousand of the population.

Sex.—Of the 74 decedents from peritonitis there were 31 males and 43 females, a proportion of nearly 139 females to every 100 males.

Parentage.—There were 28 of native parentage and 46 of foreign, or a ratio of 61 native to every 100 of foreign parentage.

Season.—The seasons do not as a rule have a notable influence in regard to the mortality from peritonitis.

PNEUMONIA.

There were 776 decedents from pneumonia, in 1893. The number is 121 more than in 1892.

This number represents 10.4 per cent. of all causes, and a proportion of 2.04 to every one thousand of the population.

Sex.—Of the 776 decedents from pneumonia, and including congestion of the lungs, 412 were males and 364 were females; or about 88 females to every 100 males.

Parentage.—By parentage there were 319 of native and 457 of foreign parentage. The proportion of decedents from pneumonia was about 70 of native to each 100 of foreign parentage.

Season.—There were 384, or about 49 per cent., of the deaths that occurred during the first four months of the year. The largest mortality by months was 104 in April, 103 in March, 100 in May, and 98 in December.

Pneumonia, as a cause of death, has increased in the ratio to whole number of deaths, during the last twenty-five years, from an average of 5.8 per cent., during the first ten years, to an average of 8.3 per cent. during the last ten, including 1893.

The following Table presents, for each of the last twenty-nine years, the number and the percentage, with the sex and the parentage of the decedents from pneumonia; and the number in each year, in each division of the State:

. Table LXXXVI.

Mortality in the State from Pneumonia, 1865 to 1893, inclusive.

	aths.		SE	x.	PAREN	TAGE.		DIVISI	ONS OF	THE	STATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs. 1865–1869.	921	5.9	445	476	570	351	45	55	72	281	403	65
1870-1874	1,113	5.7	570	543	636	477	46	56	52	335	542	82
1875	400	9.3	199	201	243	157	14	27	25	105	198	31
1876	839	8.2	164	175	162	177	13	23	16	97	163	27
1877	226	5.1	104	122	127	99	10	ះ	14	81	98	16
1878	317	7.1	143	174	176	141	10	11	18	110	140	28
1879	811	7.4	148	163	163	148	7	15	15	103	156	15
1875-1879	1,593	7.8	758	835	871	722	54	83	88	496	755	117
1880	364	7.9	180	184	177	187	26	16	18	92	192	20
1881	327	6.5	177	150	190	137	10	23	17	81	174	22
1882	844	7.2	178	166	163	181	10	22	24	91	176	21
1883	400	7.8	192	208	.198	202	19	21	34	108	204	14
1884	363	7.1	167	196	192	171	10	18	17	125	172	26
1880-1884	1,798	7.1	894	904	920	878	75	95	110	497	918	108
1885	465	8.6	214	251	271	194	15	20	33	151	227	19
1886	481	8.2	232	249	284	247	17	29	37	161	209	28
1887	488	7.7	260	228	227	261	13	27	39	142	227	40
1888	508	7.7	274	234	227	281	16	37	29	171	219	36
1889	483	7.7	255	228	213	270	18	37	29	169	208	22
1885–1889	2,425	8.0	1,235	1,190	1,172	1,253	79	150	167	794	1,090	145
1890	569	8.2	288	281	247	322	16	36	30	206	246	35
1891	568	8.5	270	298	247	321	17	40	70	183	232	26
1892	655	8.8	335	320	265	390	18	57	52	216	277	85
1893	776	10.4	412	364	319	457	18	42	49	232	392	48
Total, 29 years	10,418	7.3	5,207	5,211	5,247	5,171	368	614	690	3,240	4,855	651

^{*} Not including Providence city.

TABLE LXXXVII.

Exhibiting the Number of Decedents from Pneumonia, in each of the several Periods of Life, during each of the last twentynine years, from 1865 to 1893, inclusive.

YEARS.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.
865	65		2		14	11	15	17	21	21	5	
1866	57	4	4	5	12	10	14	21	25	32	9	
1867	57	9	2	3	10	11	18	16	25	13	12	
868	70	4	3	3	15	8	16	13	19	27	18	· .
1869	64	11	1	2	11	12	9	28	25	16	11	
870	84	6	5	4	6	7	8	14	20	19	8	
1871	71	7	2	7	10	17	16	16	35	17	19	i
1872	83	5	1	7	17	20	19	22	24	19	11	
1878	105	4	8	3	10		16	17	24	23	10	ļ
1874	76	9	4	6	17	17	25	21	40	27	8	ļ
875	120	9	3	8	22	30	35	39	61	43	28	
876	116	5	4	3	20	20	32	35	48	39	17	
877	79	2		7	15	15	21	27	22	24	9	
878	115	9	4	10	14		28	20	42	45	13	
879	102	8	1	3	14	27	26	35	38	38	19	!
880	95	18	3	16	14	33	37	46	47	43	12	. .
881	102	4	2	5	15	22	26	45	48	31	26	
882	71	3	4	14	22	36	49	33	41	46	21	
883	88	15	2	13	32	33	40	53	49	46	27	1
884	103	14	5	11	23	34	24	32	58	37	23	
885	121	9	10	8	23	29	50	49	76	59	29	
886	111	10	7	19	32	35	50	58	74	55	30	
887	132	15	7	7	32	43	51	56	64	53	28	
888	103	20	5	15	49	48	61	62	70	54	21	١.
889	120	14	3	20	27	36	51	57	77	47	31	
890	161	7	10	12	46	55	55	55	79	54	33	
891	126	10	4	11	42	54	60	70	84	70	37	
892	139	10	9	10	39	69	75	74	110	71	44	
893	176	25	8	17	49	68	96	115	102	70	50	
Fotal, 29 years	2.912	270	123	249	652	831		1,146	1.448	1,189	604	-

Age.—Of the decedents from pneumonia, during the period of twentynine years, nearly 28 per cent. were under five years of age. Of over fifty years of age the number of decedents was 41.6 per cent. of the whole number.

The following summary will present the percentages for 1893, in round numbers:

Under five years of age	23 per cent.
Five years and under twenty, and not stated	6 per cent.
Twenty years and under fifty	28 per cent.
Fifty years and over	48 per cent.

SCARLATINA.

The number of deaths returned as having been caused by scarlatina, in 1893, was 193. The number is 126 more than in 1892.

This number represents 2.6 per cent. of all causes, and a proportion of .50 to every one thousand of the population.

Sex.—Of the 193 decedents from scarlatina, 86 were males and 107 were females; or about 124 females to every 100 males.

Parentage.—There were 75 of native parentage, and 118 of foreign; a proportion of about 157 of foreign parentage to every 100 of native.

The following Table will present the statistics of scarlatina for the last thirty-nine years, from 1855 to 1893, inclusive, the number and percentage and sex of the decedents from scarlatina, and the number from scarlatina in each division of the State. It also shows, from 1865 to 1893, inclusive, the *parentage* of the decedents from scarlatina:

TABLE LXXXVIII.

Mortality in the State from Scarlet Fever, 1855 to 1893, inclusive.

	.jp	-	88	x	PAREN	TAGE.		DIVISIO	ONS OF	THE	STATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Femaler.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
10 yrs, 1855–1864	1,256	4.9	611	645			46	62	189	334	568	57
1865–1869	676	4.8	324	352	316	360	58	43	27	206	309	31
1870-1874	948	4.9	455	488	420	528	33	29	51	289	475	60
1875	185	4.8	85	100	121	64	8	30	3	35	94	18
1876	80	1.9	34	46	42	38	3	2	7	21	85	15
1877	62	1.4	26	36	29	33	14	4	3	21	12	6
1878	86	1.9	41	45	35	51	3	5	8	14	47	4
1879	811	7.4	164	147	130	181	3	6	4	37	255	
1875-1879	724	8.8	350	374	357	367	31	47	20	128	453	48
1880	468	10.0	215	253	216	252	22	30	11	143	248	19
1881	138	3.0	79	59	62	76	11	25	12	41	45	4
1882	45	0.9	24	21	16	29		3	16	7	18	;
1883	84	0.6	17	17	14	20	1	1	5	9	16	,
1884	97	1.8	39	58	41	56			8	28	57	•
1880–1884	782	8.1	374	408	349	433	34	59	52	228	879	8
1885	91	1.7	36	55	48	43		3	6	24	38	2
1886	88	1.5	46	42	29	59		13	2	41	80	;
1887	266	4.2	120	146	95	171	9	16	4	80	154	1
1888	207	3.1	101	106	91	116	1	29	10	87	80	
1889	51	0.8	24	27	14	87	3	5	6	14	25	:
1885-1889	703	2.4	327	376	277	426	18	63	28	246	327	20
1890	16	0.2	11	5	6	10		8		2	8	;
1891	33	0.5	17	16	12	21	1	8		9	17	۱ :
1892	67	0.9	38	29	21	46	1	4	4	20	88	
1893	193	2.6	86	107	75	118	1	23	3	68	97	:
Total, 39 years.	5,393	3.9	2,593	2,800	1,833	2,304	218	336	874	1,530	2,671	26

^{*} Not including Providence city.

CROUP, DIPHTHERIA AND SCARLATINA.—Season and Mortality.

The following Table is continued, to show by comparison the influence of season in regard to the mortality from croup and scarlatina for forty-one years, and diphtheria for thirty-six years. The Table will give the average monthly and quarterly percentages of deaths from each cause:

TABLE LXXXIX.

MONTHS	1	OUP. -1898.	H	HERIA. 1893.	SCARL 1853-	ATINA. 1893.
MONTHS.	Number of deaths.	Per cent.	Number of deaths.	Per cent.	Number of deaths.	Per cent
January	381	12.53	459	9.75	729	12.12
February	, 330	10.85	340	7.22	658	10.94
March	277	9.11	861	7.66	590	9.80
First Quarter	988	32.49	1,160	24.63	1,977	32.86
April	216	7.10	815	6.69	498	8.28
May	156	5.18	324	6.88	539	8.96
June	135	4.44	282	5.99	460	7.65
Second Quarter	507	16.67	921	19.56	1,497	24.89
July	104	3.42	275	5.84	350	5.82
August	88	2.89	297	6.31	284	4.72
September	179	5.89	346	7.34	803	5.04
Third Quarter	871	12.20	918	19.49	937	15.58
October	325	10.69	589	12.50	415	6.90
November	431	14.17	587	12.46	518	8.61
December	419	13.78	535	11.36	671	• 11.16
Fourth Quarter	1,175	38.64	1,711	36.32	1,604	26.67
Totals	3,041	100.00	4,710	100.00	6,015	100.00

SUICIDE.

The number of deaths by suicide, in Rhode Island, during 1893, was 21, which is 2 more than in the preceding year.

There were 18 male and 3 female decedents from that cause, or a proportion of about six males to every one of the females.

Of the 21, 10 were of native parentage and 11 of foreign.

The means of self-destruction, according to the returns, were as follows: By cutting the throat, three males and one female; by cyanide of potassium, two males; by drowning, two males; by hanging, four males; by opium, one female; by Paris green, one male; by poison unspecified, one male; by shooting, four males; by suffocation from illuminating gas, one male; unspecified, one female.

The proportion of suicides, to all other causes of death in Rhode Island, during 28 years has, in but one quinquennial period, exceeded one-half of one per cent.

Deaths by suicide have been more than 15 per cent. less during the last ten years than during the first ten of the twenty-nine years, as may be seen in the following Table, although, in 1891 the proportion was six-tenths of one per cent., and more than twice as large as that of 1890 and of 1892.

TABLE XC.

Mortality in the State from Suicide, with the Percentage of the Whole Number of Deaths, Sex, Parentage and Locality, for twenty-nine years, from 1865 to 1893, inclusive.

	ths.		SE	x.	PAREN	TAGE.		DIVISI	ONS OF	THE	STATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs, 1865-1869.	71	.50	54	17	56	15	3	6	5	23	29	
1870-1874	90	.52	67	28	61	20	2	10	8	25	40	
1875	26	.63	17	9	14	12	1	1		6	13	
1876	18	.46	15	8	6	12 :	*****		1	5	10	9
1877	22	.52	16	6	15	7		2	1	5	12	2
1878	21	.50	16	5	12	9	3	2		5	7	4
1879	13	.31	10	3	5	8				5	7	1
1875-1879	100	.48	74	26	52	48	4	5	2	26	49	14
1880	10	.20	5	5	8	2		1	1	6	2	
1881	23	,49	19	4	15	8	15.041	5	3	10.00	14	1
1882	31	.64	23	8	23	8	1	4	3	8	12	3
1883	25	.47	18	7	11	14			2	8	15	
1884	22	.43	20	2	13	9		1	1	6	11	8
1880-1884	111	.45	85	26	70	41	1	11	10	28	54	7
1885	20	.37	16	4	11	9 -	1	1	6	3	6	3
1886	17	.29	16	1	12	5	1	3	2	4	7	
1887	16	.25	18	8	8	8	2		2	.5	7	
1888	21	.42	20	1	15	6		1	3	6	9	9
1889	24	.38	20	4	9	15		2	5	7	10	
1885-1889	98	.34	85	13	55	43	4	7	18	25	39	.6
1890	19	.28	15	4	12	7	. 2		1	8	5	8
1891	40	.61	27	13	15	25	2	2	*****	10	24	9
1892	19	.26	15	4	10	9			4	6	8	1
1893	21	.38	18	3	10	11		2		7	12	
Total, 29 years .	569	.41	440	129	341	228	18	43	48	158	260	42

^{*} Not including Providence city.

WHOOPING COUGH.

The number of deaths from whooping cough, returned in 1893, was 23, 2 less than the number in 1892.

Of the 23 decedents from whooping cough, 8 were males and 15 were females.

There were 9 decedents of native parentage and 14 of foreign, or a proportion of 64 of native to 100 of foreign.

Of the 23 decedents, 21 were under 5 years of age, and the remaining 2 were between 5 and 10 years of age.

The following Table will present the mortality from whooping cough, for twenty-nine years, 1865-1893, inclusive, with the death-rate, sex, parentage, etc., of the decedents:

Table XCI.

Mortality in the State from Whooping Cough—1865–1893.

	.bs.		8E	х.	PARES	TAGE.		DIVISI	ONS OF	THE	STATE.	•
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 yrs, 1865-1869.	170	1.09	86	84	75	95	2	12	17	62	70	1
870-1874	168	.86	69	99	68	100	2	12	13	47	90	
1875	81	.72	15	16	12	19	2	1		20	7	
876	48	1.17	19	29	20	28	5	3	1	7	31	Ī
877	85	.72	18	14	6	26	ļ	73.54	1	15	16	
878	54	1.22	26	28	30	24	ļ	1		9	43	
1879	43	.96	17	26	22	21	J	11	1	12	15	
1875–1879	203	.96	95	113	90	118	7	16	8	63	112	
880	20	.41	10	10	7	18			2	6	11	
881	68	1.86	83	35	30	38		2	2	24	40	
882	71	1.40	33	38	32	39		4		26	40	
883	9	.17	6	3	5	4	1		20113	4	4	
884	48	.83	17	26	23	20	5		2	6	28	
880-1884	211	.83	99	112	97	114	6	6	6	66	123	
885	42	.79	23	19	24	18		1	4	9	24	
886	· 49	.83	28	21	17	35	4	3		18	23	
887	21	.82	9	12	10	11	١		4	6	10	
888	44	.75	17	27	16	28		3	2	11	28	
889	. 77	1.23	39	38	86	41	1	12	1	20	43	90
885–1889	233	.77	116	117	103	130	5	.19	11	64	128	
890	70	1.00	25	45	25	45	2	2	7	27	30	
891	77	1.16	39	38	37	40	3	1	8	15	54	
892	25	.34	10	15	14	11		1	3	12	9	
898	23	.31	8	15	9	14	1	1974.63	4	9	7	
Cotal, 29 years	1,185	.86	547	638	518	667	28	69	67	365	623	

^{*} Not including Providence city.

Table XCII.

Presenting the ratio of Mortality to the Whole Number of Specified Causes of Death, of twenty-three Prominent Causes, for nineteen years, 1875–1893.

					YEARS				
CAUSES OF DEATH.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.
Accidents (all kinds)	3.31	3.40	3.10	2.89	2.43	3.51	3 04	3.44	2.84
Apoplexy and Paralysis	3.61	4.01	4.25	4.45	5.21	4.67	5.23	5 52	. 5.39
Brain, Diseases of	2.98	3.64	3.68	3.28	3.73	3.44	3 84	8 60	3.50
Bronchitis	1.89	1.46	1.62	1.89	1.47	1.98	1.80	2.08	2.04
Cancer	2.31	2.72	8.17	2.82	2.96	2.72	3.11	2.75	3.30
Cholera Infantum	7.74	6.41	6.08	3.97	3.81	5.43	5.15	6.77	4.78
Consumption	15.79	16.78	15.52	15.98	15.09	14.02	15 12	15.33	15.01
Convulsions	2.48	2.28	1.95	2.65	2.47	2.88	2.18	2.29	2.47
Croup	2.33	2.61	2.23	2.20	2.28	1.45	2.16	1.60	1.40
Debility*	2.61	2.80	2.65	1.91	2.35	3.09	2.61	2.69	1.14
Diarrhœa	1.70	1.87	2.11	1.25	1.26	1.52	1.65	1.87	2.55
Diphtheria	.80	4.07	11.56	10.28	6.14	3.40	4.63	2.10	1.88
Dysentery	.88	1.28	1.22	.95	1.04	.61	.90	1.42	1.06
Fevers	3.40	*3.00	3.55	3.94	2.70	3 37	3.05	4.60	5 12
Heart, Diseases of	4.31	4.03	4.28	3.92	4.78	5.03	5.68	5.31	6 35
Whooping Cough	.75	1.23	.75	1.28	1.02	.44	1.46	1.48	.17
Hydrocephalus	1.24	1.74	1.29	1.65	1.36	1.01	1.20	1.02	.87
Kidneys, Diseases of	1.58	1.28	1.57	1.89	1.88	2.02	1.69	1.79	2.43
Liver, Diseases of	1.14	1.15	1.06	1.06	1.17	1.20	.82	1.21	.83
Marasmus	1.46	1.13	.99	1.50	1.16	1.27	1.11	1 62	2.02
Old age	5.25	6.18	5.00	5.25	5.22	5.95	5.29	5.89	5.22
Pneumonia	7.83	8.69	5.31	7.49	7.37	7.90	7.01	7 16	7.84
Scarlatina	4.50	2.05	1.46	2.03	7.87	9.99	2.96	.94	.64

^{*} Not infantile.

TABLE XCII.—Continued.

					YEA	R8.				
CAUSES OF DEATH.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1891.	1892	1893.
Accidents (all kinds)	8.80	3.09	3.22	8.25	8.01	8.46	3.60	8.54	4 18	3.5
Apoplexy and Paralysis	5.78	5 38	5.69	4,17	5.50	5.17	4.91	5.08	4.89	5.5
Brain, Diseases of	2.97	3 61	3.11	3.29	3.43	3.08	3 18	3.36	8.83	8.49
Bronchitis	2.29	3.09	2.96	2.77	3.42	4.20	4.01	3.74	4.16	4.2
Cancer	3.03	8.59	2.77	2.50	2.99	3.03	2.41	2.66	2.45	2.78
Cholera Infantum	6.31	5.16	6.27	5.60	7.08	6.80	8.89	8.25	8.56	8.11
Consumption	14.84	14.45	14.12	11.19	12.13	11.61	12.29	11.18	10.26	9.79
Convulsions	2.70	2.06	2.06	2.51	2.81	2.17	2.24	1.97	2.19	2.00
Croup	1.55	1.74	1.55	1.79	1.19	1.28	1.19	1.01	1.20	.66
Debility*	2.87	2.45	2:91	1.18	1.38	2.07	1.98	1.82	1.72	1.4
Diarrhœa	2,20	1.55	1.59	2.09	1.20	1.40	1.87	1.26	1.78	1.5
Diphtheria	2.31	1.83	3.90	4.53	2.86	2.93	8.04	1.54	1.20	2.1
Dysentery	.78	.68	1.13	1.04	1.11	1.14	1.25	.89	.96	.5'
Fevers	8 24	2.93	2.87	2.00	3.58	2.29	2.26	2 37	1.88	1.6
Heart, Diseases of	5.60	6.48	6.20	6.46	6.56	7.35	5.84	7.25	6.84	7.2
Whooping Cough	.83	.79	.83	.32	.75	1.23	1.00	1.16	.81	8
Hydrocephalus	.81	.81	.41	.41	.47	.20	.87	.34	.80	.4
Kidneys, Diseases of	2 52	8.14	2.64	2.66	8.24	3.38	3.20	8.71	8.49	4.10
Liver, Diseases of	.88	.87	1.08	1.84	1.19	1.80	.94	2.23	1.20	.9
Marasmus	1.62	2.15	.22	1.57	1.16	1.63	,96	1.19	.94	1.1
Old Age	5.68	4.95	4.69	4.38	4.35	3.63	2.87	2.80	3.46	2.4
Pneumonia	7.14	8.65	8.18	7.70	7.62	7.69	8.20	8.60	8.85	10.5
Scarlatina	1.88	1.70	1.50	4.20	3.11	.82	.23	.50	.91	2.6

^{*} Not infantile.

Summary of the Principal Occupations and Causes of Death from June 1, 1852, to January 1, 1894, a period of Fortytwo years and Seven months. Ages under 20 excluded. TABLE XCII.

OCCUPATIONS.	Males.	BAKERS	BANKERS AND BROKERS	ВАВПЕВВ	BLACKSMITHS	BLEACHERS	BOILERMAKERS	GOOKBINDERS	400K-KEEPERS	ABINETMAKERS	ALICO PRINTERS.	A PUBNIERS	ARIAGE MAKERS AND TRIMMERS	CP ARMAKERS
Whole Mumber.	166	119	201	186	518	46	52	82	313	107	51	1,602	19	8
Accidents.	13	00	80	9	57	-	~	:	11	ກ	જ	136	CS.	03
Alcoholism.	AG.	-	-	10	20	Ţ.	00	-	4	-	9	50	7	35
Apoplexy and Paraly-	11	13	=	0	53	7	9	*	56	10	10	33		-
Asthma.	:	-		-	1	1	:	:	1		1	10	;	- :
Bladder Diseases.	4	25	05	×	7	- 3			4	1	:	15	::	1
Bowel Diseases.	G4	20	G\$	92	10		÷	45	-	83		5	1	-
Brain Diseases.	9	-	03	200	19	4	60	Q4	10	9		49		1
Bronchitie.	10	1	-	34	2		1	:	00	0.9		08	4	64
Cancer.	9	4	40	00	18	-	:	1	.00	4	69	99	00	10
Diarrhes and Dysen-	77	00	G4	3	970	:	:	:	4	-	ě	10	-	
. 16ty.	02	-	-	84	6	. 04	-	:	-	-	-	250		:
Dropsy.	G#	10	1	-	15	-	:	ï	93	-	-	98	-	-
Epilepsy.	-	-	-	:	25	1	1	-	3	- 5	:	10	1	
Erysipelas, Fevers, Malarial.	90	2	-	1;	-	1	-	1	(C)	-	:	11	-	
Fevers, Typhoid, etc.	=	80	10	90	1,23	01	-		13	:	:	1 72	O.	90
Heart Discuses.	16	12	18	17	43	99	4	-	33	13	29	145	4	10
Негвін.	-1	-	7	=	7	:	н	:		- 3:	:	77	-	:
Insanity.	H	7	1	-	-		:	:	1		:	14	:	7
Kidney Diseases.	10	9	24	G.	55	90	G*	-	52	90	-	29	AG.	4
Liver Diseases.		7	92	25	13	÷	:	-	6	10	-	53	4	G\$
Old Age.	99	-	9	90	30	20		G.		15	4	13	24	00
Peritonitis.	80	-	1	21	4	120	1	-	01	:		15 3	;	177
Plenrisy.	35	555	12	. 18	=	12	1.5	10	111	56	13	367	12	37
Pneumonfa.	-	9	:	-	-	64		:	90	-		6 1	-	- :
Rheumatism.	12	t-	-	13	24		90	80	68	9	55	101	10	1
Stomach Diseases.	7	00		CV.	*	*	-		25	-		25		1
reaspaster nappnose	48	C4	7		40	-	-2	5	03	-		1.	-	94

TABLE XCIII.—Continued.

OCCUPATIONS.	Whole Zumber.	Accidents.	Alcoholism. Apoplexy and Paraly-	sis. Asthma.	Bladder Diseases.	Bowel Diseases.	Втаіл Dівсавсе.	Bronchitis.	Cancer.	Diabetea.	Diarrhosa and Dysen- tery.	Dropsy.	Epilepsy. Erysipelas.	Fevers, Malarial.	Fevers, Typhoid, etc.	Heart Diseases.	Hernia.	Kidney Diseases.	Liver Diseases.	Old Age.	Peritonitis.	Phthisis.	Plentisy.	Pneumonia.	Rheumatiem.	Stomach Diseases.	Suicide.	Tetanus.
CLERGYMEN	187	4	<u> </u>	୍ର ଝ			4	. '	,	1 00	 	'	 _		, "	1 65	-!	1 4	6	1 2	:			&	8	8	1 00	.1 :
CLERKS AND SALESMEN	836	35	<u>2</u>	- 64					19	~	00		89	2	292	20				2		CV	4			==	13	:
CONFECTIONERS	34	:	:	٠ _		: <u>:-</u>				:	CS.	: ده	:	_:	ંજ	ಌ	<u>:</u>			~		о в	_:	∞ ≀	:	•	-	:
COOPERS	107	တ		16				4				က	:		- 	œ	~	_	4		:	8		80	:	:	CN	:
DENTISTS	22		:	ေ		- -	es.	લ			-	_ <u>;</u>	_ <u>:</u> <u>:</u> -	:	4	4	<u>:</u>		==		:	-	:	CN.	:	:	:	:
DYERS	88	9	:	- 9	:		25	Ŧ	-	:	4	≈	-		10	#		-:		_		-1	:	01	:	æ	-	:
ENGINEERS AND FIREMEN	212	47	e0	- 56	_	 	6	က	90	ભ	4	€	:		6	8			55	6	- <u>7</u> 2		:	 	:	4	•	:
ENGRAVERS	105	4	33	· · ·		i-	<u>م</u>	39	က	:	:	2			9	14	:	જ	20	20		.	:	4	:	အ	જ	:
FARMERS, ETC	5,483 2	556	- 25 - 5	010	18 10	118	136	29	245	8	113	197	15 5	55	245	298	<u>:</u>	33 15	159 115	5 932	2 13	709	- SS	3 462	44	43	69	=
FILE-CUTTERS		:					≈ ~	ဓာ	:	:	:	-	<u>:</u>	-		4	<u>:</u>	<u>:</u>	<u>:</u>		:			· •	:	:	0,	•
FIFHERMEN AND OYSTERMEN	176	31	က	6		ි - දැ	•	:	9	€,	*			: :	Ξ	13	_		4	58	_ <u>:</u>	<u> </u>	<u>:</u>	90	C4		CS.	83
GASFITTERS	45		6 2	4		<u>:</u>		:	တ	:		<u>:</u>	<u>:</u>	-:	-	က		_	4	_:	<u>.</u>		_		•	CS.	:	:
GROCERS	335		- 9	43	9	- 20	12	10	16	တ	10	4	63	33	15	33.	:	∞	- 12	14 24	<u>≀</u> -	8 	es .	34	_	4	9	:
HARNESSMAKERS AND SADDLERS	86	9	က	:	_ <u>:</u>	<u>:</u>	ص.		O.	_	¢\$	_		<u>:</u>	60	G	<u>:</u>	:	4	es	- 20	%	:	<i>-</i> 5.	:	04	တ	:
forel-keepers	122	න	က	13	_		3 6	CN.	35	:	က	· :	:	-		8		60	-	10	:	:-		2	_		4	:
JEWELERS	804	31	12	20	က	9 10	14	12	12	10	15	9	67	9	40	65		35	34	16	6	345	:	47	20	2	14	:
LABORERS	7,659 7	726 1	162 4	409	46 7	70 178	148	183	170	18	167	102	27 4	45 37	375	575	<u>4</u>	-64 25	235 153	3 529	-6 88	3 2132	<u>.</u>	-1	58	95	68 10	9

				_													-							?₹
$\frac{\cdot}{\cdot}$	9	12	-	0	- <u>-</u> i-	64	-	22	_i-	<u>:</u>	~		:	ςŧ	-	34		<u>4</u> .	ກ	- <u>:</u>	₹	CS.	eo	90
01	=	=	13	01	• -	8		_£;	9		• :	w.		24	•	-	.4	ಣ	:	:	∾_	-	∾ .	4 <u>.</u> _
=	ಣ	9	ಣ	ю	_ <u>:</u>	93	_	33	- نه		<u>«</u>	-	<u>:</u>	64	<u></u>		(-	 		:-	က	÷	4	4
∞ -	44	<u>≅</u>	-8-	2 2	- 4 .	25	ຕ	2	· 23	4	11	57	= :	52	Ξ	-	48	83	: 6	9	78	4-	<u>ري</u>	5
-:		=	65	4.	- :-	8		14 1	t-	-	:	-		-	:	i	4	©	-	· - -	-:	:	CN	≈ .
	38	83	8	88	:		:		26	6	. :. ‰	æ	- 5 5	8			ξ.	12	οι.	· 83	: ?	8	95	
-	က		• •	-		_		_						~ ⇔ ~										. 4 _
9	* 8	88	- 72	69	:_		- _ :						· -		:	<u>:</u> :	- -25	26	_ :	'n			- 21	-e-
2	6	8	- Z .	98	CN.	_	÷		15	:	31	9	:	4.	:	:	15	16		-	64	:		<u>.</u>
13	88	<u>=</u>	- 25	- S	Сч	G	ۍ.	 28	 	:	9	22	?; ?₹	(-:		25	G.		9		88	===
	4	-6	-1-	_		· 83		. 8	- 4							33	70	رم د	33	· - <u></u>	တ	-:-		- 2 -
_	6 1	63	_	_	<u>:</u> :		:			:			- :	. 2				_	:	<u>:</u>	:	-:-	:-	
53	3	2	99	140	_	드	က	130	69	3		81	10	=	9	4	57		4	6	25	_	8	2
20	8	8	83	43	_	12	64	Ξ	55	C)	- 9	. 6	۵.	9	o		52	18	:	4	33	12	10	<u>8</u> 2
Ξ	6 1		4	:	<u>:</u>	<u>:</u>	_ <u>-</u>	٠.			- : <u>-</u>			-:	<u>.:</u>	:			- :	:	:	<u> </u>	-	60
_							•							- <u>-</u> :	<u>:</u>			_		<u>-</u> -		:	: _	·- ₋ ,
_		4		=			_: - <u>-</u> -	_	-9-		<u>:</u>		i			•				•		•		•
	٠-		=	13												- :								
	į~			-સ 			:		2 18							. :				-				£-
<u>:</u>	2	œ	9	~	:_		-			:	:		:	-	:			CX	:	_		:	:	
	୍ଷ 	 	- 5 5	₽												:				CS.			6	
			23	2		<u>٠</u>		8		:	G)			40	₩	. :	_ oo _		4		_	_	- :=-	
<u> </u>		4			-													=			20	9		_
_	∞	 81	<u> </u>				:						_			:	.				4	_		- <u>-</u> -
es	92	=	=	15	<u>:</u>	:	:		∞ -—	-	-	∽ —	:			ο λ		'9 0'	 	:		:	x o	4
_	က	eo -	٠	4	:	_	:	CS.	-	:		-	:	:	÷	÷		CN	:	•		:		<u>:</u>
- 19		5			4			88	8				4			25	3		& 		į- -	:	ଞ 	
	90	15	•	9		4	_ c≀	<u>8</u> 7.	=	 	4	4	_	31	· ·	_	13		_		<u>م</u>	:	۲-	4
2	8	88	40	21	20	13	က	88	48	-	00	ţ-	=	4	က	4	5	15	9	€,	55	က	ð,	51
132	495	1,156	965	686	37	236	51	1,796			153		5	75	130	83	99	489	128	38	211	61	339	392
-	:	:	:	:	:	:	:	_ :	:	:	:	:	:	:		_:	÷	:		:	ERS	:	:	
	:		:	:		:	•	:	i	•	:	:	:	:			:	SHOEMAKERS	:	SIVERSMITHS	gtonecuttens and Markle-worker	:	:	:
÷	i	:	:	:	:	:	:	:	•	•	i	:		:	:	:	i	:			LE-W		•	
i	÷	:	:	:	MILLERS	Moulders	:	OPERATORS	PAINTERS AND GLAZIERS.	PATTERN-MAKERS	:	:	į	:		:	gallors, etc	i	SHIP-MASTERS	į	ARB	÷		TEAMSTERS
i	÷	÷		:	i		:		IZ V	i	÷	:	:	:		:		:		÷	D M	:	:	:
i	MANUFACTURERS	MACHINISTS	MASONS	MERCHANTS	:	:	MUSICIANS	i	G	ERS	:	PHYSICIANS	÷	:	RUBBER-WORKERS.	SAILMAKERS	:	i	:	i	SAN	grudents	TAILORS	:
LAWYERS	TUR	:		2	:	:		90	ANI	MAK	PEDDLERS	22	Рамвеня	PRINTERS	YOR	22	ETC.	SRE	TERS	THS	TER	:	:	: 2
ERS	PAC	NIS	: 192	LVVI	22	BRE	IAN8	TOR	ERS	RN-	ERS	CIAN	ERS	ERS.	1R- W	AKE	, ši	AKE	1A87	18M1	cur	SLU	2	TER
W.	MU	VCHI	NOS	RCE	LIE	ULI	BIC	ERA	INT	TTE	DDL	181	UMB	INT	BBE	7K71	1071	OEM	IP-3	WE	ONE	UDE	107	ĵ λ M ε
Ľ	Ä	M	W	M.	Ħ	M	MI	OP	PA	PA	PR	Ъп	P	PR	18 0	\$	ż	ž	ž	<u>.</u>	, ž	, gr	ئے ،	, <u>E</u>
				30	'																			

TABLE XCIII.—Continued.

Erysipelas, Fevers, Malarial, Fevers, Typinoid, etc. Hennis, Insenity. Liver Diseases. Old Age. Peritonitis. Phubists. Phubists. Phunstis. Phunstis. Stomsonia.	85 44	10 6 1 3 2 5 34 6 1	3. 1 3 3 4 1 35 1 8 2	1. 1 5 6 31 31	1 3 10 1 4 3 9 11 1 8	218 92 1440 2730 77 236 1216 646 2239 164 7126 167 2801 240 331	8 2 18 23 1 10 5 6 6 110 2 18 2	4 5 5 1 1 11 3	7 8 5 1 7 1 8 10	4 89 84 52 5 7 18 888 5 49 6	1 6 8 2 1 13 50 9 1	12 7 2 2 10 74 1 15 1	8 7 81 85 86 15 43 21 636 9 104 10 19	926 99 1531 2815 77 245 1252 661 2282 185 7762 176 2905 250 350
Epilepsy.	Ţ,	3	1 1	*	****	521 103	90	1	22	8 01	05 55	3 1 1	9 1 3	537 104
Cancer Diabetes. Diarrhea and Dysen-	65	 	1	:	: : :	2 906 166 569	28	; 61	::	17 1	00	14 3	2 02	976 173 591
Bowel Diseases. Brain Diseases.	-	1 0	67	-	p0	568 800 502	4		29	12 21	1	4	21 18 30	589 818 532
Apoplexy and Paraly- sis. Asthma. Bladder Diseases.	4	9		2 1	8	2481 119 854	12	- 1	***	d.	12 1	6 3	57	2588 121 853
Whole Unmber. Accidents. Alcoholism.	38	103 3	94	47 3	76 4 3	29 614 1950 465	273	38 1	£ 25	688 17	136		1,371 29 5	80,985 1979 470
1	TANNERS AND CURRIERS	TEACHERS AND PROFESSORS	TINEMITHS	UPHOLSTERERS	Wherwrights	MALES 2	Females. DRESSMAKERS AND SEAMSTRESSES	MILLINERS	Nurses	OPERATIVES	TAILORE88E8	Теаснева	FEMALES	TOTAL

TABLE XCIV.

Occupations and Ages of Decedents from June 1, 1852, to January 1, 1894, comprising a period of Forty-one years and seven months. Occupations under Ten, and Ages under Twenty, excluded.

			,	_		
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	OCCUPATIONS.	Total Mortality.	Augregate Ages.	Average Age.
Males.		i				
Actors	12	413 34.43	•	70	3,853	55.01
Agents	193	9,997 51.79		85	2,443	28.74
Artists	29	1,409 48.59	:	15	742	49.47
Bakers	128	8,913 72.40	•	12	568	47.33
Bankers and Brokers	115	6,801 59.14		245	12,595	51.41
Bank Officers	1	3,965 63.95		57	3,106	54.49
Barbers	204	7,617 37.3		11	815	74.09
Bartenders	27	1,031 38.18	1!	1,755	96,473	54.97
Blacksmiths, etc	580	31,254 53.89	· 10	38	1,908	50.21
Bleachers and Fullers	57		4 Clerks and Salesmen	953	35,413	37.16
Boat Builders	23	1,349 58.6			18,356	63.30
Boatmen.	24	1,377 57.2		11	655	59.55
Boiler Makers	64	2,529 39.5	1	166	7,197	43.35
вох	14	590 42.1	1	1	967	60.44
Broom and Brush Makers.	14	708 50.5		37	1,652	44.65
Caninet	123	7,110 57 8	il.	68 ¹	3,919	57.63
Carriage, etc.,	65	3,478 53.5	L.	65	3,089	47.52
Cigar		4,183 44.5	11 -	116	7,651	65.96
Harness, etc.,	100	4,844 48.4	1	32	1,701	53.16
rattern	I	3,623 57.5	Dungwists and Anothese	13	653	50.23
1 ump and Diock	14	788 55.7	* ries	78	3,469	44.47
Rope	25	1,672 66.8	•	110	5,574	50.67
Bati	: 32	1,886, 58.9		18	833	46.28
Sasn and Dinid	10	506 50.6		20	790	
S110e	537	30,916 55.7	1	36	1,562	43.39
Tool "	19	1,021 53.7		2:3	844	36.70
waten	30	1,640 54.6			14,756	47.75
Bookbinders	24	1,121, 46.7		121	5,786	47 82
Book-keepers	359	15,891 44.2	•	78	3,905	50.06
Hotel "	144	7,965 55.3		6,022	401,442	66.66
Saloon, etc., Keepers	169	7,677 45.4	File-cutters	72	2,930	40 69

TABLE XCIV.—Continued.

OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.
Nail Cutters	11	422	38.35	Operatives	2,038	88,858	43.60
Fish and Oyster Dealers	15	903	60.20	Painters and Glaziers	723	33,968	46.98
Junk Dealers	11	627	57.00	Paper Hangers	20	1,058	52.90
Liquor "	9u;	4,014	44.60	Peddlers	147	7,381	50.21
Fishermen and Oystermen	203	10,007	49.30	Photographers and Lith-	24	1,098	45.75
Florists	25	1,271	50.84	Physicians	274	16,306	59.51
Founders	10	381	38.10	Pilots	18	994	55.22
Gardeners	248	14,540	55.49	Plasterers, etc	42	2,017	48.02
Gas Fitters	51	2,162	42.39	Plumbers	78	3,063	39.27
Gentlemen	42	2,792	66.48	Polishers	17	800	47.06
Grocers	381	20,766	54.08	Porters	40	1,932	48.30
Gun and Locksmiths	21	1,314	54.75	Printers	168	973	57.92
Hatters	28	1,225	53.26	Public Officers	73	4,376	59.94
Hostlers	101	4,238	41.96	Railroad Officials	- 80	3,649	45.62
Janitors	58	2,941	50.71	Riggers	22	1,254	57.00
Jewelers	859	34,914	40 .64	Roll Coverers	27	1,631	60.41
Journalists	31	1,409	45.45	Rubber Workers	127	5,196	40 91
Judges and Justices	15	981	65.40	Sailors	232	11,304	48.72
Laborers	8,475	417,792	49.30	Sea-captains	147	9,866	67.12
Lamplighters	15	795	53.00	Servants	22	1,003	45.59
Lawyers	150	8,265	55.10	Sheriffs, Police, etc	104	5,801	55.78
Machinists	1,286	61,748	48.02	Ship-carpenters	66	4,503	68 23
Mail Carriers	11	506	46.00	Silversmiths	100	4,464	44.64
Manufacturers	532	32,207	60.54	Soldiers	139	4,252	30.59
Mariners	513	25,300	49.32	Stevedores	15	712	47.77
Masons	734	41,749	56.88	Stewards	16	693	48.31
Mechanics	449	23,825	53.06	Stone-cutters, etc	224	11,260	50.27
Merchants	1,108	65,444	59.06	Students	68	1,542	22.68
Millers	42	2,465	58.69	Superintendents, etc	234	12,777	54.60
Millwrights	31	2,032	65.55	Tailors	371	20,297	54.71
Miners	14	771	55.07	Tanners and Curriers	43	2,667	62 02
Moulders	263	12,102	39.34	Teachers and Professors	125	6,087	48.70
Musicians	60	2,885	48.08	Teamsters	479	22,660	47.30
Naval Officers	16	765	47.81	Telephone and Telegraph (Operators	18	533	29.61
Nurses	13	60 t	52.38	Tinsmiths	100	4.402	44.09

TABLE XCIV.—Continued.

	····	. 41 - 42 .			, ·	,	
OCCUPATIONS.	Total Mortality.	Aggregute Ages.	Average Age.	OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.
Tobacconists	10	594	59.40	Dress-makers, etc	297	12,512	42.18
Traders	280	14,071	50.25	Housewives	165	8,562	51.99
Tradesmen, General	184	8,863	48.17	Jewelers	14	876	26.86
Undertakers	38	2,204	58.00	Laboring	16	699	48.69
Upholsterers	47	1,879	39.98	Laundresses	28	1,882	49.86
Waiters	104	4,259	40.95	Milliners	58	1,899	35.88
Watchmen	137	7,547	55.09	Nurses	92	5,729	62.27
Wheelwrights	95	5,700	60.00	Operatives	836	26,009	81.11
Wood Turners	87	1,364	36.86	Rubber Workers	18	406	31.33
Wool Sorters	42	1,994	47.48	Servants and Domestics	438	21,146	48.28
m	22.20			Sisters of Mercy	27	1,012	37.48
Total	36,520	1 967,864	52.52	Tailoresses	140	6,437	45 98
Females. Boarding-house Keepers	22	1,377	62.59	Teachers	200	10,557	52.79
Housekeepers	2,340	129,964	55.54	Total	4,784	220,412	46.56
Clerks and Saleswomen	20	579	28.95				
Cooks	83	1,766	53.52	Grand total	42,251	2,188,276	51.85

TABLE XCV. Occupations of Grooms.

OCO	CUPATIONS.	Number.	OCCUPATIONS.	Number.
Actors		6	Hotel Keepers	
Agenta		20	Saloofi "	4
Army Officers		3	Stable "	1
Architects	······································	3	Bottlers	:
Artists		3	Brakemen	1
Authors		1	Brewers	
Baggage Master	8	8	Brick and Stone Layers	1
Bakers		24	Bridgeman	
Bankers and Br	okers	10	Butchers and Marketmen	5
Bank Officers		4	Butlers	;
Barbers	······································	38	Calkers	
Bar Tenders		15	Captains, U. S. L. S. S	,
Blacksmiths		46	Carpenters	16
Bleachers		9	Civil Engineers	
Boat Builders		1	Chemists.	
Boatmen	· •••••••••	8	Clerks and Salesmen	23
Belt Makers	,	1	Clergymen	1
Boiler "		6	Coachmen	2
Box "		1	Collectors	
Broom and Brus	sh Makers	. 1	Commercial Travelers	1
Button	: "	2	Compositors	
Cabinet		5	Concreters	
Carriage	"	3	Conductors, U. R. R	1
Chandelier	"	1,	Confectioners	1
Cigar	"	2	Contractors and Builders	1
Clock		1	Cooks and Caterers	1
Harness	"	8	Coopers	
Horse Shoe		3	Coppersmiths	
Pattern	"	6	Cutters	
Pen (gold)	"	1	Dentists	,
Rope	44	1	Designers	
Shoe	"	*26	Die Sinkers	,
Watch	"	2	Druggists	2
Bookbinders		3	Dyers	2
Book-keepers	:	40	Draughtsmen	1


TABLE XCV.—Continued.

EF ELL CLE	·:· .	:	
OCCUPATIONS.	Number.	OCCÚPATIONS.	Number.
Drivers	16	Hostlers	14
Cab	4	House Movers	1
Car, etc	5	Inspectors	8
Electricians	17	Insurance Agents	7
Engineers and Firemen	66	Iron Workers	4
Electric Car Conductors	1	Janitors	7
Electric Plater	4	Jewelers	75
Enamelers	2	Journalists	1
Engravers	14	Laborers	339
Expressmen	12	Laundrymen	6
Express Messengers	2	Lawyers	10
Farmers	140	Lighthouse Keepers	2
File-cutters	4	Linemen	11
Finishers (cloth)	2	Machinists	190
Fire Company Members	7	Lumbermen	1
Fish and Oyster Dealers	1	Mail Carriers	5
Hardware "	2	Manufacturers	31
Ice "	1	Mariners	9
Liquor "	10	Masons	37
Real Estate "	3,	Mechanics	26
Shoe "	7	Merchants	57
Wood and Coal "	1	Messengers	1
Fishermen and Oystermen	15	Milkmen	13
Florists	3,	Millers	4
Fortune Tellers	1	Millwrights	1
Founders	6	Miners.	1
Fruiterers	2	Motormen	2
Gardeners	17	Moulders	36
Gas Fitters	16	Musicians	12
Gilders	1	Operatives	478
Glass Pressers	1	Painters	84
Gold Refiners.	2	Paper Hangers	5
Grocers	43	Peddlers	12
Grooms	3 ;	Photographers and Lithographers	5
Gun and Locksmiths	2	Physicians	17
Hatters	5	Platers	1
Horse Trainers	2	Plasterers.	6

TABLE XCV .- Continued.

OCCUPATIONS.	Number.	OCCUPATIONS.	Number
Plumbers	18	Stucco Workers	1
Polishers	10	Students	2
Porters	6	Superintendents and Overseers	38
Printers	29	Switchmen.	4
Produce Dealers	5	Tailors	16
Public Officers	5	Tanners and Curriers	3
Publishers	2	Taxidermists	1
Railroad Officials	12	Teachers and Professors	10
Railroad Postal Clerk	1	Theatrical Managers	3
Reporters	2	Teamsters	107
Riggers	1	Telephone and Telegraph Operators	4
Roll Coverers	4	Tinsmiths	11
Rubber Workers	31	Tradesmen, General	3
Sailors	15	Undertakers	2
Scale Builders	1	Upholsterers	5
Sea-captains	3	Veterinary Surgeon	1
Bervants	3	Waiters	10
Sextons	1	Watchmen	9
Sheriffs, Police, etc	11	Weighers	1
Ship-carpenters	1	Wheelwrights	4
Silversmiths	27	Wire Drawers.	1
Blaters	2	Wood Workers	11
Speculators	1	Wool Sorters	4
Stenographers	13	Not stated	87
Stevedores	1	·	
Stewards	2	' T'otal	3,544
Stone-cutters	32	.!	•

Diagram III. Exhibiting the comparative mortality by absolute number of decedents, from twenty principal causes of death in Rhode Island, in 1898.



·				
				·
			•	
		•		

APPENDIX A.

NOMENCLATURE OF DISEASES.

OR

CAUSES OF DEATH.

	,			•	
		•	·		
					•
				•	
			,		
,					

NAMES OF CAUSES OF DEATH.

It should be stated that the nomenclature of diseases in the nosological arrangement on the following pages is not intended to include the names of the whole list of morbid phenomena affecting the human organism. but the names of such only as are directly the cause of death, or such as ordinarily predispose to or set in motion the morbid processes that end in death.

In the construction of the classification now adopted, use has been made of the results and conclusions of a committee of the Royal College of Physicians of England, and from such other sources as were accessible, and from examination of the classifications in use in different countries in Europe and America. It has been the design to have all these classifications based on observed facts and most advanced conclusions in relation to pathological processes and morbid conditions, inductive, causative, progressive and ultimate.

The statistical nosology will consist of two lists of causes of death,

A TABULAR LIST AND SUPPLEMENTAL LIST.

The Tabular List comprises the chief or primary causes of death which will be used in Table IX, on Classification and Percentage, in the preparation of the Registrar's annual reports, and will, therefore, include all those named in the Supplemental List, when the final arrangement is completed.

The Supplemental List is subordinate to the Tabular List, and contains synonyms, or names of related diseases, which may be actually, or are supposed to be, causes of death, and which are in addition to those in the Tabular List, and which are often found in physician's certificates of death, as reported to the State Registrar. These will have a place, in alphabetical order, in Tables VII and VIII of the reports, and will be variously grouped under different heads in Table IX, as the figure which precedes each cause in the Supplemental List will correspond, in the representation of diseased conditions, with the figure in the class and order in the Tabular List, under which that cause is placed.

NOMENCLATURE OF CAUSES OF DEATH.

CLASSES.

I.	General	Diseases.—A.	SPECIFIC AND FEBRILE.	(Zymotic.)
II.	General	Diseases.—B.	CACHECTIC.	(Constitutional.)
III.	Special	Diseases.—A.	FUNCTIONAL OR ORGANIC	. $(Local.)$
IV.	Special	Diseases.—B.	DEVELOPMENTAL.	(Developmental.)
v.	Violence	. —С.	FROM INJURIES, ETC.	(Violent.)

SUB GROUPS OR ORDERS.

CLASS I.-Zymotic Diseases.

ORDER ONE, Miasmatic. ORDER TWO, Enthetic. ORDER THREE, Dietic. ORDER FOUR, Parasitic.

CLASS II.—Constitutional Diseases.

ORDER ONE, Diathetic. ORDER TWO, Tubercular.

CLASS III.-Local Diseases.

ORDER ONE, Diseases of the Nervous System. ORDER TWO, Organs of Circulation. ORDER THREE, Organs of Respiration. ORDER FOUR, Organs of Digestion. ORDER FIVE, Urinary Organs. ORDER SIX, Reproductive Organs. ORDER SEVEN, Osseous and Locomotory Organs. ORDER EIGHT, Integumentary System.

CLASS IV.—Developmental Diseases.

ORDER ONE, Of Children. ORDER TWO, Of Women. ORDER THREE, Of Old Age. ORDER FOUR, Of Nutrition.

CLASS V.--Deaths by Violence.

Order one, Accidents and Negligence. Order two, Homicide. Order three, Suicide.

STATISTICAL NOSOLOGY.

CLASS I.—Zymotic Diseases.

TABULAR LIST.	SUPPLEMENTAL LIST.
For Table IX of the Registration Report.	Synonyms or Related Diseases.
Order One.—Miasmatic.	ORDER ONE.—Miasmatic.
I. One.—1. Carbuncle 2. Cholera, Asiatic 3. Cholera, Sporadic 4. Cholera Infantum 5. Cholera Morbus 6. Croup (Pseudo Membranous) 7. Diphtheria 8. Diarrhœa 9. Dysentery 10. Erysipelas 11. Fever, Bilious 12. Fever, Cerebro Spinal 13. Fever, Intermittent 14. Fever, Malarial 15. Fever, Typhoid 16. Fever, Typho-Malarial 17. Fever, Unspecified 18. Fever, Yellow 19. Influenza (Epidemic) 20. Measles 21. Mumps 22. Metria (Puerperal Fever) 23. Pertussis 24. Tonsilitis	ORDER ONE. — Miasmatic. I. One. —1. Anthrax. Gangrenous Boil. 4. Entero Colitia, Infangastro Enteritis, itile. 10. Hospital Gangrene. Pyemia. Phagadena. Phagadena. Phiegmon. 15. Infantile Fever. Typhus Fever. 20. Rotheln. 21. Parotitis. 22. Child-bed Fever. 28. Whooping Cough. 24. Quinsy. 25. Scarlet Fever. Angina Maligna. 26. Varioloid. 27. Chicken Pox Miliaria.
25. Scarlatina	
Order Two.—Enthetic.	Order Two.—Enthetic.
I. Two.—1. Glanders	I. Two.—2. Stricture of Urethra Gonorrheal Opthalmia. 5. Necusia.
Onna Tunna Diatio	Order Three.—Dietic.
ORDER THREE.—Dietic. I. Three.—1. Alcoholism 2. Delirium Tremens 3. Inanition 4. Opium Habit 5. Purpura and Scurvy	I. Three.—1. Intemperance. 2. Privation. Starvation. Neglect.
ORDER FOURParasitic.	Order Four.—Parasitic.
I. Four.—1. Apthæ	I. Four.—1. Thrush. 2. Tape Worm. Trichinosis. 3. Scabies Hydatids. Porrigo, Favus, etc.

CAUSES OF DEATH.

CLASS II.—Constitutional Diseases.

	TABULAR LIST.					SUPPL	EMENTAL LIST.
Order	One.—Diathe	etic					
			•		: TT	One 9	A manana
II. One —1. (•	•	•	11.	One.—2.	Anasarca. Leucocythæmia.
	Oropsy	•	•	•	1'	0.	Chlorosis.
	Anæmia	•			1	4.	Soft Cancer.
4. (Cancer, Various	•			1.		Epithelioma.
5. (Cancer of Breast Cancer of Stomacl				i:		Melanosis. Lupus.
6. (Cancer of Stomacl	ì			ń		Other kinds of Cancer.
7. (Cancer of Uterus				ji .	9.	Bed Sore.
8. 1	Noma (Canker)				1:	••	Dry Gangrene.
	Gangrene .					10.	Rheumatic Carditis. Rheumatic Synovitis.
	Rheumatism .						Rheumatic Meningitis.
Order	Two.—Tubero	cula	ır.				
I. Two.—1. S	Conofina				11.	Two1.	Psoas (Lumbar) Abscess
		•	•	•	l	**	White Swelling.
z. 1	l'abes Mesenterica		•	•	Ĭ.		Cretinism (Goitre.)
3. 1	hthisis (Pulmonai	ry)	•	•	1.		Adenitis.
4. I	Hydrocephalus	:	•	•	1		Lymphangitis, Morbus Coxarius,
5. 7	Lubercular Mening	gitis	•	•	11		Pott's Disease.
					li .	2. 3	Tubercular Peritonitis,
	CLASS II	I.—	-Lo	cal	Dis	eases	
	- N						
		C	+	•	III	One -1.	Phrenitis.
Order On	E.—Nervous	Sys	ten	1.	III.	One.—1.	Phrenitis. Meningitis.
		Sys ·	ten	1.	III.	One.—1.	Meningitis. Cerebro Spinal Meningi
II. One.—1. (Sys	ten			One.—1.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.)
II. One.—1. (2. (Cephalitis . Cerebritis .	Sys	ten		III.		Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis.
II. One.—1. (2. (3. A	Cephalitis . Cerebritis . Apoplexy .	Sys · ·	ten	· · ·	1	4.	Meningitis. Cerebro Spinal Meningi tis. (Sporadic.) Paresis. Locomotor Ataxia.
II. One.—1. (2. (3. 4 4. 1	Cephalitis . Cerebritis . Apoplexy . Paralysis .	Sys · · ·	ten	· · ·		4.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright.
II. Onc.—1. (2. (3. 4 4. 1 5. I	Cephalitis . Cerebritis . Apoplexy Paralysis . Insanity	Sys · · ·	ten	· · ·	Segment of the segmen	4.	Meningitis. Cerebro Spinal Mening tis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief.
II. Onc.—1. (2. (3. 4 4. I 5. I 6. (Cephalitis Cerebritis Apoplexy Paralysis Usanity Chorea	Sys	ten	· · ·	1	4.	Meningitis. Cerebro Spinal Mening tis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia.
II. One.—1. (2. (2. (3. 4. I 5. I 6. (7. I	Dephalitis Derebritis Apoplexy Paralysis Insanity Diorea Epilepsy	Sys	ten	· · ·	Segment of the segmen	4 . 5.	Meningitis. Cerebro Spinal Mening tis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage.
II. Onc.—1. (2. (3. 4. 1 5. 1 6. (7. 1 8. 7	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Fetanus	Sys	ten		Account of the contract of the	4 . 5.	Meningitis. Cerebro Spinal Mening tis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage.
II. Onc.—1. (2. (3. 4. 1 5. I 6. (7. I 8. 7) 9. (4. 19. (4. 1 9. (4. 19. (4.	Cephalitis Cerebritis Apoplexy Paralysis Lusanity Lusanity Epilepsy Fetanus Convulsions	Sys	ten		Segment of the segmen	4 . 5.	Meningitis. Cerebro Spinal Mening tis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Larvngismus.
II. One.—1. (2. (3. 4. 15. 16. (6. (6. (7. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	Dephalitis Derebritis Apoplexy Paralysis Insanity Dhorea Epilepsy Fetanus Convulsions Brain Diseases*	Sys 	:ten		Account of the contract of the	4 . 5.	Meningitis. Cerebro Spinal Mening tis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Larvngismus.
II. One.—1. (2. (3. 4. 15. 16. (6. (6. (7. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	Cephalitis Cerebritis Apoplexy Paralysis Lusanity Lusanity Epilepsy Fetanus Convulsions	Sys 	:ten		Account of the contract of the	4 . 5.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium.
II. Onc.—1. (2. (3. 4. 15. 16. (6. (6. (7. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	Dephalitis Derebritis Apoplexy Paralysis Insanity Dhorea Epilepsy Fetanus Convulsions Brain Diseases*	Sys	:ten		Account of the contract of the	4. 5. 6. 8.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral.
II. One.—1. (2. (3. 4. 15. 16. (6. (6. (7. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	Dephalitis Derebritis Apoplexy Paralysis Insanity Dhorea Epilepsy Fetanus Convulsions Brain Diseases*	Sys	:ten		Account of the contract of the	4. 5. 6. 8.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalematoma. Neuralgia, Cerebral. Neurasthenia.
II. One.—1. (2. (3. 4. 15. 16. (6. (6. (7. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	Dephalitis Derebritis Apoplexy Paralysis Insanity Dhorea Epilepsy Fetanus Convulsions Brain Diseases*	Sys	:ten		Account of the contract of the	4. 5. 6. 8.	Meningitis. Cerebro Spinal Mening tis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord.
II. One.—1. (2. (3. 4. 15. 16. (6. (6. (7. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	Dephalitis Derebritis Apoplexy Paralysis Insanity Dhorea Epilepsy Fetanus Convulsions Brain Diseases*	Sys 	:ten		Account of the contract of the	4. 5. 6. 8.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephatus (Ramo)
II. One.—1. (2. (3. 4. 15. 16. (6. (6. (7. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	Dephalitis Derebritis Apoplexy Paralysis Insanity Dhorea Epilepsy Fetanus Convulsions Brain Diseases*	Sys	: ten		Account of the contract of the	4. 5. 6. 8.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramol lissement).
II. One.—1. (2. (3. 4. 15. 16. (6. (6. (7. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	Dephalitis Derebritis Apoplexy Paralysis Insanity Dhorea Epilepsy Fetanus Convulsions Brain Diseases*	Sys	:ten		Account of the contract of the	4. 5. 6. 8.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramotlissement). Nervous Prostration.
II. Onc.—1. (2. (3. 4. 1 5. 1 6. (6. (7. 1 8. 7 9. (10. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Fetanus Convulsions Brain Diseases Nerve Diseases				Account of the contract of the	4. 5. 6. 8.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramoilissement). Nervous Prostration.
II. Onc.—1. (2. (3. 4. 1) 5. 1 6. (6. 7. 1) 8. 7. 9. (6. 10. 1) 11. 1	Cephalitis Cerebritis Apoplexy Paralysis Chorea Chorea Cepilepsy Fetanus Convulsions Brain Diseases* Nerve Diseases					4. 5. 6. 8.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramoilissement). Nervous Prostration. Neuritis. Myelitis.
II. Onc.—1. (2. (3. 4. 1 5. 1 6. (6. (7. 1 8. 7 9. (6. 10. 11. 11. 11. 11. 11. 11. 11. 11. 11	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Fetanus Convulsions Brain Diseases* Nerve Diseases					4. 5. 6. 8.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramotlissement). Nervous Prostration.
II. Onc.—1. C 2. C 3. A 4. I 5. I 6. C 7. I 8. 7 9. C 10. I 11. I	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Convulsions Brain Diseases* Nerve Diseases Cericarditis Aneurism					4. 5. 6. 8. 10. 11. Two.—1.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramot lissement). Nervous Prostration. Neuritis. Myelitis. Carditis. Endocarditis. Hypertrophia.
II. Onc.—1. C 2. C 3. A 4. I 5. I 6. C 7. I 8. 7 9. C 10. I 11. I	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Fetanus Convulsions Brain Diseases* Nerve Diseases					4. 5. 6. 8. 10. 11. Two.—1.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramollissement). Nervous Prostration. Neuritis. Myelitis. Carditis. Endocarditis. Hypetrophia. Atrophia.
II. Onc.—1. C 2. C 3. A 4. I 5. I 6. C 7. I 8. 7 9. C 10. I 11. I	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Convulsions Brain Diseases* Nerve Diseases Cericarditis Aneurism					4. 5. 6. 8. 10. 11. Two.—1.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalematoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Neurasthenia. (Ramoi lissement). Nervous Prostration. Neuritis. Myelitis. Carditis. Endocarditis. Hypertrophia. Atrophia. Atrophia. Angina Pectoris
II. Onc.—1. C 2. C 3. A 4. I 5. I 6. C 7. I 8. 7 9. C 10. I 11. I	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Convulsions Brain Diseases* Nerve Diseases Cericarditis Aneurism					4. 5. 6. 8. 10. 11. Two.—1.	Meningitis. Cerebro Spinal Mening tis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramo lissement). Nervous Prostration. Neuritis. Myelitis. Carditis. Endocarditis. Hypertrophia. Atrophia. Angina Pectoris Syncope.
II. Onc.—1. C 2. C 3. A 4. I 5. I 6. C 7. I 8. 7 9. C 10. I 11. I	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Convulsions Brain Diseases* Nerve Diseases Cericarditis Aneurism					4. 5. 6. 8. 10. 11. Two.—1.	Meningitis. Cerebro Spinal Mening tis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramo lissement). Nervous Prostration. Neuritis. Myelitis. Carditis. Endocarditis. Hypertrophia. Atrophia. Angina Pectoris Syncope. Arteritis. Ossification of Arte-
II. Onc.—1. C 2. C 3. A 4. I 5. I 6. C 7. I 8. 7 9. C 10. I 11. I	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Convulsions Brain Diseases* Nerve Diseases Cericarditis Aneurism					4. 5. 6. 8. 10. 11. Two.—1.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalamatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramolissement). Nervous Prostration. Neuritis. Myelitis. Carditis. Endocarditis. Hypertrophia. Atrophia. Angina Pectoris. Syncope. Arteritis. Ossification of Arterles. (Sclerosis.)
II. Onc.—1. C 2. C 3. A 4. I 5. I 6. C 7. I 8. 7 9. C 10. I 11. I	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Convulsions Brain Diseases* Nerve Diseases Cericarditis Aneurism					4. 5. 6. 8. 10. 11. Two.—1.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalæmatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramolissement). Nervous Prostration. Neuritis. Myelitis. Carditis. Endocarditis. Hypertrophia. Atrophia. Atrophia. Argina Pectoris. Syncope. Arteritis. Ossification of Arteries. (Sclerosis)
II. Onc.—1. C 2. C 3. A 4. I 5. I 6. C 7. I 8. 7 9. C 10. I 11. I	Cephalitis Cerebritis Apoplexy Paralysis Insanity Chorea Epilepsy Convulsions Brain Diseases* Nerve Diseases Cericarditis Aneurism					4. 5. 6. 8. 10. 11. Two.—1.	Meningitis. Cerebro Spinal Meningitis. (Sporadic.) Paresis. Locomotor Ataxia. Monomania. Fright. Grief. Melancholia. Dementia. Rage. Hysteria. Laryngismus. Lockjaw. Trismus Nascentium. Cephalamatoma. Neuralgia, Cerebral. Neurasthenia. Disease of Spinal Cord. Necrencephalus (Ramoilissement). Nervous Prostration. Neuritis. Myelitis. Carditis. Endocarditis. Hypertrophia. Angina Pectoris. Syncope. Arteritis. Ossification of Arteries. (Sclerosis.)

STATISTICAL NOSOLOGY.

CLASS III.-Local Diseases.-Continued. TABULAR LIST. SUPPLEMENTAL LIST. ORDER THREE.—Respiratory System. III. Three.—1. Epistaxis III. Three .- 2. (Edema Glottidis. Diaphragmitis. Pneumothorax. Hydrothorax. Plumonary Apoplexy. Hæmoptysis.† Congestion of Lungs. 2. Laryngitis 3. Bronchitis, Acute 4. Bronchitis, Chronic 5. Pleurisy 6. Pneumonia. 7. Asthma 7. Grinders' Asthma. Miners' Asthma. Emphysema. 8. Pleurodynia. 9. Lung Discases* Order Four.—Digestive System. III. Four.-1. Gastritis III Four .- 1. Glossitis. Stonatitis Pharyngitis. (Esophagitis. 2. Gastro Enteritis, Entero Colitis. 2. Enteritis 3 Peritonitis Ascites 5. Ulceration of Intestines Entero Colitis. | fan-Perforation of tile. 6. Hernia Congenital. Femoral. 7. Ileus 8. Intussusception . Inguinal. 9. Stricture of Intestines Scrotal. Umbilical. Umbilical. Ventral. 7. Constipation. Obstipation. Perityphlitis. Typhlitis. Appendicitis. 8. Invagination. 9. Strict. Œsophagus. 11. Dyspepsia. Pyrosis. Gastralgia. Hæmatemesis. Melena 10. Fistula 11. Stomach Diseases* 12. Pancreus Diseuses* 13. Hepatitis 14. Jaundice . 15. Liver Diseases* 16. Spleen Diseases* 17. Bowel Diseases* Melæna 14. Gall-stones. Icterus Neonatorum. 15. Cirrhosis. Chyluria. ORDER FIVE.—Urinary System. III. Five.—3. Albuminuria. 6. Cystitrhœa. 8. Diuresis. III. Five.-1. Nephritis 2. Ischuria 3. Nephria (Bright's Disease) Hæmaturia. Uræmia. 9. Urethritis. 10. Orchitis. Hydrocele. 4. Diabetes 5. Calculus (Gravel, &c.) 6. Cystitis 7. Prostate Disease of 8. Kidney Diseases* . 9. Bladder, Diseases of 10. Testicles, Disease of Order Six.—Generative System. III. Six.—1. Ovarian Dropsy III. Six.—1. Ovarian Tumor. 2. Hysteritis Metritis. Uterine Ulcer. Polypus, Tumor Fibroid. 2. Diseases of Uterus* Ovaritia. Pelvic Cellulitis. Hemorrhage.

+ See Class II, Order Two-3, Sup. List.

* Not otherwise placed

CAUSES OF DEATH.

CLASS III.—Local Disea	iscs.—Continued.
TABULAR LIST.	SUPPLEMENTAL LIST.
ORDER SEVEN.—Osseous and Loco- motory System. II. Seven.—1. Bones, Diseases of 2. Joint Diseases* 3. Vertebræ, Diseases of	III. Seven.—1. Ostitis. Periostitis. Fragilitas Ossium. Mollities Ossium. Rickets. Carles, Necrosis. Exostosis. 2. Synovitis. Hip Diseases. 3. Spine Diseases. Spine, Carles and Ne
PRDER EIGHT.—Integumentary Sys-	rosis.
tem.	i
II. Eight.—1. Phlegmon‡	III. Eight.—1. Abscess, part not state Boil. Whitlow. 3. Roseola. Urticaria. Eczema.
	Herpes. Pemphigus. Ecthyma. Impetigo
Order Nine.—Organs of Special Sense.	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c.
Sense. EYE AND EAR.	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn
Sense. EYE AND EAR. III. Nine.—1. Malignus Oculi 2. Opthalmitis	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn
Sense. EYE AND EAR. III. Nine.—1. Malignus Oculi	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn
Sense. EYE AND EAR. III. Nine.—1. Malignus Oculi 2. Opthalmitis 3. Ossis Petrosis	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn
Sense. EYE AND EAR. III. Nine.—1. Malignus Oculi 2. Opthalmitis 3. Ossis Petrosis 4. Otitis CLASS IV.—Developme Order One.—Developmental Dis-	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn
Sense. EYE AND EAR. III. Nine.—1. Malignus Oculi	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn &c.). ntal Diseases.
Sense. BYE AND EAR. III. Nine.—1. Malignus Oculi 2. Opthalmitis 3. Ossis Petrosis 4. Otitis CLASS IV.—Developme ORDER ONE.—Developmental Diseases of Children. IV. One.—1. Still born 2. Debility, Infantile	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn &c.). ntal Diseases. IV. One.—2. Asthenia. 4. Atelectasis Pulmonu 6. Anus Imperforatus.
Sense. EYE AND EAR. III. Nine.—1. Malignus Oculi 2. Opthalmitis 3. Ossis Petrosis 4. Otitis CLASS IV.—Developme ORDER ONE.—Developmental Diseases of Children. IV. One.—1. Still born 2. Debility, Infantile 3. Debility, Premature Birth 4. Cyanosis	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn &c.). IV. One.—2. Asthenia. 4. Atelectasis Pulmonu. 6. Anus Imperforatus. Cleft Palate. Idiocy.
Sense. EYE AND EAR. III. Nine.—1. Malignus Oculi	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn &c.). IV. One2. Asthenia. 4. Atelectasis Pulmonu: 6. Anus Imperforatus. Cleft Palate. Idiocy. 8. Mainutrition.
Sense. BYE AND EAR. III. Nine.—1. Malignus Oculi 2. Opthalmitis 3. Ossis Petrosis 4. Otitis CLASS IV.—Developme ORDER ONE.—Developmental Diseases of Children. IV. One.—1. Still born 2. Debility, Infantile 3. Debility, Premature Birth 4. Cyanosis 5. Spina Bifida 6. Other Malformations	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn &c.). IV. One2. Asthenia. 4. Atelectasis Pulmonu: 6. Anus Imperforatus. Cleft Palate. Idiocy. 8. Mainutrition.
Sense. EYE AND EAR. III. Nine.—1. Malignus Oculi	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis(from burn &c.). IV. One2. Asthenia. 4. Atelectasis Pulmonu: 6. Anus Imperforatus. Cleft Palate. Idiocy. 8. Mainutrition.
Sense. BYE AND EAR. III. Nine.—1. Malignus Oculi 2. Opthalmitis 3. Ossis Petrosis 4. Otitis CLASS IV.—Developme ORDER ONE.—Developmental Diseases of Children. IV. One.—1. Still born 2. Debility, Infantile 3. Debility, Premature Birth 4. Cyanosis 5. Spina Bifida 6. Other Malformations 7. Teething	Pemphigus. Ecthyma. Impetigo. Psoriasis, &c. Dermatitis (from burn &c.). IV. One2. Asthenia. 4. Atelectasis Pulmonu. 6. Anus Imperforatus. Cleft Palate. Idiocy.

STATISTICAL NOSOLOGY.

CLASS IV .- Developmental Diseases .- Continued.

SUPPLEMENTAL LIST. TABULAR LIST. ORDER Two.—Developmental Diseases of Women. IV. Two.—1. Amenorrhœa. Chlorosis.† Climacteria. Menorrhagia. 2. Miecarriage. Abortion. Puerperal Mania. Puerperal Convulsions. Phlegmasis Dolens. Cæsarian Operation. Extra-Uterine Fœtation. Flooding. Retention of Placenta. Presentation of Placenta. IV. Two.—1. Paramenia . 2. Childbirth* . ORDER THREE.—Developmental Dis-Presentation of Placenta. Deformed Pelvis. eases of Old People. Mammary Abscess. Vomiting of Pregnancy. IV. Three.—1. Old Age ORDER FOUR. - Diseases of Nutrition. Adolescent and Adult. IV. Four.—1. Marasmus. Malnutrition. IV. Four .- 1. Atrophy 2. Debility Exhaustion. CLASS V.—Deaths by Violence. ORDER ONE. - Accident or Negli-V. One.-1. Railroad and other Accidents. 5. Lost at Sea. 6. Asphyxia. Strangulation. gence. V. One.-1. Fractures and Contusions 2. Wounds, Unspecified . 3 Burns and Scalds Exposure. Cold Water. 4. Poison Frozen. 5. Drowning Heat. Lightning. Surgical Operation. Sun Stroke. 6. Suffocation . 1. 7. Various V. Two.-1. Infanticide. ORDER Two.-Homicide. Patricide. Matricide. Fratricide. Filicide, &c. ORDER THREE. - Suicide. V. Three.—1. Wounds, Unspecified . . . Wounds, Pistol or Gunshot . Wounds, Knife 2. Poison 3. Drowning 4. Hanging

5. Otherwise

11

^{*} See Class I, Order One-22, Tab. List.

[†] See Class II, Order One -3, Sup.

SUGGESTIONS

CONCERNING

Physicians' Certificates of Causes of Deaths.

It should be the endeavor to specify the causes of death as definitely and correctly as possible. It is not unusual to find a return of death with the physician's certificate naming the cause of death "Paralysis." "Paraplegia," "Fits," "Convulsions," "Dropsy," etc., which are merely secondary or consecutive causes, simply symptoms only, or results of some organic lesion or pathological derangement. Sometimes the alleged cause is really the final cause, as in a case of termination of life by paralysis, but the cause given as paralysis is not the determining cause. Apoplexy, or some lesion of the nervous centres, must be the original and determining cause of paralysis, paraplegia, hemiplegia, etc, and the determining cause should be stated as the primary in the return or certificate.

Convulsions are the symptoms or results of some antecedent or concurrent disease. They follow meningitis and other structural lesions of the nervous centres: they also occur from reflex derangement or disturbance of the nervous centres, as, in children, from intestinal irritation, or from inflammation, as in gastritis, enteritis, nephritis, etc. In such cases they may be contributory to death, and perhaps, in rare instances, a final cause, by inducing or taking the form of tonic or tetanic spasm. But as contributory, or as a final cause, they are simply concomitant. They should find a place as secondary causes only in certificates of death.

"Fits" is too unmeaning a term to be used in any case. The word in a medical sense means a paroxysm, a tonic or clonic spasm, or an attack or succession of attacks of some physical or mental disturbance, as "a fit of apoplexy," "a fit of melancholia," etc., and is not properly used as synonymous with convulsions from any cause. It would be just as sensible to attribute a death to a "paroxysm," an "occurrence" or an "attack" as a cause, as to "fits," without some qualification.

"Dropsy" and "Ascites" have been allowed to stand as determining causes of death because of extended use, and because of the obscurity with which their causes in rare instances are involved. We can scarcely conceive of a dropsical accumulation without antece-

APPENDIX. 261

dent organic or functional disorder, derangement of the absorbent or secretory system, or depravation of the blood. They are left in the tabular list with not a little reluctance. Paralysis, with cause unspecified, is also left in the tabular list for a like reason, and with the same doubt of propriety.

It may be suggested that it is sometimes difficult, and occasionally impossible, to ascertain positively the chief or leading cause of death. The physician last in attendance may find several functional or structural diseases, the morbid conditions multiple and complex, and not only the initial derangement, but the succession of morbid processes, proximate, consecutive and ultimate, inextricably entangled and lost to discovery.


The careful diagnostician will, however, even then be able to conceive the probable leading cause, but whether or not, he will be able at least to ascertain the most prominent and controlling lesion or functional derangement then existing, and which may reasonably be accepted as the chief cause of death.

The preceding remark applies very properly to cases of adventitious diseases which prove fatal, when occurring in individuals already suffering from some chronic disease of slower progress, as when fatal dysentery attacks a consumptive person, or one having chronic nephritis dies from pneumonia. The acute disease occurring independently of the chronic disease is the chief cause of death, although the fatal event may have been made more sure by the existence of the antecedent disease, and although the antecedent disease would have ultimately caused death.

In attributing deaths to scrofula, tuberculosis, tumor, cancer and other generic terms, as causes, the organic structure or locality where the disease is developed should always be given, if possible, otherwise such terms are very indefinite.

The objects desired in presenting the preceding nomenclature of causes of death, and the suggestions following, are to subserve the purpose of greater uniformity and precision in the use of nosological terms, and to promote the accomplishment of entire definiteness, accuracy and completeness in the physician's certificates of causes of death.

The State of Rhode Island has a leading reputation for the completeness of its vital statistics. It is not excelled, if equalled, by any State in the Union. With the exception of two or three, there are no States that have even any approximate completeness of numbers of decedents, and fullness of statements of fact connected therewith. It is hoped that the physicians of Rhode Island will feel a professional and patriotic interest in the continued elevation of the reputation of the State as a collector of accurate and complete vital statistics.



APPENDIX B.

THE LAWS OF RHODE ISLAND

IN RELATION TO THE REGISTRATION OF

BIRTHS, MARRIAGES AND DEATHS,

AND OF DIVORCE.

PUBLIC STATUTES, CHAPTER 85, AND PUBLIC LAWS, CHAPTER 747.

OF THE REGISTRATION OF BIRTHS, DEATHS AND MARRIAGES.

SECTION 1. The town clerks of the several towns, or any person whom the board of aldermen of any city, or the town council of any town may appoint for that purpose, shall obtain, chronologically record and index, as required by the forms prescribed by section three of this chapter, all information concerning births, marriages and deaths occurring among the inhabitants of their respective towns; and on or before the first Monday in March, annually, shall make duly certified returns thereof to the secretary of the state board of health, for the year ending on the thirty-first day of December next preceding, accompanying the same with a list of the persons required by law to make returns to them, who have neglected to do so, and with such remarks relating to the object of this chapter as they may deem important to communicate.

SEC. 2. The secretary of the state board of health shall receive the returns made in pursuance of the preceding section, and annually make a general abstract and report thereof, in form as prescribed by section three of this chapter, and publish not exceeding one thousand copies thereof, and for preparing, tabulating and publishing said annual report the sum of five hundred dollars shall be paid to the state registrar. Said returns, after such report is prepared, shall be deposited in the office of the secretary of state, who shall cause the same to be arranged, full alphabetical indices of all the names to be made, and the whole to be bound in volumes of convenient size and carefully preserved in his office.

264

- SEC. 3. The blank forms required to carry out the provisions of this chapter shall, on application, be furnished by the secretary of the state board of health to clergymen, physicians, undertakers, town clerks, clerks of meetings of the Society of Friends, and other persons requiring them, substantially as follows: The record of a birth shall state the date and place of birth, name and sex of the child, whether born alive or still-born, the name and surname, color, occupation, residence and birthplace of the parents, and the time of recording, so far as the same can be ascertained. The record of a marriage shall state the date of the marriage, place, name, residence and official station of the person by whom married, names and surnames of the parties, age, color, occupation and residence of each, condition, that is, whether single, widowed or divorced, what marriage, that is, whether first, second, third or other marriage, the occupation, birthplace and name of their parents, and the time of recording, so far as the same can be ascertained. The record of deaths shall state the date of death, name and surname of the deceased, the sex, color and condition, whether single or married, age, occupation, place of death, place of birth, names and birthplace of parents, disease or cause of death, and the time of recording, so far as can be ascertained.
- SEC. 4. Every meeting of the Society of Friends, clergyman, and all others authorized to join persons in marriage, shall make a faithful record of every such rite performed by them, in manner and form aforesaid, and return the same for the last preceding month, on or before the second Monday of every month, to the town clerk of the town in which such rite shall have been performed; and no marriage shall be solemnized until the parties shall have signed and delivered to the person about to solemnize it, or to the clerk of a meeting of the Society of Friends, a certificate containing the information required for the record of a marriage, as prescribed by this chapter.
- Sec. 5. The town clerk of every town shall annually, in the month of January, collect the information required by this chapter, in relation to all children born in the town during the year ending on the thirty-first day of December next preceding.
- Sec. 6. Whenever any person shall die, or any still-born child shall be brought forth in this state, the physician attending at such bringing forth or last sickness, if any physician so attended, shall, within forty-eight hours after such death or bringing forth, leave with the family, if any, or person having the care of the deceased, or the person bringing forth such still-born child, or give to the under taker, or person who conducts the funeral, a certificate stating, in case of a death, the name of the deceased, the date of the death, and the disease or cause of the death, and in case of the bringing forth of a still-born child, the date and the cause of such child being brought forth still-born. Provided, however, if the physician last in attendance shall not have knowledge of such death, or is otherwise reasonably prevented from leaving with the family or giving the undertaker such certificate within the time hereinbefore specified, or before the funeral or disposal of the remains of the deceased, he shall, within five days after having

knowledge of such death by notification or otherwise, send to the town or city clerk or registrar of the town or city in which such death occurred a certificate, stating the name, date and disease or cause of death of such decedent.

- SEC. 7. Every town council may appoint a sufficient number of persons to act as undertakers, removable at the pleasure of such council.
- SEC. 8. No undertaker or other person shall conduct a funeral, or bury or deposit in a tomb, or remove from this state, or otherwise dispose of the remains of any deceased person or still-born child unless he shall first obtain the physician's certificate required by section six of this chapter, if a physician was in attendance upon such person who has deceased, or the person bringing forth such still-born child, and shall return the same, together with his own certificate of the information required by section three of this chapter, to the town clerk of the town where such death or bringing forth took place. Provided, however, that in such towns as allow the burial or removal of the bodies of deceased persons without a permit from the town clerk, and the undertaker or other person who has charge of the disposal of the remains of the deceased person is unable to obtain the said physician's certificate, after reasonable attempts therefor before the burial or removal of the said remains, then the said undertaker or other person shall make his return as required by section three of this chapter, including the cause of death and the name of the physician last in attendance upon the deceased, immediately to the town or city clerk or registrar of the town or city in which the death occurred. He shall, also, within two days thereafter, notify the physician last in attendance upon the deceased person of the name and date of death of the same.
- SEC. 9. Any town may make ordinances more effectually to attain the objects herein contemplated.
- SEC. 10. The town clerks, or persons appointed as aforesaid, shall receive for each record of a death made and returned as required by law, and for each record of a marriage made and returned as required by law, twenty cents, to be paid to them out of their respective town treasuries: *Provided*. that the yearly compensation to be paid out of the town treasury as aforesaid, to any one town clerk or person appointed as aforesaid, who shall perform the duties prescribed by this chapter, shall not be less than five dollars. Undertakers and others making returns of deaths as required by sections six and eight of this chapter, shall receive for each full report of a death made to the town clerk five cents in the cities of Providence and Newport, and ten cents in the other towns of the state.
- SEC. 11. Every clergyman, physician, undertaker, town clerk, clerk of any meeting of the Society of Friends, or other person who shall wilfully or unreasonably neglect or refuse to perform any of the duties imposed on or required of him by this chapter, shall be fined not exceeding twenty dollars nor less than two dollars for each offence, one-half thereof to the use of the town in which the offence shall occur, and one-half thereof to the use of the person who shall complain of the same.
 - SEC. 12. Every clergyman, physician, coroner, undertaker, medical examiner,

or clerk of any meeting of the Society of Friends, shall cause his name, residence and post office address to be recorded in the town clerk's office of the town where he resides.

- SEC. 13. No letters of administration or letters testamentary shall be granted by any court of probate, upon the estate of any person, until the death of such person, or the facts from which the same is presumed, shall be duly certified, as near as may be, to the town clerk, in order that the same may be duly registered according to the provisions of this chapter.
- SEC. 14. The town clerks of the several towns, the city clerk of the city of Newport, and the city registrar of the city of Providence, shall have the custody of all records of births, deaths and marriages of their respective towns, whether made under the statutes now in force or any former statute, and a certificate signed by them, certifying that any written or printed statement of any marriage, birth or death is a true copy of the record in their custody, shall be admitted as evidence of such marriage, birth or death.
- SEC. 15. Births, marriages and deaths of non-residents shall be distinguished from those of residents, in the returns, by being arranged separately.
- Sec. 16. The secretary of the state board of health may, from time to time, vary the forms of returns, and require such additional information as he may consider necessary to accomplish the object of this chapter.
- SEC. 17. The town clerks or other officers appointed under this chapter to collect, record and return the births in the several towns, shall receive fees therefor as follows: For making record and return of these facts as required by law, twenty cents each for the first fifty entries in each calendar year, and ten cents each for each subsequent entry and return; to be paid by the town in which the birth is recorded.
- SEC. 18. The town clerks of the several towns, or other persons appointed under this chapter to collect the births in the several towns, shall annually in the month of January collect the facts concerning the births within their respective towns, required by this chapter; and shall, so far as practicable, at the same time, collect the census of all persons between the ages of five and fifteen years inclusive, as provided by chapter fifty; and shall receive therefor such compensation as the town council or the board of aldermen of their respective towns or cities shall determine: *Provided*, that the city of Providence shall be exempt from so much of the provisions of this section as relates to the collection of the statistics of births.
- SEC. 19. Blanks for the foregoing purposes shall be furnished, on application therefor, on or before the first day of December in the year preceding, by the state board of health for the collection of births, and by the commissioner of public schools for the census aforesaid.
- SEC. 20. The person or persons who shall discharge the duties required by section eighteen of this chapter, if other than the town clerk, shall make full

return thereof to the town clerk of his or their town, on or before the tenth day of February next following.

SEC. 21. The returns required to be made by clerks of the supreme court, in relation to divorces, to the secretary of the state board of health, or a prepared abstract thereof, shall be published in the annual report on the births, marriages and deaths in the state.

CHAPTER 1262. PUBLIC LAWS.

[Passed May 4, 1894.]

AN ACT IN AMENDMENT AND IN ADDITION TO CHAPTER 85 OF THE PUBLIC STATUTES, "OF REGISTRATION OF BIRTHS, MAKRIAGES AND DEATHS."

It is enucted by the General Assembly as follows:

SECTION 1. Section 17 of Chapter 85 of the Public Statutes is hereby amended so as to read as follows:

"SEC. 17. The town clerks or other officers appointed under this chapter to collect, record and return the births in the several cities and towns, shall receive fees therefor as follows: For making record and return of these facts as required by law, twenty cents for each entry and return; to be paid by the city or town in which the birth is recorded."

SEC. 2. The clerk or registrar of each town and city shall on the first day of each and every month make a certified copy of all births, marriages and deaths recorded in the books of said town or city during the previous month, whenever the parents of the child born, or the bride or the groom, or the deceased person, were resident in any other town or city in this State or in any other state at the time of said birth, marriage or death; and shall transmit such certified copies to the clerk or registrar of the town, city or state in which such parents of the child born, the bride or the groom, or the deceased, were resident at the time of said birth, marriage or death, stating in case of a birth, the name of the street and number of the house, if any, where such parents resided, the place of birth of such parents and the maiden name of the mother, whenever the same can be ascertained; and the clerk or registrar so receiving such certified copies shall record the same in the books kept for recording births, marriages and deaths. Such certified copies shall be made upon blanks to be furnished for that purpose by the secretary of the state board of health.

SEC. 3. This act shall take effect upon its passage.

SYNOPSIS OF THE LAW OF MARRIAGE.

CHAPTER 163, PUBLIC STATUTES.

SECTIONS 1, 2 and 3 show what kindred persons cannot marry, and declare marriages within prohibited degrees null and void.

SECTION 4 makes an exception in favor of Jews, within the degrees of affinity or consanguinity allowed by their religion.

SECTION 5 declares the marriage of persons having a husband or wife living, and of idiots and of lunatics, absolutely void.

SEC. 6. "Any ordained minister or elder of any religious denomination, who shall be domiciled in this state, and either justice of the supreme court, may join persons in marriage in any town in the state. (It will be seen that clergymen from other states cannot LAWFULLY solemnize marriages in Rhode Island.)

Sec. 8. Wardens in the town of New Shoreham may join persons in marriage in said town.

SECTION 9 provides that no minister, elder, magistrate or warden shall join persons in marriage, unless such persons, if residents of this state, shall first present (to the clergyman or other person officiating) a certificate properly executed and signed by the town or city clerk or city registrar of the town or city in which EACH of such persons shall RESPECTIVELY reside, and if not residents of this state, then from the town or city clerk or registrar of the town or city in which the marriage shall be solemnized, to the effect that the said town or city clerk or registrar has duly recorded the intention of marriage between the parties named in the certificate, the said certificate also setting forth the names and surnames of the parties, the age, color, occupation, birthplace and residence of each, whether either or both have been before married, and, if before married, whether the marriage intended is the first, second, third or other marriage, and also whether the condition of either or both persons previously married is that of a divorced person, and the names, occupation and birthplace of each of their parents; and no town or city clerk or city registrar shall issue such certificate to any minor person under guardianship, unless the consent in writing of the parent or guardian shall have first been obtained thereto; provided, however, such certificate may be issued to a female over eighteen years of age, who has no parent or guardian living in the United States. (The legal minority of both sexes terminates at the age of twenty-one.)

SECTION 10 provides that every Society of Friends, and every person authorized to join persons in marriage, shall certify upon the certificate required in section nine of this chapter the time when and the place where the marriage shall have been

solemnized by him, and SHALL on or before the second Monday of every month, return the certificate of every marriage solemnized by him during the last preceding month to the clerk or registrar of the TOWN OR CITY in which such rite shall have been performed.

SECTION 11 forbids the solemnization of the marriage ceremony, by any person, when lawful objection is made thereto in writing, until such lawful objection be removed.

Sections 12 and 13 provide that any person who shall join persons in marriage without first receiving the certificate required in section nine of this chapter, or otherwise contrary to or in violation of chapter 163 of the Public Statutes, shall be imprisoned not exceeding six months, or fined not exceeding one thousand dollars.

SECTION 14 provides that ALL PERSONS married without duly proceeding as required by chapter 163, shall be fined not exceeding fifty dollars.

SEC. 15. The solemnization of marriage shall be in the presence of two witnesses at least, besides the minister, elder or magistrate officiating.

SECTION 16 relates to marriage among Quakers or Friends, and among Jews, making them valid if in accordance with the forms, rites and ceremonies of the same respectively.

SECTION 17 provides that at least one of the parties to any marriage solemnized according to the manner and form of the Society of Friends, or rites and ceremonies of the Jewish religion shall, before the celebration thereof, sign and deliver to the town or city clerk or city registrar of the town or city in which such marriage is solemnized, the certificate required in section nine.

CHAPTER 167.

OF DIVORCE.

SECTION 1. Divorces from the bond of marriage shall be decreed in case of any marriage originally void or voidable by law, and in case either party is for crime deemed to be or treated as if civilly dead, or, from absence or other circumstances, may be presumed to be naturally dead.

SEC. 2. Divorces shall be decreed for impotency, adultery, extreme cruelty, willful desertion for five years of either of the parties, or for such desertion for a shorter period of time in the discretion of the court, for continued drunkenness, for neglect or refusal on the part of the husband, being of sufficient ability, to provide necessaries for the subsistence of his wife; and for any other gross misbehavior and wickedness in either of the parties, repugnant to and in violation of the marriage covenant.

- SEC. 3. Whenever it shall appear that the absence, adultery, cruelty, desertion or other cause of complaint, as aforesaid, was committed or occasioned by the collusion of the parties, and done and contrived with an intention to procure a divorce, in such case no divorce shall be decreed.
- SEC. 4. Whenever a divorce shall be had for the causes of affinity, consanguinity, impotency, idiocy, lunacy or crime of either of the parties, the wife shall have restored to her all her lands, tenements and hereditaments; and a judgment may be passed for a restoration to her of all or such part of the personal estate specifically, or the value thereof, which has come to the husband's hands by virtue of the marriage, as the court from the circumstances of the case shall deem equitable.
- SEC. 5. Whenever the divorce shall be occasioned by adultery, or other of the causes aforesaid, done or committed on the part of the wife, the husband shall hold the personal estate not secured to her by law, forever, and her real estate not secured to her by law during his natural life, in case they have had issue born alive of her body during the marriage, otherwise during her natural life only, if he shall survive her.
- SEC. 6. The court may, in such case, allow the wife for her subsistence so much of her real and personal estate as they shall deem necessary or proper.
- SEC. 7. Whenever a divorce is granted for adultery, or crime on the part of the husband, the wife shall be entitled to dower in the same manner as if he were dead, unless the court shall decree alimony, chargeable upon the estate of the husband, instead of such dower.
- SEC. 8. Whenever a divorce shall be had for adultery, or for any of the causes aforesaid, done or committed on the part of the husband, the wife shall continue to hold all her property, real and personal, secured to her by law, free from any right in or control over her disposition of the same, either during her life or at her death; and, if there be no issue living, shall be restored to all other her lands, tenements and hereditaments, if any there be.
- SEC. 9. In such case the wife shall also be allowed out of the real or personal estate of the husband, or out of both, such alimony as the court shall think reasonable, not exceeding the use of one moiety of his real estate, during the life of the wife, and the property of one-half of his personal estate, having regard to the personal property that came to the husband by the marriage, and his ability.
- SEC. 10. If there be issue living at the time of the divorce, the court, with regard to ordering restoration to the wife of such of her lands, tenements or here-ditaments, if any, as may not be secured to her by law, and in regard to the amount of alimony to be allowed her out of the property of the husband, may do as they shall judge the circumstances of the case may require.
- SEC. 11. Divorces from bed, board, and future cohabitation, until the parties be reconciled, may be granted for any of the causes for which by law a divorce from the bond of marriage may be decreed, and for such other causes as may seem to require the same.

- SEC. 12. In case of such divorce, the court may assign to the petitioner a separate maintenance out of the estate or property, of the husband or wife, as the case may be, in such manner and of such amount as they may think necessary or proper.
- SEC. 13. Every petition shall be signed by the petitioner, if of sound mind and of legal age to consent to marriage, otherwise upon application to the court, and after notice to the party in whose name the petition shall be filed, the court may allow such petition to be signed by a guardian or next friend.
- Sec. 14. All jurisdiction over divorce, alimony, separate maintenance, or the custody, education, and support of the children of persons divorced or petitioning for a divorce, is vested in the supreme court.
- SEC. 15. Said court shall have no cognizance of or jurisdiction over any petition for the same, or either of the same, unless the petitioner shall, at the time of preferring such petition, be a domiciled inhabitant of this state, and have resided therein for the period of one year, next before the preferring of such petition.
- SEC. 16. All such petitions shall be filed, heard and tried in the county in which the petitioner shall reside.
- SEC. 17. The said court may, by general rule or otherwise, prescribe the notice to be given, within or without the state, on such petitions, and may issue such process as may be necessary to carry into effect all powers conferred upon them in relation to the same.

SECTIONS 18, 19 and 20 contain provisions in relation to citations to adverse party residing without the state, or in parts unknown.

SEC. 21. Whenever any citation, issued under the provisions of this chapter, shall be served by a disinterested person, such person shall return the same, having made oath thereon of the place where, the time when, and the manner in which he shall have made service of the said eitations.

SECTION 22 provides for giving and ensuring proper and sufficient notice to the adverse party.

- SEC. 23. The said court is empowered to regulate the custody, and provide for the education, maintenance and support of the children of all persons by them divorced or petitioning for a divorce, and of all persons to whom a separate maintenance may be granted, or who may petition for the same; to make such allowance to the wife, out of the estate of her husband, for the purpose of enabling her to prosecute or defend against any such petition for divorce or separate maintenance, in case she has no property of her own available for such purposes, as they may think reasonable and proper; and to make all necessary orders and decrees concerning the same, and the same at any time to alter, amend and annul for sufficient cause, after notice to the parties interested therein.
- SEC. 24. The said court may authorize a married woman to whom a divorce from the bond of marriage is decreed to change her name, with the same rights and liabilities as if her name had not been changed.

SEC. 25. After the filing and during the pendency of any petition under this chapter, the supreme court may, as in equity, make such interlocutory decrees, or grant such temporary injunctions as may be necessary, until a hearing can be had before the court.

CHAPTER 198.

OF DIVORCES.

SECTION 5. The clerks of the supreme courts in the several counties shall make returns to the secretary of the state board of health, on or before the first day of March in each and every year, for the year ending on the thirty-first day of December preceding, of all the applications for divorce, showing the number, the number granted, and the causes which are given for the application, but without the names of the parties, in accordance with the blanks which shall be furnished them by the secretary of the state board of health.

INDEX.

Sec also Contents, page V.

Accidents	
" and occupations	
" form of, for thirty nine years	
Ages at time of death; disease and sex	
Alcoholism	
Apoplexy	
Births, by towns	
" colored	
" comparative number by towns	101
" diagram of	
" forty years	
" illegitimate	
" laws governing the registration of	of 263–267
" number of child of mother	121
" parentage	
" plural	
" proportion of to population	104, 105, 108
" " " for tw	centy-five years 107
" rates in towns	
" season	6, 116
" sex and localities	
" for thirty years	
" still-born	
Brain, diseases of	20, 24, 50, 58, 81, 183
Bronchitis	21, 35, 50, 64, 81, 184
Cancers	21, 35, 49, 65, 81, 186
Causes of death, alphabetically arranged	
" nosologically arranged,	thirty-nine years46-69
	in divisions of the State46-53
Child birth	22, 36, 53, 62, 188
Cholera Infantum	
Comparative statistics and comments	173-248


Consum	nption (phthisis pulmonalis)	36	, 49,	58,	81,	192
" d	iphtheria and scarlet fever by seasons,	232
Deaths,	1893	<i>:</i> .			. .	3, 5
"	by age				158	-162
"	" counties					. 16
"	causes, alphabetically		· • • • ·		18	8–31
	" of, for each of forty years					
**	laws governing the registration of				263-	-267
• 6	causes of, alphabetical order, months		·		18	8-31
44	" ages					
"	" thirteen principal, order, number and proportio	n.	• · · ·		. 	171
4.6	" twenty principal. Diagram					
"	" twenty-five principal. Tables					
4.6	" unknown			. .	·	. 170
	" classification and percentage. Tables					
	comparative number by towns					
	diagram of					
٠.	occupations and ages					
4.6	" " diseases					
• •	parentage					
**	per 1,000 living, by counties					
• •	proportion of to population					
••	" for twenty-five years			•		
	by diseases					
44	rates of, in towns					
44	" counties				,	
• •	season				,	
44	Sex.			,	,	
	summary					
• •	-					
	forty years					
Decede:	colored					
	comparison with births					
	occupation and age					
	causes of death. Tables,					
	parentage					
"	season					
	sex and age					
Diphthe						
	scarlatina and croup, by seasons					
	8					
"	ratio of to marriages, different States					. 150

Divorces, laws governing registration of
" statute causes
Dropsy
" compared with diseases of kidney and liver
Fevers, malarial
" typhoid, etc
" percentage in different States. Table
Heart, diseases of
Illegitimates
Influenza
Insanity
Intemperance
Kidney, diseases of
" Bright's disease of
Laryngitis
Laws in relation to registration of births, marriages and deaths 263-267
" " divorce
" governing registration of marriage
Liver, diseases of
Malarial diseases, fevers
Marriages, 1893
" ages of persons married. Tables
" colored
comparative number by towns
denominational
laws governing registration of
synopsis of
Nativity of
of the divorced
rates in towns.
" season
"times married141
" forty years 99
" widowers and widows141, 142
" proportion of to population
" for twenty-five years
Measles
Mother, number of child of
Nomenclature of diseases 251-259
Occupations and ages at death 70-80
" causes of death
" principal causes of death, forty-two years249
Old age. Table 28, 42, 53, 66, 81, 225

Paralysis. Table
Peritonitis. Table
Physicians' certificates concerning death
Pneumonia
Puerperal fever44, 58, 188
Results, comparative, eighteen years235
Rheumatism 29, 43, 49, 58, 81
Scarlatina. Tables
" diphtheria and croup, by seasons
Still born children
" thirty-nine years 100
Suicide 30, 44, 53, 66, 81, 233
Whooping cough (Pertussis)



• •







LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on or before the date last stamped below.



